








# ANNALS OF APPLIED BIOLOGY

## Index to Volumes 1-10





CM1  
4-560 c

# ANNALS OF APPLIED BIOLOGY

## Index to Volumes 51-70

COMPILED BY

R. W. MARSH, O.B.E., M.A., F.I.Biol.

*Editor of Annals of Applied Biology*

1946-1969

PUBLISHED BY

THE ASSOCIATION OF APPLIED BIOLOGISTS

© Association of Applied Biologists

PUBLISHED BY  
THE ASSOCIATION OF APPLIED BIOLOGISTS

*Printed in Great Britain at the University Printing House, Cambridge*

## CONTENTS

INTRODUCTION AND BIBLIOGRAPHICAL NOTES	<i>page</i> v
INDEX OF AUTHORS	i
INDEX OF SUBJECTS	47

## INTRODUCTION AND BIBLIOGRAPHICAL NOTES

The preparation of this index was greatly facilitated by the work of Mr D. Akenhead, whose index to volumes 1-50 of the *Annals of Applied Biology* provided the pattern on which the present publication is based.

Under each author's name the titles of his papers are listed in chronological sequence but cross-references to joint authors are in alphabetical order.

In the subject index, the newer proprietary and coined common names of chemicals are followed by the chemical names.

### *Bibliographical notes*

At the beginning of 1970 the name of the journal was changed from *The Annals of Applied Biology* to *Annals of Applied Biology*.

From 1963 to 1970, inclusive, two volumes per year were published, each of three parts issued in alternate months. The dates of the respective volumes were:

<i>Year</i>	<i>Volume no.</i>	<i>Year</i>	<i>Volume no.</i>
1963	51, 52	1967	59, 60
1964	53, 54	1968	61, 62
1965	55, 56	1969	63, 64
1966	57, 58	1970	65, 66

Starting in 1971, three volumes per year were issued, each of three parts. Volumes 67, 68 and 69 were published in 1971 and volume 70 in January-April 1972.



## INDEX OF AUTHORS

- ABD-EL-REHIM, M. A., MICHAIL, S. H., ELAROSI, H. & KHAIRY, ENAYAT, A. Hot-water treatment of seed as a method for decreasing the incidence of certain cotton and flax seedling diseases **63**, 95
- ABRAHAM, P. D., BOATMAN, S. G., BLACKMAN, G. E. & POWELL, R. G. Effects of plant growth regulators and other compounds on flow of latex in *Hevea brasiliensis* **62**, 159
- A'BROOK, J. The effect of planting date and spacing on the incidence of groundnut rosette disease and of the vector, *Aphis craccivora* Koch, at Mokwa, Northern Nigeria **54**, 199
- The effect of plant spacing on the numbers of aphids trapped over the groundnut crop **61**, 289
- ADAMS, A. N. *See* HULL, R. **62**, 139
- ADAMS, B. R. *See* BOCK, K. R. *et al.* **66**, 453
- ADAMS, P. *See* DAWSON, J. R. *et al.* **56**, 243
- AHMED, HAFIZ. Species and age specificity of malathion towards the locusts *Schistocerca gregaria* and *Locusta migratoria* **65**, 43
- AKINREFON, O. A. The control of damping-off in *Pisum sativum* L. by cycloheximide **58**, 321
- Biochemical studies on plant tissues infected by *Phytophthora palmivora* (Butl.) Butl. **63**, 303
- ALDWINCKLE, H. S. & SELMAN, I. W. Some effects of supplying benzyladenine to leaves and plants inoculated with viruses **60**, 49
- ALFORD, D. V. The effect of *Tarsonemus fragariae* Zimmerman (Acarina: Tarsonemidae) on strawberry yields **70**, 13
- ALI, M. A., LENNARD, J. H. & BOYD, A. E. W. Potato coiled sprout in relation to seed tuber storage treatment and to infection by *Verticillium nubilum* Pethybr. **66**, 407
- ALI, MOHAMED, A. M. *See* LUPTON, F. G. H. **57**, 281
- ALLAN, I. R. H. The salmon and sea-trout stocks of the River Axe, Devon **53**, 497
- ALLISON, J. C. S. Effect of plant population on the production and distribution of dry matter in maize **63**, 135
- Analysis of growth and yield of inbred and crossbred maize **68**, 8
- ARMAN, P. & WAIN, R. L. Studies upon the copper fungicides. XII. Absorption of complexes by leaves **51**, 439
- ARNOLD, A. J. An oscillating insect barrier **65**, 9
- ARNOLD, N. P. & BLAKE, C. D. Some effects of the nematodes *Ditylenchus myceliophagus* and *Aphelenchoides composticola* on the yield of the cultivated mushroom **61**, 161
- ASHER, M. J. C. Effect of *Ophiobolus graminis* infection on the growth of wheat and barley **70**, 215
- ASOMANING, E. J. A. & LOCKARD, R. G. Studies on the physiology of cocoa (*Theobroma cacao* L.). I. Suppression of swollen-shoot virus symptoms by light **54**, 193
- ATKIN, R. K., SPENCER, D. M. & WAIN, R. L. Investigations on fungicides. X. The anti-fungal activity of 2-deoxy-D-glucose **53**, 437
- ATKIN, R. K. & WAIN, R. L. Studies on plant growth-regulating substances. XXIV. Factors influencing kinetin-induced phosphorus mobilization in detached radish cotyledonary leaves **60**, 321
- ATTAFUAH, ALEX & GLENDINNING, D. R. Studies on resistance and tolerance to cocoa viruses in Ghana: I. A survey of the T 17 progeny **56**, 219; II. A survey of breeding material **56**, 227

- AUSTIN, R. B. Year-to-year variation in yields of root vegetables from a long-term manurial experiment at Wellesbourne 51, 523
- AVERY, D. J. *See* BRIGGS, J. B. 61, 269
- AVERY, D. J. & BRIGGS, J. B. The aetiology and development of damage in young fruit trees infested with fruit tree red spider mite, *Panonychus ulmi* (Koch) 61, 277
- AYUB, A. N. BIN HOJI & SWINBURNE, T. R. Observations on the infection and rotting of apples var. Bramley's Seedling by *Diaporthe pernicioso* 66, 245
- BAILEY, J. A. Phytoalexin production by leaves of *Pisum sativum* in relation to senescence 64, 315
- BAILEY, L. The incidence of virus diseases in the honey bee 60, 43  
The multiplication and spread of sacbrood virus of bees 63, 483
- BAINBRIDGE, R. The problem of excluding fish from water intakes 53, 505
- BAJAJ, B. S. *See* SINGH, PRITAM *et al.* 55, 89. *See* VASUDEVA, R. S. *et al.* 51, 415
- BAKER, E. A. *See* HOLLOWAY, P. J. 66, 145. *See* MARTIN, J. T. *et al.* 57, 491, 501. *See* SILVA FERNANDES, A. M. *et al.* 53, 43.
- BAKER, E. A., BATT, R. F. & MARTIN, J. T. Studies on plant cuticle. VII. The nature and determination of cutin 53, 59
- BAKER, E. A. & BUKOVAC, M. J. Characterization of the components of plant cuticle in relation to the penetration of 2,4-D 67, 243
- BAKER, E. A. & MARTIN, J. T. Studies on plant cuticle. X. The cuticles of plants of related families 60, 313
- BAKER, E. A., MARTIN, J. T. & WILSON, APHRA, P. The distribution of diosgenin in *Dioscorea* spp. 58, 203
- BAKER, J. M. & TAYLOR, JEAN, M. The toxicity of tributyltin oxide to the wood-boring beetles *Lyctus brunneus* Steph. and *Anobium punctatum* Deg. 60, 181
- BAKER, PATRICIA M. *See* GOSTICK, K. G. 61, 447
- BAKER, R. M. *See* BURDEKIN, D. A. 54, 107
- BALAYANNIS, P. G., SMITH, M. S. & WAIN, R. L. Studies on plant growth-regulating substances: XIX. Stability of 2,3,6-trichlorobenzoic acid in wheat plants and in the rabbit and mouse 55, 149; XX. The metabolism of  $\gamma$ -(2,4,5-trichlorophenoxy)butyric acid in wheat and pea stem tissues 55, 261
- BALD, J. D., SUZUKI, TERRY & DOYLE, ANNA. Pathogenicity of *Fusarium oxysporum* to Easter lily, narcissus and gladiolus 67, 331
- BALIS, C. A comparative study of *Phialophora radicola*, an avirulent fungal root parasite of grasses and cereals 66, 59
- BANAGE, W. B. *See* EMECHEBE, A. M. *et al.* 69, 223; 70, 157
- BANKS, C. J. *See* WAY, M. J. 54, 255; 59, 189; 62, 177
- BANKS, C. J. & MACAULAY, E. D. M. The feeding, growth and reproduction of *Aphis fabae* Scop. on *Vicia faba* under experimental conditions 53, 229  
The ingestion of nitrogen and solid matter from *Vicia faba* by *Aphis fabae* Scop. 55, 207  
Effects of *Aphis fabae* Scop. and of its attendant ants and insect predators on yields of field bean (*Vicia faba* L.) 60, 445
- BANKS, C. J. & NEEDHAM, P. H. Comparison of the biology of *Myzus persicae* Sulz. resistant and susceptible to dimethoate 66, 465
- BARDNER, R. The uptake of phorate, a systemic insecticide, applied as a slurry to wheat and mustard seeds 53, 445  
Wheat bulb fly, *Leptohylemyia coarctata* Fall. and its effect on the growth and yield of wheat 61, 1  
*See* BURT, P. E. *et al.* 56, 411. *See* GRIFFITHS, D. C. 54, 241. *See* TAYLOR, W. E. 62, 249
- BARFORD, I. A. *See* RUSSELL, G. E. 68, 299



- BAR-JOSEPH, M. *See* HARPAZ, I. *et al.* **64**, 57
- BARLOW, F. *See* HADAWAY, A. B. **55**, 267
- BARNETT, O. W. & MURANT, A. F. Host range, properties and purification of raspberry bushy dwarf virus **65**, 435
- BATES, ANGELA N., SPENCER, D. M. & WAIN, R. L. Investigations on fungicides. VII. The antifungal activity of certain hydroxynitro alkanes and related compounds **51**, 153
- BATES, D. C. & CHANT, S. R. Alterations in peroxidase activity and peroxidase isozymes in virus-infected plants **65**, 105
- BATHARD, A. H. *See* BENTLEY, E. W. *et al.* **51**, 343. *See* GREAVES, J. H. *et al.* **62**, 341
- BATT, R. F. *See* BAKER, E. A. *et al.* **53**, 59
- BAWDEN, F. C. Some reflexions on thirty years of research on plant viruses (Presidential Address) **58**, 1
- BAXTER, R. I. & BLAKE, C. D. Some effects of suction on the hatching eggs of *Meloidogyne javanica* **63**, 183
- Oxygen and the hatch of eggs and migration of larvae of *Meloidogyne javanica* **63**, 191
- BEAKBANE, A. BERYL. A relationship between leaf structure and growth potential in apple **60**, 67
- BEESELEY, W. N. The effect of three organo-phosphorus insecticides on certain arthropods which infest livestock **52**, 295
- Applied entomology in Britain: veterinary entomology **53**, 175
- BEEVER, D. J. The relationship between nutrients in extracted xylem sap and the susceptibility of fruit trees to silverleaf disease caused by *Stereum purpureum* (Pers.) Fr. **65**, 85
- BELL, M. K. & BURNETT, J. H. Cellulase activity of *Polyporus betulinus* **58**, 123
- BENJAMIN, D. M., FREEMAN, G. H. & BROWN, E. S. The determination of irregularly-shaped areas of leaves destroyed by chewing insects **61**, 13
- BENNETT, MARGERY. *See* TALBOYS, P. W. **64**, 483
- BENNETT, O. W. & MURANT, A. F. Host range, properties and purification of raspberry bushy dwarf virus **65**, 435
- BENT, K. J. Vapour action of fungicides against powdery mildews **60**, 251
- Fungitoxic action of dimethirimol and ethirimol **66**, 103
- BENTLEY, E. W., BATHARD, A. H. & HAMMOND, L. E. Keeping sewers free from rats **51**, 343
- BENTLEY, E. W. & TAYLOR, EILEEN J. Growth of laboratory-reared ship rats (*Rattus rattus* L.) **55**, 193
- BEVAN, D. Forest entomology in Britain **53**, 180
- BIDDINGTON, N. L. *See* LEACH, R. W. A. *et al.* **67**, 137
- BINGHAM, J. Varietal response to water supply in wheat **51**, 515
- Varietal response in wheat to water supply in the field, and male sterility caused by a period of drought in a glasshouse experiment **57**, 365
- Breeding cereals for improved yielding capacity **59**, 312
- See* EVANS, L. T. *et al.* **70**, 67
- BINNS, E. S. The toxicity of some soil-applied systemic insecticides to *Aphis gossypii* (Hom. Aphididae) and *Phytoseiulus persimilis* (Acarina: Phytoseiidae) on cucumbers **67**, 211
- BINNS, E. S., BOCION, P. & GOULD, H. J. The integration of chemical control of the melon aphid with predatory control of glasshouse red spider mite on cucumbers **68**, 1
- BLACK, J. N. Energy relations in crop production – a preliminary survey **67**, 272
- BLACKBURN, F. *See* HAYES, W. A. **58**, 51
- BLACKBURN, F. & HAYES, W. A. Studies on the nutrition of *Arthrobotrys oligospora* Fres. and *A. robusta* Dudd. I. The saprophytic phase **58**, 43
- BLACKHURST (now DEWEY), FRANCES M. Induction of *Verticillium* wilt disease symptoms in detached shoots of resistant and of susceptible tomato plants **52**, 79

- BLACKHURST (now DEWEY), FRANCES M. & WOOD, R. K. S. *Verticillium* wilt of tomatoes – further experiments on the role of pectic and cellulolytic enzymes **52**, 89
- BLACKLOCK, J. C. *See* THORNE, GILLIAN N. **68**, 93
- BLACKMAN, G. E. *See* ABRAHAM, P. D. *et al.* **62**, 159
- BLACKMAN, R. L. Studies on specificity in Coccinellidae **56**, 336  
The effects of different aphid foods on *Adalia bipunctata* L. and *Coccinella 7-punctata* L. **59**, 207  
Selection of aphid prey by *Adalia bipunctata* L. and *Coccinella 7-punctata* L. **59**, 331
- BLACKWOOD, G. C. *See* THORNE, GILLIAN N. *et al.* **63**, 241
- BLAKE, C. D. *See* ARNOLD, N. P. **61**, 161. *See* BAXTER, R. I. **63**, 183, 191
- BLAKEMAN, J. P. Studies on the influence of leaf washings on infection by *Mycosphaerella ligulicola* **61**, 77  
*See* CHESTERS, C. G. C. **58**, 291; **60**, 385
- BLAKEMAN, J. P. & FRASER, A. K. The significance of temperature during sporulation on the biology of pycnidiospores of *Mycosphaerella ligulicola* **63**, 295
- BLEASDALE, J. K. A. Plant growth and crop yield (Fourth Barnes Memorial Lecture) **57**, 173
- BLETCHLY, J. D. Forest-products entomology in the United Kingdom **53**, 184
- BLOOMBERG, W. J. & ORCHARD, W. R. Chemical control of root diseases of Douglas-fir seedlings in relation to fungus and nematode populations **64**, 239
- BLOOMBERG, W. J. & SUTHERLAND, JACK R. Phenology and fungus-nematode relations of corky root disease of Douglas-fir **69**, 265
- BLYTHE, W. Experimental moniliasis **51**, 170
- BOATMAN, S. G. *See* ABRAHAM, P. D. *et al.* **62**, 159
- BOCION, P. *See* BINNS, E. S. *et al.* **68**, 1
- BOCK, K. R. Purple blotch (*Alternaria porri*) of onion in Kenya **54**, 303  
Strains of *Prunus* necrotic ringspot in hop (*Humulus lupulus* L.) **59**, 437  
Arabis mosaic and *Prunus* necrotic ringspot viruses in hop (*Humulus lupulus* L.) **57**, 131
- BOCK, K. R., IVORY, M. H. & ADAMS, B. R. Lethal bole rot disease of coconut in East Africa **66**, 453
- BOND, W. *See* HUMPHRIES, E. C. **64**, 375
- BONNEY, J. E. *See* LEGG, J. T. **60**, 399
- BOOKER, R. H. The effect of sowing date and spacing on rosette disease of groundnut in Northern Nigeria, with observations on the vector, *Aphis craccivora* **52**, 125
- BORA, C. P. *See* SELMAN, I. W. **61**, 131
- BOUTTELL, GINA C. *See* HOLLINGS, M. *et al.* **65**, 299
- BOYD, A. E. W. The effects of length of the growth period and of nutrition upon potato susceptibility to dry rot (*Fusarium caeruleum*) **60**, 231  
*See* ALI, M. A. *et al.* **66**, 407
- BRADBURY, F. R. The systemic action of benzene hydrochloride seed dressings **52**, 361
- BRADBURY, F. R. & O'CARROLL, F. M. Measurement of narcotic potency using houseflies **57**, 15
- BRIAN, R. C. The uptake and absorption of diquat and paraquat by tomato, sugar-beet and cocksfoot **59**, 91  
Darkness and the activity of diquat and paraquat on tomato, broad bean and sugar-beet **60**, 77  
The influence of darkness on the uptake and movement of diquat and paraquat in tomatoes, sugar-beet and potatoes **63**, 117
- BRIGGS, J. B. Insect resistance in fruit plants **56**, 325  
*See* AVERY, D. J. **61**, 277. *See* KEEP, ELIZABETH **68**, 23
- BRIGGS, J. B. & AVERY, D. J. Effects of infestation with fruit tree red spider mite *Panonychus ulmi* (Koch) on the growth and cropping of young fruit trees **61**, 269



- BROADBENT, L. The epidemiology of tomato mosaic: III. Cleaning virus from hands and tools 52, 225; VII. The effect of TMV on tomato fruit yield and quality under glass 54, 209; VIII. Virus infection through tomato roots 55, 57; IX. Transmission of TMV by birds 55, 67; XI. Seed-transmission of TMV 56, 177  
Winds of change in applied biology (the second Barnes Memorial Lecture) 53, 1  
Applied biology as an educational discipline (Presidential Address) 64, 189  
See BURT, P. E. *et al.* 54, 13
- BROADBENT, L. & COOPER, A. J. The epidemiology of tomato mosaic. VI. The influence of tomato mosaic virus on root growth and the annual pattern of fruit production 54, 31
- BROADBENT, L. & FLETCHER, J. T. The epidemiology of tomato mosaic: IV. Persistence of virus on clothing and glasshouse structures 52, 233; XII. Sources of TMV in commercial tomato crops under glass 57, 113
- BROADBENT, L., READ, W. H. & LAST, F. T. The epidemiology of tomato mosaic. X. Persistence of TMV-infected debris in soil and the effects of soil partial sterilisation 55, 471
- BROADBENT, L. & WINDSOR, C. W. The epidemiology of tomato mosaic. V. The effect on TMV-infected plants of nutrient foliar sprays and of steaming the soil 54, 23
- BROCK, A. M., COLLINGWOOD, C. A. & WHITE, J. H. The currant clearwing moth (*Aegeria tipuliformis* (Clerck)) as a pest of black currants 53, 243
- BROOKS, D. H. Wild and cultivated grasses as carriers of the take-all fungus (*Ophiobolus graminis*) 55, 307  
Observations on the effects of mildew, *Erysiphe graminis*, on growth of spring and winter barley 70, 149
- BROOKS, D. H. & DAWSON, M. G. Influence of direct-drilling of winter wheat on incidence of take-all and eyespot 61, 57
- BROWN, E. B. Assessment of the damage caused to potatoes by potato cyst-eelworm, *Heterodera rostochiensis* Woll. 63, 493  
The behaviour of populations of potato cyst-eelworm *Heterodera rostochiensis* Woll. towards resistant potato varieties derived from *Solanum tuberosum* ssp. *andigena* Juz. & Buk. 65, 377
- BROWN, E. B. & SYKES, G. B. Studies on the relation between density of *Longidorus elongatus* and growth of sugar beet, with supplementary observations on *Trichodorus* spp. 68, 291
- BROWN, E. S. See BENJAMIN, D. M. *et al.* 61, 13
- BROWN, J. F. See SHIPTON, W. A. *et al.* 60, 357. See OGLE, HELEN J. 66, 273; 67, 157, 309
- BROWN, J. F., SHIPTON, W. A. & WHITE, N. H. The relationship between hypersensitive tissue and resistance in wheat seedlings infected with *Puccinia graminis tritici* 58, 279
- BROWN, W. Obituary notice of Ernst Gäumann 53, 345
- BRUNT, A. A. Narcissus mosaic virus 58, 13  
Some hosts and properties of bulbous iris mosaic virus 61, 187  
Some hosts and properties of dahlia mosaic virus 67, 357
- BRUNT, A. A. & KENTEN, R. H. Pepper veinal mottle virus – a new member of the potato virus Y group from peppers (*Capsicum annuum* L. and *C. frutescens* L.) in Ghana 69, 235
- BUDDENHAGEN, I. W. See HUNTER, J. E. 63, 53
- BUKOVAC, M. J. See BAKER, E. A. 67, 243
- BULLEN, E. R. Cultural problems of intensive cereal production 59, 315
- BULLOCK, J. A. The assessment of populations of *Thrips nigropilosus* Uzel. on pyrethrum 55, 1
- BUNTING, A. H. Introduction to symposium on effect of environment on crop production 51, 511  
Master Gaster: or the nature and prospects of applied biology (Presidential Address) 53, 351

- BUNTING, A. H. Productivity and profit, or is your vegetative phase really necessary? **67**, 265  
 See FINDLAY, W. P. K. **52**, 345
- BUNTING, E. S. Changes in the capsule of *Papaver somniferum* between flowering and maturity **51**, 459
- BURCHILL, R. T. Field and laboratory studies of the effect of urea on ascospore production of *Venturia inaequalis* (Cke) Wint. **62**, 297  
 Seasonal fluctuations in spore concentrations of *Podosphaera leucotricha* (Ell. & Ev.) Salm. in relation to the incidence of leaf infections **55**, 409  
 See CROSSE, J. E. *et al.* **61**, 203. See EDNEY, K. L. **59**, 389. See HUTTON, K. E. **56**, 279.  
 See ROSS, R. G. **62**, 289. See TAN, A. M. **70**, 199
- BURCHILL, R. T. & EDNEY, K. L. The control of *Gloeosporium album* rot of stored apples by orchard sprays which reduce sporulation of wood infections **51**, 379
- BURCHILL, R. T. & HUTTON, K. E. The suppression of ascospore production to facilitate the control of apple scab (*Venturia inaequalis* (Cke) Wint.) **56**, 285
- BURDEKIN, D. A. 'Lyamungu dieback' of arabica coffee in Tanganyika. I. Symptoms, distribution and experimental treatments. **53**, 281  
 See PARK, P. O. **53**, 133; **54**, 335
- BURDEKIN, D. A. & BAKER, R. M. 'Lyamungu dieback' of arabica coffee in Tanganyika. II. Relation of starch reserves to Lyamungu dieback **54**, 107
- BURGESS, L. W. & GRIFFIN, D. M. Competitive saprophytic colonization of wheat straw **60**, 137
- BURNETT, J. H. See BELL, M. K. **58**, 123
- BURRAGE, S. W. Dew and the growth of the uredospore germ tube of *Puccinia graminis* on the wheat leaf **64**, 495
- BURT, P. E., BARDNER, R. & ETHERIDGE, P. The influence of volatility and water solubility of systemic insecticides on their movement through soil and absorption of plant roots **56**, 411
- BURT, P. E., GREGORY, G. E. & MOLLOY, FRANCES M. A histochemical and electrophysiological study of the action of diazoxon on cholinesterase activity and nerve conduction in ganglia of the cockroach, *Periplaneta americana* L. **58**, 341  
 The activation of diazinon by ganglia of the cockroach, *Periplaneta americana* L., and its action on nerve conduction and cholinesterase activity **59**, 1
- BURT, P. E., HEATHCOTE, G. D. & BROADBENT, L. The use of insecticides to find when leaf roll and Y viruses spread within potato crops **54**, 13
- BUSVINE, J. R. Medical entomology in Britain **53**, 190
- BUTT, D. J. The role of the apple spray programme in the protection of fruit buds from powdery mildew **68**, 149
- BUXTON, E. W. & KENDRICK, J. B. A method of isolating *Pythium* spp. and *Fusarium oxysporum* from soil **51**, 215
- BUXTON, E. W., KHALIFA, O. & WARD, V. Effect of soil amendment with chitin on pea wilt caused by *Fusarium oxysporum* f. *lisi* **55**, 83
- BYFORD, W. J. Field experiments on sugar-beet downy mildew (*Peronospora farinosa*) **60**, 97  
 Laboratory experiments on sugar-beet downy mildew (*Peronospora farinosa*) **61**, 47  
 Experiments on the use of ethyl mercury phosphate and other materials for treating sugar-beet seed **51**, 41  
 Organo-mercury fungicide treatment of sugar-beet seed **69**, 245
- BYFORD, W. J. & HULL, R. Control of sugar-beet downy mildew (*Peronospora farinosa*) by sprays **52**, 415  
 Some observations on the economic importance of sugar-beet downy mildew in England **60**, 281

- BYRDE, R. J. W. *See* MARTIN, J. T. *et al.* 57, 491, 501. *See* SUMMERS, L. A. *et al.* 62, 45
- BYRDE, R. J. W., CLIFFORD, D. R. & WOODCOCK, D. Fungicidal activity and chemical constitution. XIII. Active components of commercial formulations containing dinocap 57, 223
- BYRDE, R. J. W., FIELDGATE, DIANA M., JORDAN, V. W. L., WOODCOCK, D. & CARTWRIGHT, J. Fungicidal activity and chemical constitution. XV. The activity of 4-(1-substituted n-alkyl)-2,6-dinitrophenols 64, 119
- CABORN, J. M. Investigations of wind in the vicinity of shelterbelts and windbreaks 51, 169
- CAMPION, D. G. *See* OUTRAM, I. 60, 439
- CAMPION, D. G. & OUTRAM, I. Factors affecting male probing activity of the red bollworm, *Diparopsis castaneum* (Hmps.), in relation to sterility induced by tris(1-aziridinyl)-phosphine oxide (tepa) 60, 191
- CANNELL, M. G. R. Production and distribution of dry matter in trees of *Coffea arabica* L. in Kenya as affected by seasonal climatic differences and the presence of fruits 68, 213
- CANNELL, M. G. R. & HUXLEY, P. A. Seasonal differences in the pattern of assimilate movement in branches of *Coffea arabica* L. 64, 345
- CANNELL, M. G. R. & KIMEU, B. S. Uptake and distribution of macro-nutrients in trees of *Coffea arabica* L. in Kenya as affected by seasonal climatic differences and the presence of fruits 68, 213
- CARLSSON, R. *See* LEXANDER, K. *et al.* 66, 193
- CARPENTER, J. M. *See* TRUDGILL, D. L. 69, 34
- CARR, A. J. H. *See* STODDART, J. L. 58, 81
- CARR, A. J. H. & STODDART, J. L. The ameliorating effect of zinc on symptoms of phyllody virus (strawberry green-petal) in white clover 51, 259
- CARTER, A. R. *See* LAST, F. T. *et al.* 64, 449
- CARTER, ANNE L. *See* TOMLINSON, J. A. *et al.* 66, 11, 381
- CARTER, G. A. *See* HEYNS, A. J. *et al.* 56, 339; 57, 33
- CARTER, G. A., GARRAWAY, J. L., SPENCER, D. M. & WAIN, R. L. Investigations on fungicides: VI. The antifungal activity of certain dithiocarbamic and hydroxydithioformic acid derivatives, 51, 135; XI. The antifungal activity of some derivatives of dithiocarbamic acid 54, 115
- CARTER, G. A., SUMMERS, L. A. & WAIN, R. L. Investigations on fungicides. XIV. Fungitoxicity of *N*-(2,2,2-trichloro-1-methoxyethyl)-formamide and related compounds 70, 233
- CARTER, G. A. & WAIN, R. L. Investigations on fungicides. IX. The fungitoxicity, phytotoxicity and systemic fungicidal activity of some inorganic salts 53, 291
- CARTER, O. G. *See* LOWE, L. B. 68, 203
- CARTWRIGHT, J. *See* BYRDE, R. J. W. *et al.* 64, 119
- CATHERALL, P. L. Effects of barley yellow dwarf virus on the growth and yield of single plants and simulated swards of perennial rye-grass 57, 155
- See* JONES, A. T. 65, 137, 147
- CATHERALL, P. L., JONES, A. T. & HAYES, J. D. Inheritance and effectiveness of genes in barley that condition tolerance to barley yellow dwarf virus 65, 153
- CATHERALL, P. L. & GRIFFITHS, ELLIS. Influence of cocksfoot streak virus on the growth of single cocksfoot plants 57, 141
- Influence of cocksfoot streak virus on the growth of cocksfoot swards 57, 149
- CHAMBERLAIN, VALERIE K. & WAIN, R. L. Studies on plant growth-regulating substances: XXXII. Chlorosubstituted  $\alpha$ -hydroxy and  $\alpha$ -methoxy-phenylacetic acids 68, 307; XXXIII. The influence of ring substituents on the plant growth-regulating activity of phenylacetic acid 69, 64

- CHAMBERS, J. *See* MURANT, A. F. *et al.* **61**, 175
- CHANDLER, A. E. F. Some host-plant factors affecting oviposition by aphidophagous Syrphidae (Diptera) **61**, 415
- The relationship between aphid infestations and oviposition by aphidophagous Syrphidae (Diptera) **61**, 425
- Some factors influencing the occurrence and site of oviposition by aphidophagous Syrphidae (Diptera) **61**, 435
- CHANNON, A. G. Studies on parsnip canker: I. The causes of the diseases **51**, 1; II. Observations on the occurrence of *Itersonilia pastinacae* and related fungi on the leaves of parsnips and in the air within parsnip crops **51**, 223; III. The effect of sowing date and spacing on canker development **54**, 63; IV. *Centrospora acerina* (Hartig) Newhall – a further cause of black canker **56**, 119
- Tests of fungicides against *Alternaria brassicicola* and studies on some factors enhancing attack by the fungus **65**, 481
- Infection of the flowers and seed of parsnip by *Itersonilia pastinacae* **64**, 281
- CHANNON, A. G., FLINT, ANNE & HINTON, R. A. L. A quantitative laboratory method for inoculating cabbage seedlings with *Plasmodiophora brassicae* Woron. **54**, 71
- Further studies on the effect of aldrin and three other chlorinated hydrocarbons on club-root of summer cabbage **55**, 99
- CHANNON, A. G. & HAMPSON (née FAULKNER), RUTH J. Laboratory tests of fungicides against *Peronospora parasitica* (Pers. ex Fr.) Fr. **62**, 23
- CHANNON, A. G. & HIGGINSON (née SMITH), YVONNE. Studies on a further race (W<sub>4</sub>) of *Bremia lactucae* Regel **68**, 185
- CHANNON, A. G. & WEBB, M. J. W. Laboratory and field tests of zineb and other fungicides against downy mildew of lettuce (*Bremia lactucae* Regel) **59**, 355
- CHANNON, A. G., WEBB, M. J. W. & WATTS, L. E. Studies on two races of *Bremia lactucae* Regel **56**, 389
- CHANT, S. R. *See* COAST, E. M. **65**, 405. *See* BATES, D. C. **65**, 105
- CHAPMAN, MARGARET R. *See* PEACHEY, J. E. *et al.* **52**, 19
- CHEAL, W. F. & HEWITT, E. J. Effects of mineral nutrition on the production of tulip bulbs **52**, 493
- The effect of rates of supply of nitrogen, phosphorus, potassium and magnesium on leaf and stem growth, flowering and 'topple' of Golden Harvest and Elmus tulip **53**, 477
- CHEAL, W. F. & WINDSOR, G. W. The effects of nitrogen, phosphorus, potassium and magnesium on the growth of tulips during the second season of treatment and on the chemical composition of the bulbs **57**, 287
- The residual effect of previous nutritional treatments on the growth and composition of tulips supplied with complete nutrients in sand culture **57**, 379
- CHESTERS, C. G. C. *See* MULINGE, S. K. **65**, 277, 285
- CHESTERS, C. G. C. & BLAKEMAN, J. P. The survival on chrysanthemum roots of epiphytic mycelium of *Mycosphaerella ligulicola* **58**, 291
- Host range and variation in virulence of *Mycosphaerella ligulicola* **60**, 385
- CHRISTIE, A. O. & CRISP, D. J. A diffusion technique for assessing anti-fouling activity **51**, 361
- CHU CHOW, MYRA & PREECE, T. F. The effect of pollen grains on infections caused by *Botrytis cinerea* Fr. **62**, 11
- CLARKE, A. J. & SHEPHERD, AUDREY M. The action of nabam, metham-sodium and other sulphur compounds on *Heterodera schachtii* cysts **57**, 241
- Inorganic ions and the hatching of *Heterodera* spp. **58**, 497
- Hatching agents for the potato cyst-nematode, *Heterodera rostochiensis* Woll. **61**, 139



- CLARKE, G. C. & WAIN, R. L. Studies on plant growth-regulating substances. XVIII.\* Chloromethylphenoxyacetic acids and chloromethylphenyl glycines 51, 453
- CLARKE, G. M. See SMITH, B. D. 59, 101
- CLIFFORD, D. R. See BYRDE, R. J. W. *et al.* 57, 223
- CLIFFORD, D. R., DEACON, A. C. & HOLGATE, MARGARET E. Fungicidal activity and chemical constitution. XVI. The use of partition data for an analysis of the activities of alkyldinitrophenol fungicides against apple mildew 64, 131
- CLOSE, R. Some effects of other viruses and of temperature on the multiplication of potato virus X 53, 151
- COAKER, T. H. Further experiments on the effects of beetle predators on the numbers of the cabbage root fly, *Erioischia brassicae* (Bouché) attacking brassica crops 56, 7  
The effect of soil insecticides on the predators and parasites of the cabbage root fly, *Erioischia brassicae* (Bouché), and on the subsequent damage caused by the pest 57, 397  
Insecticidal control of cabbage root fly, *Erioischia brassicae* (Bouché), in the axillary buds of brussels sprouts 59, 339  
See DUNN, J. A. 56, 342. See MOWAT, D. J. 59, 349
- COAKER, T. H. & WRIGHT, D. W. The influence of temperature on the emergence of the cabbage root fly, *Erioischia brassicae* (Bouché), from overwintering pupae 52, 337
- COAST, E. M. & CHANT, S. R. The effect of light wavelength on the susceptibility of plants to virus infection 65, 403
- COCKBAIN, A. J. See HEATHCOTE, G. D. 53, 259; 57, 321
- COCKBAIN, A. J., GIBBS, A. J. & HEATHCOTE, G. D. Some factors affecting the transmission of sugar-beet mosaic and pea mosaic viruses by *Aphis fabae* and *Myzus persicae* 52, 133
- COGHILL, K. J. See LIGHT, W. I. St G. *et al.* 62, 227
- COHEN, M. Reflexions on some effects of progress in Applied Biology (Address of the Acting President) 69, 1
- COLE, A. L. J. & WOOD, R. K. S. The infection of oranges by *Trichoderma viride* and mixed infection by *Trichoderma viride* and *Penicillium digitatum* 66, 75
- COLE, C. S. & HOWARD, H. W. The effects on a population of potato root-eelworm (*Heterodera rostochiensis*) of growing potatoes resistant to pathotype B 58, 487
- COLE, J. S. Powdery mildew of tobacco (*Erysiphe cichoracearum* DC.): I. Effects of nitrogen, phosphorus and potassium on susceptibility, growth and chemical composition of infected and healthy tobacco grown in water culture 54, 291; II. Further studies of the effects of potassium deficiency on susceptibility, free amino nitrogen and carbohydrate content of leaves 57, 201; III. Some effects of irrigation on disease development 57, 435; IV. Conidial content of air within infected crops 57, 445; V. Susceptibility of proximal and distal parts of leaves from different stalk positions on intact and topped field plants in relation to free amino nitrogen and carbohydrate content 58, 61; VI. Some effects of methods of inoculation and air humidity on germination of conidia and growth of hyphae on leaves 58, 401
- COLE, J. S. & FERNANDES, DÉsirÉE L. Changes in the resistance of tobacco leaf to *Erysiphe cichoracearum* DC. induced by topping, cytokinins and antibiotics 66, 239
- COLE, S. See HINTON, H. E. 56, 1
- COLEY-SMITH, J. R. Persistence and identification of downy mildew, *Pseudoperonospora humuli* (Miy. & Tak.) Wilson, in hop rootstocks 53, 129  
Infection of hop rootstocks by downy mildew, *Pseudoperonospora humuli* (Miy. & Tak.) Wilson, and its control by early-season dusts 56, 381  
Early-season control of hop downy mildew, *Pseudoperonospora humuli* (Miy. & Tak.) Wilson, with streptomycin and protectant fungicides in severely infected plantings 57, 183

\* Wrongly entitled XVII.

- COLEY-SMITH, J. R. *See* KING, J. E. **61**, 407; **64**, 303
- COLEY-SMITH, J. R., DICKINSON, D. J., KING, J. E. & HOLT, R. W. The effect of species of *Allium* on soil bacteria in relation to germination of sclerotia of *Sclerotium cepivorum* Berk. **62**, 103
- COLEY-SMITH, J. R. & HOLT, R. W. The effect of species of *Allium* on germination in soil of sclerotia of *Sclerotium cepivorum* Berk. **58**, 273
- COLEY-SMITH, J. R. & JAVED, Z. U. R. Testing the viability of fungal sclerotia **65**, 59
- COLEY-SMITH, J. R. & KING, J. E. The production by species of *Allium* of alkyl sulphides and their effect on germination of sclerotia of *Sclerotium cepivorum* Berk. **64**, 289
- COLEY-SMITH, J. R., KING, J. E., DICKINSON, D. J. & HOLT, R. W. Germination of sclerotia of *Sclerotium cepivorum* Berk. under aseptic conditions **60**, 109
- COLHOUN, J. *See* RAWLINSON, C. J. **65**, 459
- COLLINGWOOD, C. A. Persistent pesticides – a look at future needs **55**, 335  
*See* BROCK, A. M. *et al.* **53**, 243
- COOKE, D. A. & DRAYCOTT, A. P. The effects of soil fumigation and nitrogen fertilisers on nematodes and sugar beet in sandy soils **69**, 253
- COOKE, R. C. The predaceous activity of nematode-trapping fungi added to soil **51**, 295  
Ecological characteristics of nematode-trapping Hyphomycetes. I. Preliminary studies **52**, 431. II. Germination of conidia in soil **54**, 375
- COOKE, V. A. The translaminar effect of Kelthane on three strains of glasshouse red spider mite, *Tetranychus urticae* Koch (*T. telarius* L.) on cucumbers **51**, 485
- COOPER, A. J. Effects of shading and time of year on net assimilation rates of young glass-house tomato plants **59**, 85  
*See* BROADBENT, L. **54**, 31
- COOPER, J. I. & THOMAS, P. R. Chemical treatment of soil to prevent transmission of tobacco rattle virus to potatoes by *Trichodorus* spp. **69**, 22
- CORBETT, D. C. M. & HIDE, G. A. Interactions between *Heterodera rostochiensis* Woll. and *Verticillium dahliae* Kleb. on potatoes and the effect of CCC on both **68**, 71
- CORBETT, D. C. M. & WEBB, R. M. Plant and soil nematode population changes in wheat grown continuously in ploughed and in unploughed soil **65**, 327
- CORKE, A. T. K. Screening trials of materials for suppressing spore production by *Gloeosporium perennans* on apple trees **60**, 241
- COTTEN, J. A. A comparison of cereal root eelworm resistant and susceptible spring barley genotypes at two sites **59**, 407  
Field experiments with spring barley resistant to cereal cyst nematode, 1965–1968 **65**, 163
- COTTON, R. F. *See* WINSPEAR, K. W. *et al.* **65**, 75
- COUZENS, B. J. *See* EVANS, E. *et al.* **65**, 473
- COX, J. R. *See* EVANS, E. *et al.* **58**, 131
- COX, PATRICIA M. *See* SHEPHERD, AUDREY M. **60**, 143
- COX, T. W. *See* HISLOP, E. C. **66**, 89
- CROGG-HINE, D. An investigation into the biology of the coarse fish in a lowland stream **53**, 498
- CRANHAM, J. E. Influence of temperature on hatching of winter eggs of fruit-tree red spider, *Panonychus ulmi* (Koch) **70**, 119
- CRISP, D. J. *See* CHRISTIE, A. O. **51**, 361
- CROPLEY, R. Further studies on European rasp-leaf and leaf-roll diseases of cherry trees **53**, 333  
Comparison of some apple latent viruses **61**, 361  
*See* POSNETTE, A. F. **55**, 439; **65**, 111. *See* POSNETTE, A. F. *et al.* **61**, 351
- CROPLEY, R., GILMER, R. M. & POSNETTE, A. F. Necrotic ring spot and prune dwarf viruses in *Prunus* and in herbaceous indicators **53**, 325

- CROPLEY, R., POSNETTE, A. F. & THRESH, J. M. The effects of black-currant yellows virus and a strain of reversion virus on yield **54**, 177
- CROSSE, J. E. Bacterial canker of stone fruits: V. A comparison of leaf-surface populations of *Pseudomonas mors-prunorum* in autumn on two cherry varieties **52**, 97; VI. Inhibition of leaf-scar infection of cherry by a saprophytic bacterium from the leaf surface **56**, 149
- CROSSE, J. E. & GARRETT, CONSTANCE, M. E. Bacterial canker of stone-fruits. VII. Infection experiments with *Pseudomonas mors-prunorum* and *P. syringae* **58**, 31
- CROSSE, J. E., GARRETT, CONSTANCE M. E. & BURCHILL, R. T. Changes in the microbial population of apple leaves associated with the inhibition of the perfect stage of *Venturia inaequalis* after urea treatment **61**, 203
- CROWLEY, N. C. See OWUSU, G. K. *et al.* **61**, 195
- CURTIS, GODFREY J. The effect of potassium chloride on the infestation of sugar beet by beet eelworm, *Heterodera schachtii* Schmidt **54**, 269
- Resistance of sugar beet to the cyst-nematode *Heterodera schachtii* Schm. **66**, 169
- DADD, A. H. See JACOBS, S. E. *et al.* **56**, 161
- DAFT, M. T. Some effects of pancreatic ribonuclease and kinetin on tomato aucuba mosaic virus **52**, 393
- Some interactions of kinetin and temperature on tobacco leaves infected with tomato aucuba mosaic virus **55**, 51
- DALE SMITH. See SMITH, DALE
- DALE, W. T. See TOMLINSON, J. A. *et al.* **66**, 11
- DANTHANARAYANA, W. & RANAWEERA, D. J. W. The effects of rainfall and shade on the occurrence of three mite pests of tea in Ceylon **70**, 1
- DARRAH, JOSEPHINE A. See GOOD, H. M. **59**, 463
- DAVID, W. A. L. The granulosis virus of *Pieris brassicae* L. in relation to natural limitation and biological control **56**, 331
- DAVIS, B. N. K. The soil macrofauna and organochlorine insecticide residues in twelve agricultural sites near Huntingdon **61**, 29
- DAVIS, R. A. Feral coypus in Britain **51**, 345
- Induction of fatal hypothermia in house mice **61**, 326
- DAWSON, J. R., JOHNSON, R. A. H., ADAMS, P. & LAST, F. T. Influence of steam/air mixtures, when used for heating soil, on biological and chemical properties that affect seedling growth **56**, 243
- DAWSON, J. R., KILBY, A. A. T., EBBEN, MARION H. & LAST, F. T. The use of steam/air mixtures for partially sterilizing soils infested with cucumber root rot pathogens **60**, 215
- DAWSON, J. R. O. The adaptation of tomato mosaic virus to resistant tomato plants **60**, 209
- Contrasting effects of resistant and susceptible tomato plants on tomato mosaic virus multiplication **56**, 485
- DAWSON, M. G. See BROOKS, D. H. **61**, 57
- DAWSON, P. S. Genotype-environment interactions and developmental rate in the flour beetles *Tribolium castaneum* and *T. confusum* (Coleoptera, Tenebrionidae) **56**, 21
- DEACON, A. C. See CLIFFORD, D. R. *et al.* **64**, 131
- DEAN, G. J. & LUURING, B. B. Distribution of aphids in cereal crops **66**, 485
- DEAN, W. M. The effect of temperature on loose smut of wheat (*Ustilago nuda*) **64**, 75
- DEBROT, E. A. Studies on a strain of raspberry ringspot virus occurring in England **54**, 183
- DEKKER, J. See NIEMANN, G. J. **57**, 53
- DENNIS, E. B. See EDWARDS, C. A. *et al.* **60**, 11
- DE SEQUEIRA, O. AMARO. Studies on a virus causing stem grooving and graft-union abnormalities in Virginia Crab apple **60**, 59

- DEVERALL, B. J. Biochemical changes in infection droplets containing spores of *Botrytis* spp. incubated in the seed cavities of pods of bean (*Vicia faba* L.) 59, 375  
 See EPTON, H. A. S. 61, 255. See PURKAYASTHA, R. P. 56, 139, 269
- DEVERALL, B. J. & VESSEY, J. C. Role of a phytoalexin in controlling lesion development in leaves of *Vicia faba* after infection by *Botrytis* spp. 63, 449
- DEVERALL, B. J. & WALKER, J. C. A physiological difference between bean leaves (*Phaseolus vulgaris*) resistant and susceptible to halo blight caused by *Pseudomonas phaseolicola* 52, 105
- DE VRIES, F. W. See VRIES, F. W. DE
- DEWEY, FRANCES M. See BLACKHURST, FRANCES M. 52, 79, 89
- DIAS, H. F. Host range and properties of grapevine fanleaf and grapevine yellow mosaic viruses 51, 85
- DIAS, H. F. & HARRISON, B. D. The relationship between grapevine fanleaf, grapevine yellow mosaic and arabis mosaic viruses 51, 97
- DIBLEY, G. C. See LEWIS, T. 66, 477
- DIBLEY, G. C. & LEWIS, T. A bivane direction indicator and a sensitive vertical anemometer for measuring components of wind in sheltered places 66, 469
- DICKASON, E. A. See LEACH, C. M. *et al.* 52, 371
- DICKENS, J. S. W. Epidemiology of stamen blight of raspberry 60, 343
- DICKINSON, C. H. & SHERIDAN, J. J. Studies on the survival of *Mycosphaerella pinodes* and *Ascochyta pisi* 62, 473
- DICKINSON, D. J. See COLEY-SMITH, J. R. *et al.* 60, 109; 62, 103
- DIXON, A. F. G. The life cycle and host preferences of the bird cherry – oat aphid, *Rhopalosiphum padi* L. 68, 135
- DIXON, A. F. G. & GLEN, D. M. Morph determination in the bird cherry – oat aphid, *Rhopalosiphum padi* L. 68, 11
- DIXON, G. R. See PEGG, G. F. 63, 389
- DOLING, D. A. The influence of seedling competition on the amount of loose smut (*Ustilago nuda* (Jens.) Rostr.) appearing in barley crops 54, 91  
 Single-bath hot-water treatment for the control of loose smut (*Ustilago nuda* (Jens.) Rostr.) in cereals 55, 295  
 Some ecological factors influencing the proportion of loose smut (*Ustilago nuda* (Jens.) Rostr.) in wheat crops 55, 303
- DOLING, D. A., SAUNDERS, P. J. W. & DOODSON, J. K. Seasonal and geographical variation of powdery mildew on susceptible cereal cultivars, 1958–68 67, 1
- DONCASTER, C. C. The effects of D-D treatments applied during a five-course rotation on the soil population of *Heterodera rostochiensis* Woll. 54, 391
- DOODSON, J. K. See DOLING, D. A. *et al.* 67, 1
- DOODSON, J. K. & SAUNDERS, P. J. W. Some effects of barley yellow dwarf virus on spring and winter cereals in glasshouse trials 65, 317  
 Some effects of barley yellow dwarf virus on spring and winter cereals in field trials 66, 361
- DOYLE, ANNA. See BALD, J. G. *et al.* 67, 331
- DRAYCOTT, A. P. See COOKE, D. A. 69, 253
- DRUMMOND, D. C. Social behaviour and movements of rats 51, 343
- DRUMMOND, D. C. & WILSON, E. J. Laboratory investigations of resistance to warfarin of *Rattus norvegicus* Berk. in Montgomeryshire and Shropshire 61, 303
- DUNACHIE, J. F. & FLETCHER, W. W. An investigation of the toxicity of insecticides to birds' eggs, using the egg-injection technique 64, 409  
 The toxicity of certain herbicides to hens' eggs assessed by the egg-injection technique 66, 515



- DUNCAN, C. J. The response of the feral pigeon when offered the active ingredients of commercial repellants in solution **51**, 127
- DUNCAN, JOHN. Post-treatment effects of sublethal doses of dieldrin on the mosquito *Aedes aegypti* L. **52**, 1
- DUNN, E. Some ecological effects of temperature and cropping on population dynamics of *Heterodera rostochiensis* Woll. **51**, 172
- DUNN, E. & WARD, A. H. The movement of  $^{32}$ phosphorus-labelled dimethoate in the cacao tree, *Theobroma cacao* L. **56**, 419
- DUNN, J. A. The colonization by *Cavariella aegopodii* Scop. of carrot plants of different sizes **63**, 318
- Studies on the aphid *Cavariella aegopodii* Scop. I. On willow and carrot **56**, 429
- The susceptibility of varieties of carrot to attack by the aphid *Cavariella aegopodii* (Scop.) **66**, 301
- DUNN, J. A. & COAKER, T. H. Rational control of vegetable crop pests **56**, 342
- DUNN, J. A. & KEMPTON, D. P. H. Effect of the timing of insecticide applications on infestation by *Cavariella aegopodii* Scop. on carrots **60**, 33
- Resistance of rape, *Brassica napus*, to attack by the cabbage aphid, *Brevicoryne brassicae* L. **64**, 203
- Differences in susceptibility to attack by *Brevicoryne brassicae* (L.) on Brussels sprouts **68**, 121
- Seasonal changes in aphid populations on Brussels sprouts **68**, 233
- DUNN, J. A. & KIRKLEY, JEAN. Studies on the aphid *Cavariella aegopodii* Scop. II. On secondary hosts other than carrot **59**, 213
- DUNNING, R. A. & WINDER, G. H. Some effects, especially on yield, of artificially defoliating sugar beet **70**, 89
- DYSON, P. W. & HUMPHRIES, E. C. Modification of growth habit of Majestic potato by growth regulators applied at different times **58**, 171
- DYSON, P. W. & WATSON, D. J. An analysis of the effects of nutrient supply on the growth of potato crops **69**, 46
- DYSON, P. W. See HUMPHRIES, E. C. **60**, 333
- EBBELS, D. L. Effect of soil fumigants on *Fusarium* wilt and nodulation of peas (*Pisum sativum* L.) **60**, 391
- Effects of soil fumigation on disease incidence, growth and yield of spring wheat **63**, 81
- Effects of soil fumigation on soil nitrogen and on disease incidence in winter wheat **67**, 235
- EBBEN, MARION H. See DAWSON, J. R. *et al.* **60**, 215. See LAST, F. T. **57**, 95. See LAST, F. T. *et al.* **62**, 55; **64**, 449
- EDDY, B. P. See JORDAN, W. V. L. *et al.* **70**, 139
- EDNEY, K. L. Some factors affecting the rotting of stored apples by *Gloeosporium* spp. **53**, 119
- The development of *Botrytis cinerea* on cut flowers of carnation **60**, 367
- The effect of the composition of the storage atmosphere on the development of rotting of Cox's Orange Pippin apples and the production of pectolytic enzymes by *Gloeosporium* spp. **54**, 327
- See BURCHILL, R. T. **51**, 379
- EDNEY, K. L. & BURCHILL, R. T. The use of heat to control the rotting of Cox's Orange Pippin apples by *Gloeosporium* spp. **59**, 389
- EDWARDS, C. A., DENNIS, E. B. & EMPSON, D. W. Pesticides and the soil fauna. I. Effects of aldrin and DDT in an arable field **60**, 11
- EDWARDS, J. S. On the use of gut characters to determine the origin of migrating aphids **55**, 485

- EGGERT, DÖRTHE. *See* GÜNTHER, ELISABETH *et al.* **65**, 255
- EHRHARDT, P. *See* JAYARAJ, S. *et al.* **59**, 13
- ELAROSI, H. *See* ABD-EL-REHIM, M. A. *et al.* **63**, 95
- ELLENBERGER, CHRISTINA E. *See* POSNETTE, A. F. **51**, 69
- ELLENBY, C. & SMITH, L. Soil leachings and the hatching of larvae of the potato-root eelworm, *Heterodera rostochiensis* Wollenweber **59**, 283
- ELLIOTT, W. M. The action of some systemic aphicides on the nymphs of *Anthocoris nemorum* (L.) and *A. confusus* Reut. **66**, 313
- ELLIOTT, W. M. & WAY, M. J. The action of some systemic aphicides on the eggs of *Anthocoris nemorum* (L.) and *A. confusus* Reut. **62**, 215
- ELLIS, P. R. Resistance to the potato cyst-nematode, *Heterodera rostochiensis*, in the plant genus *Lycopersicon* **61**, 151
- ELOJA, A. L. & TINSLEY, T. W. Abacá mosaic virus and its relationship to sugar-cane mosaic **51**, 253
- EL-SHAFFEY, H. A. *See* SABET, K. A. *et al.* **53**, 267
- EMDEN, H. F. VAN. The differing reactions of *Brevicoryne* and *Myzus* to leaf age, turgidity and soluble nitrogen in brassicas **63**, 324
- EMDEN, H. F. VAN & WEARING, C. H. The role of the aphid host plant in delaying economic damage levels in crops **56**, 323
- EMECHIBE, A. M., LEAKEY, C. L. A. & BANAGE, W. B. *Verticillium* wilt of cacao in Uganda: symptoms and establishment of pathogenicity **69**, 223
- Verticillium* wilt of cacao in Uganda: the relationship between *Verticillium dahliae* and cacao roots **70**, 157
- EMPSON, D. W. *See* EDWARDS, C. A. *et al.* **60**, 11
- ENTWISTLE, A. R. The infection of potatoes by *Phoma exigua* **69**, 213
- ENTWISTLE, P. F. & LONGWORTH, J. F. The relationships between cacao viruses and their vectors: the feeding behaviour of three mealybug (Homoptera: Pseudococcidae) species **52**, 387
- EPTON, H. A. S. & DEVERALL, B. J. A biochemical difference between healthy bean leaves resistant and susceptible to the halo-blight disease caused by *Pseudomonas phaseolicola* **61**, 255
- ESUROSU, O. F. & WOOD, R. K. S. The resistance of spores of resistant strains of *Botrytis cinerea* to quintozone, tecnazene and dicloran **68**, 271
- ETHERIDGE, D. E. *See* HOCKING, D. **59**, 133
- ETHERIDGE, JUDITH. *See* SLOPE, D. B. **67**, 13
- ETHERIDGE, P. *See* BURT, P. E. *et al.* **56**, 411
- ETHERIDGE, P. & GRAHAM-BRYCE, I. J. Influence of soil moisture on the performance of granular systemic insecticides applied to soil **65**, 15
- EVANS, E., COX, J. R., TAYLOR, J. W. H. & RUNHAM, R. L. Some observations on size and biological activity of spray deposits produced by various formulations of copper oxy-chloride **58**, 131
- EVANS, E., MARSHALL, J., COUZENS, B. J. & RUNHAM, R. L. The curative activity of non-ionic surface-active agents against some powdery mildew diseases **65**, 473
- EVANS, G. Influence of weed hosts on the ecology of *Verticillium dahliae* in newly cultivated areas of the Namoi Valley, New South Wales **67**, 169
- EVANS, GWENLLIAN M. *See* RUSSELL, G. E. **62**, 465; **70**, 99
- EVANS, K. Changes in a *Heterodera rostochiensis* population through the growing season **64**, 31
- EVANS, L. T., BINGHAM, J., JACKSON, P. & SUTHERLAND, J. Effect of awns and drought on the supply of photosynthate and its distribution within wheat ears **70**, 67
- EVELING, D. W. Effects of spraying plants with suspensions of inert dusts **64**, 139

- EVELING, D. W. Similar effects of suspensions of copper oxychloride and kaolin on sprayed leaves **70**, 245  
 See MCINTOSH, A. H. **55**, 397; **60**, 223
- FARRELL, G. M., PREECE, T. F. & WREN, M. J. Effects of infection by *Phytophthora infestans* (Mont.) de Bary on the stomata of potato leaves **63**, 265
- FAULKNER (Mrs HAMPSON), RUTH J. See CHANNON, A. G. **62**, 23
- FAWCETT, C. H. & SPENCER, D. M. Antifungal phenolic acids in apple fruits after infection with *Sclerotinia fructigena* **60**, 87  
*Sclerotinia fructigena* infection and chlorogenic acid content in relation to antifungal compounds in apple fruits **61**, 245
- FERNANDES, DÉsirÉE L. See COLE, J. S. **66**, 239
- FERNANDES, SILVA. See SILVA FERNANDES
- FIDDIAN, W. E. H. Seasonal fluctuations in yield estimates in cereals **51**, 513
- FIDLER, J. H. Some new equipment for routine assessment of levels of soil infestation by the potato-root eelworm, *Heterodera rostochiensis* Woll. **51**, 269
- FIELDGATE, DIANA. See BYRDE, R. J. W. *et al.* **64**, 119
- FINDLAY, W. P. K. & BUNTING, A. H. Notes for speakers **52**, 345
- FIRMAN, I. D. Black leaf streak of bananas in Fiji **70**, 19  
 See WALLIS, J. A. N. **55**, 139; **59**, 111
- FIRMAN, I. D. & HOSKIN, P. Spraying bananas in Fiji to control black leaf streak disease **66**, 293
- FIRMAN, I. D. & MARTIN, P. H. White rust of chrysanthemums **62**, 429
- FIRMAN, I. D. & VERNON, I. J. Cocoa canker caused by *Phytophthora palmivora* **65**, 65
- FIRMAN, I. D. & WALLIS, J. A. N. Low-volume spraying to control coffee leaf rust in Kenya **55**, 123
- FIRN, R. D. & WAIN, R. L. Studies on plant growth-regulating substances. XXXIV. The effects of 3,5-dichlorophenoxyacetic acid on plant growth **69**, 72
- FLETCHER, J. T. See BROADBENT, L. **52**, 233; **57**, 113. See JENKINS, J. E. E. *et al.* **55**, 71.  
 See PELHAM, J. *et al.* **65**, 293
- FLETCHER, J. T. & PREECE, T. F. *Mycosphaerella* stem rot of cucumbers in the Lea Valley **58**, 423
- FLETCHER, P. See ISAAC, I. *et al.* **67**, 177
- FLETCHER, W. W. See DUNACHIE, J. F. **64**, 409; **66**, 515
- FLEGG, J. J. M. Extraction of *Xiphinema* and *Longidorus* species from soil by a modification of Cobb's decanting and sieving technique **60**, 429
- FLINT, ANNE E. See CHANNON, A. G. *et al.* **54**, 71; **55**, 99
- FORD, J. B. See HALIMIE, M. A. **70**, 169
- FOX, H. M., GEOGHEGAN, M. J., SILK, J. A. & SUMMERS, L. A. Azobenzene derivatives as seed treatments **52**, 33
- FRANCKI, R. I. B. See OWUSU, G. K. **61**, 195
- FRANZ, J. M. Dispersion and natural-enemy action **53**, 510
- FRASER, A. K. See BLAKEMAN, J. P. **63**, 295
- FRASER, JANET E. See WHITEHEAD, A. G. *et al.* **65**, 351, 361
- FREEMAN, G. H. See BENJAMIN, D. M. *et al.* **61**, 13. See NUTMAN, F. J. & ROBERTS, F. M. **64**, 85
- FREEMAN, J. A. Stored-products entomology in Britain, 1964 **53**, 200
- FRENCH, N., JOHN, MARGARET E. & MORETON, B. D. The control of strawberry-seed beetle (*Harpalus rufipes* Deg.); with observations on the damage it causes and that by linnets (*Carduelis cannabina cannabina* (L.)) **62**, 241
- FRENCH, S. A. W. See HUMPHRIES, E. C. **52**, 149, 193; **54**, 281; **55**, 159; **64**, 385

- FRENCH, S. A. W. & HUMPHRIES, E. C. Persistent effects of seedling treatment on growth of sugar beet in pots **64**, 161
- FRICK, E. L. Methods of reducing variability in the results of glass-slide spore-germination assays of fungitoxicity **54**, 349
- See KIRBY, A. H. M. **51**, 51, 61; **52**, 45; **55**, 287. See KIRBY, A. H. M. *et al.* **57**, 211.
- FUCHS, A., HOMANS, A. L. & FRIES, F. W. DE. Effects of treatment with phenylthio-semicarbazide and 4'-chlorophenylthiosemicarbazide on *Fusarium* wilt of pea and tomato plants **65**, 497
- FULTON, R. W. See PAULSEN, AVELINA Q. **63**, 233
- GABRIEL, W. The influence of temperature on the spread of aphid-borne potato virus diseases **56**, 461
- GAIR, R., MATHIAS, P. L. & HARVEY, P. N. Studies of cereal nematode populations and cereal yields under continuous or intensive culture **63**, 503
- GALLEY, D. J. A biological assay technique for the assessment and comparison of systemic insecticide residues **61**, 457
- See WAY, M. J. *et al.* **63**, 459
- GARRAWAY, J. L. See CARTER, G. A. *et al.* **51**, 135; **54**, 115
- GARRETT, CONSTANCE M. E. See CROSSE, J. E. **58**, 31. See CROSSE, J. E. *et al.* **61**, 203
- GARRETT, R. G. See TOMLINSON, J. A. **54**, 45
- GARTHWAITE, P. F. Deer and forestry **61**, 330
- GENTLES, J. C. Some aspects of ringworm **51**, 170
- GEOGHEGAN, M. J. See FOX, H. M. *et al.* **52**, 33
- GIBBS, A. J. See COCKBAIN, A. J. *et al.* **52**, 133. See VARMA, P. **59**, 23
- GIBBS, A. J., GIUSSANI-BELLI, GISELDA & SMITH, HELEN G. Broad-bean stain and true broad-bean mosaic viruses **61**, 99
- GIBBS, A. J. & HARRISON, B. D. A form of pea early-browning virus found in Britain **54**, 1
- Eggplant mosaic virus and its relationship to Andean potato latent virus **64**, 225
- GIBBS, A. J., VARMA, ANUPAM & WOODS, R. D. Viruses occurring in white clover (*Trifolium repens* L.) from permanent pastures in Britain **58**, 231
- GIBBS, J. N. Inoculum sources for coffee berry disease **64**, 515
- Some factors influencing the performance of spray programmes for the control of coffee berry disease **67**, 343
- Effects of fungicides on the populations of *Colletotrichum* and other fungi in bark of coffee **70**, 35
- See GRIFFITHS, ELLIS **64**, 523. See GRIFFITHS, ELLIS *et al.* **67**, 45
- GIBSON, R. W. Glandular hairs providing resistance to aphids in certain wild potato species **68**, 113
- The resistance of three *Solanum* species to *Myzus persicae*, *Macrosiphum euphorbiae* and *Aulacorthum solani* (Aphididae: Homoptera) **68**, 245
- Climatic factors restricting the distribution of the aphid *Rhopalosiphoninus latysiphon* to the subterranean parts of field potato plants **69**, 89
- GILMER, R. M. See CROPLEY, R. *et al.* **53**, 325
- See UYEMOTO, S. K. **69**, 16
- GISBOURNE, J. H. See SMITH, PAULINE M. *et al.* **63**, 19
- GIUSSANI-BELLI, GISELDA. See GIBBS, A. J. *et al.* **61**, 99
- GLASSCOCK, H. H. Fireblight epidemic among Kentish orchards in 1919 **69**, 137
- GLASSCOCK, R. F. & HEWITT, E. J. The uptake of hexoestrol by the roots of plants and its retention when applied to the foliage as a spray **52**, 163
- GLEN, D. M. See DIXON, A. F. G. **68**, 11



- GLENDINNING, D. R. *See* ATTAFAUAH, ALEX 56, 219, 227
- GLENDINNING, D. R., LEGG, J. T., NOVI, N. K. & MARTINSON, VERONICA A. A field experiment in Ghana on the tolerance of cocoa seedlings to cocoa swollen-shoot and mottle-leaf viruses 57, 389
- GLYNNE, MARY D. Eyespot (*Cercospora herpotrichoides*) and other factors influencing yield of wheat in the six-course rotation experiment at Rothamsted (1930-60) 51, 189
- GOOD, H. M. & DARRAH, JOSEPHINE A. Rates of decay in wood measured by carbon dioxide production 59, 463
- GOODMAN, P. J., WATSON, M. A. & HILL, A. R. C. Sugar and fructosan accumulation in virus-infected plants: rapid testing by circular-paper chromatography 56, 65
- GOOLD, R. A. *See* MURANT, A. F. 62, 123. *See* MURANT, A. F. *et al.* 65, 127
- GORING, C. A. I. *See* HORNBY, D. 70, 225
- GOULD, H. J. Preliminary studies of an integrated control programme for cucumber pests and an evaluation of methods of introducing *Phytoseiulus persimilis* Athias-Henriot for the control of *Tetranychus urticae* Koch 66, 505  
*See* BINNS, E. S. *et al.* 68, 1. *See* LIGHT, W. I. St G. *et al.* 62, 227
- GOULD, H. J. & GRAHAM, C. W. The control of *Aphis fabae* Scop. on spring-sown field beans (*Vicia faba* L.) 64, 1
- GOSTICK, K. G. Control of seed-borne lucerne stem eelworm with phorate 51, 503  
*See* HEWLETT, P. S. 52, 7
- GOSTICK, K. G. & BAKER, PATRICIA M. Dieldrin-resistant cabbage root fly in England 61, 447
- GRAHAM, C. W. *See* GOULD, H. J. 64, 1
- GRAHAM-BRYCE, I. J. *See* ETHERIDGE, P. 65, 15
- GRATWICK, M. *See* KIRBY, A. H. M. *et al.* 57, 211
- GRAY, ELIZABETH G. *See* MALCOLMSON, JEAN F. 62, 77, 89
- GREAVES, J. H., HAMMOND, L. E. & BATHARD, A. H. The control of re-invasion by rats of part of a sewer network 62, 341
- GREEN, C. D. The effect of high temperatures on aqueous suspensions of stem eelworm, *Ditylenchus dipsaci* (Kühn) Filipjev 54, 381  
 Orientation of male *Heterodera rostochiensis* Woll. and *H. schachtii* Schm. to their females 58, 327  
*See* GREET, D. N. *et al.* 61, 511
- GREER, E. N. Quality in wheat and barley 59, 321
- GREET, D. N. *See* WHITEHEAD, A. G. *et al.* 65, 351
- GREET, D. N., GREEN, C. D. & POULTON, M. E. Extraction, standardization and assessment of the volatility of the sex attractants of *Heterodera rostochiensis* Woll. and *H. schachtii* Schm. 61, 511
- GREGORY, G. E. *See* BURT, P. E. *et al.* 58, 341; 59, 1
- GREIG, B. J. W. *See* PHILLIPS, D. H. 66, 441
- GRIFFIN, D. M. *See* BURGESS, L. W. 60, 137
- GRIFFITH, R. L. & MATTHEWS, S. The persistence in soil of the fungicidal seed dressings, captan and thiram 64, 113
- GRIFFITHS, C. M. *See* RUTHERFORD, P. P. *et al.* 58, 467
- GRIFFITHS, D. A. & ISAAC, IVOR. Reactions of tomato leaves to species of *Verticillium* 51, 231  
 Colonization of cellulose membranes by species of *Verticillium* 57, 59  
 Host/parasite relationships between tomato and pathogenic isolates of *Verticillium* 58, 259
- GRIFFITHS, D. C. *See* LORD, K. A. *et al.* 60, 173
- GRIFFITHS, D. C. & BARDNER, R. Organophosphorus and carbamate insecticides as soil treatments for the control of wireworms 54, 241
- GRIFFITHS, D. C., RAW, F. & LOFTY, J. R. The effects on soil fauna of insecticides tested against wireworms (*Agriotes* spp.) in wheat 60, 479

- GRIFFITHS, D. C., SCOTT, G. C., LOFTY, J. R. & ROBERTS, P. F. Laboratory and field tests in 1966-67 on chemical control of wireworms (*Agriotes* spp.) 64, 21
- GRIFFITHS, E. See CATHERALL, P. L. 57, 141, 149
- GRIFFITHS, E. & GIBBS, J. N. Early-season sprays for the control of coffee berry disease 64, 523
- GRIFFITHS, E., GIBBS, J. N. & WALLER, J. M. Control of coffee berry disease 67, 45
- GRIFFITHS, E. & WALLER, J. M. Rainfall and cropping patterns in relation to coffee berry disease 67, 75
- GRIFFITHS, J., INTARAKOSIT, P., TAYLOR, H. F. & WAIN, R. L. Studies on plant growth-regulating substances. XXII. Interactions between auxins and inactive analogues 58, 183
- GROSS, A. E. See LEACH, C. M. *et al.* 52, 371
- GUILE, C. T. On cyst colour changes, bionomics and distribution of potato cyst-eelworm (*Heterodera rostochiensis* Woll.) pathotypes in the East Midlands 60, 411
- GRÜMMER, G. See GÜNTHER, ELISABETH *et al.* 65, 255
- GÜNTHER, ELISABETH, EGGERT, DÖRTHE & GRÜMMER, G. Resistance of tomatoes to late blight (*Phytophthora infestans*) 65, 255
- GURNEY, BARBARA. See HUSSEY, N. W. 62, 395
- GURNEY, BARBARA & HUSSEY, N. W. Evaluation of some coccinellid species for the biological control of aphids in protected cropping 65, 451
- GWIAZDA, MARIA & LORD, K. A. Factors affecting the toxicity of diazinon to *Musca domestica* L. 59, 221
- HABISH, H. A. See JACOBS, S. E. *et al.* 56, 161
- HACK, H. R. B. Tomato seed germination and emergence at controlled soil-moisture tensions from 0.5 to 20 cm mercury 51, 473
- HADAWAY, A. B. & BARLOW, F. Studies on the deposition of oil drops 55, 267
- HALIMIE, M. A. & FORD, J. B. Feeding and the uptake of phosphamidon by two strains of *Myzus persicae* (Sulz.) on radish plants 70, 169
- HALLAM, N. D. See THROWER, STELLA L. *et al.* 55, 253
- HAMMERTON, JOHN L. An attempt to increase total yield per acre by growing kale and swedes together 52, 185
- HAMMOND, L. E. See BENTLEY, L. W. *et al.* 51, 343. See GREAVES, J. H. *et al.* 62, 341
- HAMPSON (née FAULKNER), RUTH J. See CHANNON, A. G. 62, 23
- HANNA, A. S. & LAWES, D. A. Studies on pollination and fertilization in the field bean (*Vicia faba* L.) 59, 289
- HARPAZ, I., BAR-JOSEPH, M. & SELA, I. Inhibition of tobacco mosaic virus infectivity by the fungus *Thielaviopsis basicola* (Berk. & Br.) Ferr. 64, 57
- HARPER, D. B. & WAIN, R. L. Studies on plant growth-regulating substances. XXX. The plant growth-regulating activity of substituted phenols 64, 395
- Studies on plant growth-regulating substances. XXXI. The metabolism of certain 2,6-disubstituted phenols within plant tissues 67, 395
- HARRIS, K. M. Assessments of the infection of guinea-corn (*Sorghum vulgare*) by covered smut (*Sphacelotheca sorghi* (Link) Clint.) in Northern Nigeria in 1957 and 1958 51, 367
- HARRIS, R. V. Obituary notice of C. H. Cadman 69, 279
- HARRISON, B. D. Further studies on a British form of pea early-browning virus 57, 121
- The transmission of strawberry latent ringspot virus by *Xiphinema diversicaudatum* (Nematoda) 60, 405
- See DIAS, H. F. 51, 97. See GIBBS, A. J. 54, 1; 64, 225. See JONES, R. A. C. 63, 1
- HARRISON, B. D. & JONES, R. A. C. Host range and some properties of potato mop-top virus 65, 393

- HARRISON, B. D. & JONES, R. A. C. Effects of light and temperature on symptom development and virus content of tobacco leaves inoculated with potato mop-top virus **67**, 377  
Factors affecting the development of spraing in potato tubers infected with potato mop-top virus **68**, 281
- HARRISON, B. D., PEACHEY, J. E. & WINSLOW, R. D. The use of nematicides to control the spread of arabis mosaic virus by *Xiphinema diversicaudatum* (Micol.) **52**, 243
- HARRISON, B. D. & ROBERTS, I. M. Association of mycoplasma-like bodies with potato witches' broom disease from Scotland **63**, 347
- HARRISON, J. A. C. *See* ISAAC, IVOR **61**, 231. *See* ISAAC, IVOR *et al.* **67**, 177  
Water deficit in potato plants infected with *Verticillium albo-atrum* **66**, 225  
Association between the potato cyst-nematode, *Heterodera rostochiensis* Woll., and *Verticillium dahliae* Kleb. in the early-dying disease of potatoes **67**, 185  
Transpiration in potato plants infected with *Verticillium* spp. **68**, 159
- HARRISON, J. A. C. & ISAAC, IVOR. Leaf-area development in King Edward potato plants inoculated with *Verticillium albo-atrum* and *V. dahliae* **61**, 217  
Survival of the causal agents of 'early-dying disease' (*Verticillium* wilt) of potatoes **63**, 277  
Effect of main-stem numbers and lateral stem development in potato plants infected with *Verticillium albo-atrum* and *V. dahliae* **63**, 379  
Host/parasite relations up to the time of tuber initiation in potato plants infected with *Verticillium* spp. **64**, 469
- HARVEY, P. N. *See* GAIR, R. *et al.* **63**, 503
- HAWKES, C. The diurnal periodicity and cycle of behaviour of the adult cabbage root fly (*Erioischia brassicae*) **70**, 109
- HAWKINS, J. H. *See* PELHAM, J. *et al.* **65**, 293
- HAWTHORNE, B. T. *See* JARVIS, W. R. **70**, 207
- HAYES, J. D. *See* CATHERALL, P. L. *et al.* **65**, 153. *See* JONES, I. T. **68**, 31
- HAYES, W. A. *See* BLACKBURN F. **58**, 43
- HAYES, W. A. & BLACKBURN, F. Studies on the nutrition of *Arthrobotrys oligospora* Fres. and *A. robusta* Dudd. II. The predaceous phase **58**, 51
- HAYES, W. A., RANDLE, PHYLLIS E. & LAST, F. T. The nature of the microbial stimulus affecting sporophore formation in *Agaricus bisporus* (Lange) Sing. **64**, 177
- HEALE, J. B. & ISAAC, IVOR. Wilt of lucerne caused by species of *Verticillium*. IV. Pathogenicity of *V. albo-atrum* and *V. dahliae* to lucerne and other crops; spread and survival of *V. albo-atrum* in soil and in weeds; effect upon lucerne production **52**, 439
- HEARD, A. J. Weed populations on arable land after four-course rotations and after short leys **52**, 177  
Eyespot in wheat after four-course rotations and 3½-year leys **55**, 115
- HEARD, A. J. & HOPPER, M. J. Populations of stem-boring Diptera in leys and in subsequent winter wheat and the effects of aldrin and phorate **51**, 301
- HEATHCOTE, G. D. The use of menazon seed dressings to decrease spread of virus yellows in sugar-beet seed crops **62**, 113  
Cultural factors affecting colonization of sugar beet by different aphid species **63**, 330  
*See* BURT, P. E. *et al.* **54**, 13. *See* COCKBAIN, A. J. *et al.* **52**, 133. *See* HULL, R. **60**, 469.  
*See* WAY, M. J. **57**, 409
- HEATHCOTE, G. D. & COCKBAIN, A. J. Transmission of beet yellows virus by alate and apterous aphids **53**, 259  
Aphids from mangold clamps and their importance as vectors of beet viruses **57**, 321
- HEATHCOTE, G. D., PALMER, J. M. P. & TAYLOR, J. R. Sampling for aphids by traps and by crop inspection **63**, 155
- HEMMING, J. R. *See* WHITEHEAD, A. G. **55**, 25



- HENDERSON, I. F. Laboratory methods for assessing the toxicity of contact poisons to slugs **62**, 363  
 A laboratory method for assessing the toxicity of stomach poisons to slugs **63**, 167  
 The fumigant effect of metaldehyde on slugs **65**, 507
- HERBERT, D. W. M. & SHURBEN, D. S. A preliminary study of the effect of physical activity on the resistance of rainbow trout (*Salmo gairdnerii* Richardson) to two poisons **52**, 321  
 The toxicity to fish of mixtures of poisons. I. Salts of ammonia and zinc **53**, 33
- HERBERT, D. W. M. & VANDYKE, JENNIFER M. The toxicity to fish of mixtures of poisons. II. Copper-ammonia and zinc-phenol mixtures **53**, 415
- HESKETH, J. D. *See* ZAITLIN, MILTON **55**, 239
- HESLING, J. J. The effect of some microphagous saprobic nematodes on mushroom culture **58**, 477
- HEWETT, P. D. Viable *Septoria* spp. in celery seed samples **61**, 89
- HEWITT, E. J. *See* CHEAL, W. F. **52**, 493; **53**, 477. *See* GLASSCOCK, R. F. **52**, 163
- HEWLETT, P. S. Toxicological studies on a beetle, *Alphitobius laevigatus* (F.): III. The joint action of doses of each of four toxicants put on two parts of the body **52**, 305; IV. Joint action experiments with two alkyl dinitrophenols **52**, 313; V. The joint actions of some pairs of like and unlike toxicants **52**, 351  
 The potentiation between thanite and aprocarb in their action on houseflies **63**, 477
- HEWLETT, P. S. & GOSTICK, K. G. Toxicological studies on a beetle, *Alphitobius laevigatus* (F.). II. The influence on toxicity of the site of topical application **52**, 7
- HEYDECKER, W. & KOHISTANI, M. R. Hollow heart and poor stands of peas (*Pisum sativum* L.) **64**, 153
- HEYNS, A. J., CARTER, G. A., ROTHWELL, K. & WAIN, R. L. Investigations on fungicides: XII. The fungicidal activity of certain *N*-carboxymethylthiocarbamic acid derivatives **56**, 399; XIII. The systemic fungicidal activity of certain *N*-carboxymethylthiocarbamic acid derivatives **57**, 33
- HIDE, G. A. *See* HIRST, J. M. *et al.* **55**, 373. *See* CORBETT, D. C. M. **68**, 71
- HIDE, G. A., HIRST, J. M. & MUNDY, E. J. The phenology of skin spot (*Oospora pustulans* Owen & Wakef.) and other fungus diseases of potato tubers **64**, 265
- HIDE, G. A., HIRST, J. M. & SALT, G. A. Methods of measuring the prevalence of pathogenic fungi on potato tubers **62**, 309
- HIGGINSON (née SMITH), YVONNE. *See* CHANNON, A. G. **68**, 185
- HILDEBRANDT, A. C. *See* MENCE, MARGARET J. **58**, 309
- HILL, A. R. The reproductive behaviour of *Metopolophium festucae* (Theobald) at different temperatures and on different host plants **67**, 289
- HILL, A. R. C. *See* GOODMAN, P. J. *et al.* **56**, 65
- HINTON, R. A. L. *See* CHANNON, A. G. *et al.* **54**, 71; **55**, 99
- HINTON, H. E. & COLE, S. The structure of the egg-shell of the cabbage root fly, *Erioischia brassicae* **56**, 1
- HIRST, J. M. *See* HIDE, G. A. *et al.* **62**, 309; **64**, 265
- HIRST, J. M., STEDMAN, O. J., LACEY, J. & HIDE, G. A. The epidemiology of *Phytophthora infestans*. IV. Spraying trials, 1959 to 1963, and the infection of tubers **55**, 373
- HISLOP, E. C. Studies on the chemical control of *Phytophthora palmivora* (Butl.) Butl. on *Theobroma cacao* L. in Nigeria. IV. Further laboratory and field trials of fungicides **52**, 465; V. Comparisons of three spraying machines for applying fungicides **52**, 481  
 The redistribution of fungicides on plants. II. Solution of copper fungicides **57**, 475  
 Observations on the vapour phase activity of some foliage fungicides **60**, 265  
 Splash dispersal of fungal spores and fungicides in the laboratory and greenhouse **63**, 71  
*See* SUMMERS, L. A. *et al.* **62**, 45
- HISLOP, E. C. & COX, T. W. Local redistribution of fungicides on leaves by water **66**, 89



- HOARE, R. C. *See* LAST, F. T. *et al.* **62**, 45
- HOCKING, D. Brown blight (*Colletotrichum coffeanum* Noack) of arabica coffee in East Africa **58**, 409
- Dothiostroma* needle blight of pines. III. Chemical control **59**, 363
- HOCKING, D. & ETHERIDGE, D. E. *Dothiostroma* needle blight of pines. I. Effect and etiology **59**, 133
- HOLDEN, A. V. Contamination of fresh water by persistent insecticides and their effects on fish **55**, 332
- HOLGATE, MARGARET E. *See* CLIFFORD, D. R. *et al.* **64**, 131
- HOLLIDAY, P. Dispersal of conidia of *Dothidella ulei* from *Hevea brasiliensis* **63**, 435
- HOLLINGS, M. Anemone necrosis, a disease caused by a strain of tomato ringspot virus **55**, 447
- Some properties of celery yellow vein, a virus serologically related to tomato black ring virus **55**, 459
- See* LAST, F. T. *et al.* **59**, 451
- HOLLINGS, M. & NARIANI, T. K. Some properties of clover yellow vein, a virus from *Trifolium repens* L. **56**, 99
- HOLLINGS, M. & STONE, OLWEN M. Investigation of carnation viruses. I. Carnation mottle **53**, 103; II. Carnation ringspot **56**, 73
- Studies of pelargonium leaf curl virus. II. Relationships to tomato bushy stunt and other viruses **56**, 87
- Attempts to eliminate chrysanthemum stunt from chrysanthemum by meristem-tip culture after heat treatment **65**, 311
- The long-term survival of some plant viruses preserved by lyophilization **65**, 411
- HOLLINGS, M., STONE, OLWEN M. & BOUTTELL, GINA C. Carnation Italian ringspot virus **65**, 299
- HOLLOWAY, P. J. The effects of superficial wax on leaf wettability **63**, 145
- HOLLOWAY, P. J. & BAKER, E. A. The cuticles of some Angiosperm leaves and fruits **66**, 145
- HOLT, R. W. *See* COLEY-SMITH, J. R. **58**, 273; *See* COLEY-SMITH, J. R. *et al.* **60**, 109; **62**, 103
- HOMANS, A. L. *See* FUCHS, A. *et al.* **65**, 497
- HOOPER, D. J. *See* WHITEHEAD, A. G. **65**, 339
- HOPPER, M. J. *See* HEARD, A. J. **51**, 301
- HORNBY, D. Methods of investigating populations of the take-all fungus (*Ophiobolus graminis*) in soil **64**, 503
- HORNBY, D. & GORING, C. A. I. Effects of ammonia and nitrate nutrition on take-all disease of wheat in pots **70**, 225
- HOSKIN, P. *See* FIRMAN, I. D. **66**, 293
- HOWARD, H. W. The effect of inbreeding on potato cyst nematode, *Heterodera rostochiensis* **62**, 485
- See* COLE, C. S. **58**, 487
- HOWLAND, AUDRIE K. *See* STOREY, H. H. **59**, 429; **60**, 297
- HUGHES, J. T. *See* HUSSEY, N. W. **54**, 129
- HULL, R. The influence of disease on yield of sugar beet **51**, 516
- Control of sugar beet yellows **56**, 345
- Virus diseases of garden lupin in Great Britain **61**, 373
- See* BYFORD, W. J. **52**, 415; **60**, 281
- HULL, R. & ADAMS, A. N. Groundnut rosette and its assistant virus **62**, 139
- HULL, R. & HEATHCOTE, G. D. Experiments on the time of application of insecticide to decrease the spread of yellowing viruses of sugar beet 1954-66 **60**, 469
- HULL, ROGER & SELMAN, I. W. The incidence and spread of viruses in sweet pea (*Lathyrus odorata* L.) in relation to variety and the use of systemic insecticides **55**, 39

- HUMPHRIES, E. C. *See* DYSON, P. W. **58**, 171. *See* FRENCH, S. A. W. **64**, 161
- HUMPHRIES, E. C. & BOND, W. Experiments with CCC in wheat: effects of spacing, nitrogen and irrigation **64**, 375
- HUMPHRIES, E. C. & DYSON, P. W. Effects of growth regulators, CCC and B<sub>9</sub>, on some potato varieties **60**, 333
- HUMPHRIES, E. C. & FRENCH, S. A. W. The effects of nitrogen, phosphorus, potassium and gibberellic acid on leaf area and cell division in Majestic potato **52**, 149
- The accuracy of the rating method for determining leaf area **52**, 193
- Determination of leaf area by rating in comparison with geometric shapes **54**, 281
- A growth study of sugar beet treated with gibberellic acid and (2-chloroethyl)trimethylammonium chloride (CCC) **55**, 159
- Effect of seedling treatment on growth and yield of sugar beet in the field **64**, 385
- HUMPHRIES, E. C., WELBANK, P. J. & WITTS, K. J. Effect of CCC (chlorocholine chloride) on growth and yield of spring wheat in the field **56**, 351
- HUNTER, J. E. & BUDDENHAGEN, I. W. Field biology and control of *Phytophthora parasitica* on papaya (*Carica papaya*) in Hawaii **63**, 53
- HUNTER, L. D. *See* KIRKHAM, D. S. **55**, 359
- HUNTER, P. J. & SYMONDS, B. V. The distribution of bait pellets for slug control **65**, 1
- HUSSEY, N. W. Possibilities for integrated control of some glasshouse pests **56**, 347
- See* GURNEY, BARBARA **65**, 451
- HUSSEY, N. W. & GURNEY, BARBARA. Biology and control of the sciarid *Lycoriella auripila* Winn. (Diptera: Lycoriidae) in mushroom culture **62**, 395
- HUSSEY, N. W. & HUGHES, J. T. Investigations on the use of dichlorvos in the control of the mushroom phorid, *Megaselia halterata* (Wood) **54**, 129
- HUTTON, K. E. *See* BURCHILL, R. T. **56**, 285
- HUTTON, K. E. & BURCHILL, R. T. The effect of some fungicides and herbicides on ascospore production of *Venturia inaequalis* (Cke.) Wint. **56**, 279
- HUXLEY, P. A. *See* CANNELL, M. G. R. **64**, 345
- INTARAKOSIT, P. *See* GRIFFITHS, J. *et al.* **58**, 183
- ISAAC, I. *See* GRIFFITHS, D. A. **51**, 231; **57**, 59; **58**, 259. *See* HARRISON, J. A. C. **61**, 217; **63**, 217; **63**, 277, 379; **64**, 469. *See* HEALE, J. B. **52**, 439
- ISAAC, I., FLETCHER, P. & HARRISON, J. A. C. Quantitative isolation of *Verticillium* spp. from soil and moribund potato haulm **67**, 177
- ISAAC, I. & HARRISON, J. A. C. The symptoms and causal agents of early-dying disease (*Verticillium* wilt) of potatoes **61**, 231
- ISAACSON, I. J. *See* MURTON, R. K. *et al.* **52**, 271
- ISHAG, FARIDA. *See* SABET, K. A. *et al.* **63**, 357. *See* SABET, K. A. **64**, 65
- IVORY, M. H. *See* BOCK, K. R. *et al.* **66**, 453
- JACKSON, J. E. Seasonal variation in yield and quality of cotton **51**, 519
- JACKSON, P. *See* EVANS, L. T. *et al.* **70**, 67
- JACOB, F. H. Agricultural and horticultural entomology in the United Kingdom **53**, 215
- JACOBS, S. E., HABISH, H. A. & DADD, A. H. Studies on induced mutants of *Corynebacterium fascians* and on their pathogenicity in comparison with that of 'natural' strains **56**, 161
- JAIN, A. P. *See* PRAKASH, ISHWAR **69**, 169
- JAMES, C. S. & WAIN, R. L. Studies on plant growth-regulating substances: XXVI. Isatic and anthranilic acids **61**, 295; XXVIII. Halogen-substituted benzoic acids **63**, 205
- JAMES, GLYN L. The interrelationships of the causal fungus of brown root rot of tomatoes and potato root eelworm, *Heterodera rostochiensis* Woll. **61**, 503

- JAMES, W. CLIVE. A study of foliar diseases of spring barley in England and Wales in 1967 **63**, 253
- JAMES, W. CLIVE, JENKINS, J. E. E. & JEMMETT, J. L. The relationship between leaf blotch caused by *Rhynchosporium secalis* and losses in grain yield of spring barley **62**, 273
- JARVIS, W. R. & HAWTHORNE, B. T. *Sclerotinia minor* on lettuce: progress of an epidemic **70**, 207
- JAVED, Z. U. R. *See* COLEY-SMITH, J. R. **65**, 59
- JAYARAJ, S., EHRHARDT, P. & SCHMUTTERER, H. The effect of certain antibiotics on reproduction of the black bean aphid, *Aphis fabae* Scop. **59**, 13
- JEFFS, K. A. *See* LORD, K. A. *et al.* **60**, 173
- JEMMETT, J. L. *See* JAMES, W. CLIVE *et al.* **62**, 273
- JENKINS, G. Comparison of tolerance to barley yellow dwarf virus in barley and oats **57**, 163
- JENKINS, J. E. E. *See* JAMES, W. CLIVE *et al.* **62**, 273
- JENKINS, J. E. E., WIGGELL, D. & FLETCHER, J. T. Tomato fruit bronzing **55**, 71
- JEWISS, O. R. *See* SMITH, DALE **58**, 145
- JOHN, MARGARET E. *See* LIGHT, W. I. St J. *et al.* **62**, 227  
*See* FRENCH, N. *et al.* **62**, 241
- JOHNSON, R. *See* LUPTON, F. G. H. **66**, 137
- JOHNSON, R. A. H. *See* DAWSON, J. R. *et al.* **56**, 243
- JOHNSTONE, D. R. & MATTHEWS, G. A. Comparative assessment of dosage distributions in cotton resulting from helicopter and ground spray treatments **55**, 431
- JONES, A. T. *See* CATHERALL, P. L. *et al.* **65**, 153  
Purification and properties of elderberry latent virus, one of four sap-transmissible viruses obtained from American elder (*Sambucus canadensis* L.) **70**, 49
- JONES, A. T. & CATHERALL, P. L. The relationship between growth rate and the expression of tolerance to barley yellow dwarf virus in barley **65**, 137  
The effect of different virus isolates on the expression of tolerance to barley yellow dwarf virus in barley **65**, 147
- JONES, A. T. & MURANT, A. F. Serological relationship between cherry leaf roll, elm mosaic and golden elderberry viruses **69**, 11
- JONES, D. A. G. *See* LAST, F. T. *et al.* **62**, 55
- JONES, D. PRICE. Applied biology as an evolutionary process (Presidential Address) **66**, 179
- JONES, F. G. W., MEATON, V. H., PARROTT, D. M., SHEPHERD, A. M. & KING, J. M. Population studies on pea cyst-nematode, *Heterodera goettingiana* Liebs. **55**, 13
- JONES, F. G. W. & PARROTT, D. M. The genetic relationships of pathotypes of *Heterodera rostochiensis* Woll. which reproduce on hybrid potatoes with genes for resistance **56**, 27  
Population fluctuations of *Heterodera rostochiensis* Woll. when susceptible potato varieties are grown continuously **63**, 175
- JONES, F. G. W., PARROTT, D. M. & ROSS, G. J. S. The population genetics of the potato cyst-nematode, *Heterodera rostochiensis*; mathematical models to simulate the effects of growing eelworm-resistant potatoes bred from *Solanum tuberosum* ssp. *andigena* **60**, 151
- JONES, F. G. W. & PAWELSKA, KRZYSTYNA. The behaviour of populations of potato-root eelworm (*Heterodera rostochiensis* Woll.) towards some resistant tuberous and other *Solanum* species **51**, 277
- JONES, I. T. & HAYES, J. D. The effect of sowing date on adult plant resistance to *Erysiphe graminis* f.sp. *avenae* in oats **68**, 31
- JONES, L. H. The effects of topping and plant population on dry matter synthesis and distribution in Brussels sprouts **70**, 77
- JONES, R. A. C. *See* HARRISON, B. D. **65**, 393; **67**, 377; **68**, 281

- JONES, R. A. C. & HARRISON, B. D. The behaviour of potato mop-top virus in soil and evidence for its transmission by *Spongospora subterranea* (Wallr.) Lagerh. **63**, 1
- JORDAN, V. W. L. The life-history and epidemiology of American gooseberry mildew on black currants **61**, 399  
Evaluation of fungicides for the control of *Verticillium* wilt (*V. dahliae*) in strawberry **70**, 163  
See BYRDE, R. J. W. *et al.* **64**, 119
- JORDAN, V. W. L., SNEH, B. & EDDY, B. P. Influence of organic soil amendments on *Verticillium dahliae* and on the microbial composition of the strawberry rhizosphere **70**, 139
- KAARS SIJPESTEIJN, A. See SIJPESTEIJN
- KASSANIS, B. & VARMA, ANUPAM. The production of virus-free clones of some British potato varieties **59**, 447
- KASSANIS, B. & WOODS, R. D. Properties of some defective strains of tobacco mosaic viruses and their behaviour as affected by inhibitors during storage in sap **64**, 213
- KAVANAGH, J. A. & WOOD, R. K. S. The role of wounds in the infection of oranges by *Penicillium digitatum* Sacc. **60**, 375  
Green mould of oranges caused by *Penicillium digitatum* Sacc.; effect of additives on spore germination and infection **67**, 35
- KAVANAGH, T. Factors influencing seedling infection of barley by *Ustilago nuda* (Jens.) Rostr. **54**, 225  
See RYAN, E. W. **67**, 121
- KAVANAGH, T. & RYAN, E. W. Methods of assessment of celery leaf spot (*Septoria apiicola*) in relation to fungicide evaluation **68**, 263
- KEARNS, H. G. H. Crop protection in the tropics (Presidential Address) **51**, 353
- KEEP, ELIZABETH & BRIGGS, J. B. A survey of *Ribes* species for aphid resistance **68**, 23
- KEMPTON, D. P. H. See DUNN, J. A. **60**, 33; **64**, 203; **68**, 121, 233
- KEMPTON, R. J. See SMITH, PAULINE M. *et al.* **63**, 19
- KENDRICK, J. B. See BUXTON, E. W. **51**, 215
- KENNEDY, J. S. Mechanisms of host plant selection **56**, 317
- KENNETH, R. G. See KOLTIN, Y. **65**, 263. See NETZER, D. **63**, 289
- KENTEN, R. H. See LEGG, J. T. **65**, 425; **67**, 369. See BRUNT, A. A. **69**, 235
- KENTEN, R. H. & LEGG, J. T. Methods for assessing the tolerance and resistance of different types of cocoa swollen-shoot virus **65**, 419  
Serological relationships of some viruses from cocoa (*Theobroma cacao* L.) in Ghana **67**, 195
- KERR, M. W. & WAIN, R. L. The uncoupling of oxidative phosphorylation in pea shoot mitochondria by 3,5-diiodo-4-hydroxybenzonitrile (ioxynil) and related compounds **54**, 441  
Inhibition of the ferricyanide-Hill reaction of isolated bean leaf chloroplasts by 3,5-diiodo-4-hydroxybenzonitrile (ioxynil) and related compounds **54**, 447
- KERSHAW, W. J. S. The spread of yellows virus in sugar beet **56**, 231
- KEYWORTH, W. G. The reaction of monogenic resistant and susceptible varieties of tomato to inoculation with *Fusarium oxysporum* f. *lycopersici* into stems or through Bonny Best rootstocks **52**, 257  
Hypersensitivity of monogenic resistant tomato scions to toxins produced in Bonny Best rootstocks invaded by *Fusarium oxysporum* f. *lycopersici* **54**, 99
- KEYWORTH, W. G. & MILNE, L. J. R. Induced tolerance of *Sclerotium cepivorum* to antibiotics in the presence of onion exudates **63**, 415
- KHAIRY, ENAYAT A. See ABD-EL-REHIM, M. A. *et al.* **63**, 95
- KHALIFA, O. Biological control of *Fusarium* wilt of peas by organic soil amendments **56**, 129  
See BUXTON, E. W. *et al.* **55**, 83
- KHALIL, OSMAN. See SABET, K. A. *et al.* **63**, 357



- KILBY, A. A. T. *See* DAWSON, J. R. *et al.* 60, 215
- KIMEU, B. S. *See* CANNELL, M. G. R. 68, 213
- KING, J. E. *See* COLEY-SMITH, J. R. *et al.* 60, 109; 62, 103; 64, 289
- KING, J. E. & COLEY-SMITH, J. R. Effects of *Allium* species and their extracts on germination of sclerotia of *Sclerotium cepivorum* Berk. 61, 407  
Production of volatile alkyl sulphides by microbial degradation of synthetic alliin and alliin-like compounds, in relation to germination of sclerotia of *Sclerotium cepivorum* Berk. 64, 303
- KING, J. M. *See* JONES, F. G. W. *et al.* 55, 13
- KIRBY, A. H. M. & FRICK, E. L. Greenhouse evaluation of chemicals for control of powdery mildews: I. A method suitable for apple and barley 51, 51; II. Some factors affecting artificial infection of apple foliage 51, 61; III. Experiments with surface-active agents 52, 45
- KIRBY, A. H. M., FRICK, E. L. & GRATWICK, M. Greenhouse evaluation of chemicals for control of powdery mildews: the 'dinocap' misconception 57, 211
- KIRBY, A. H. M., FRICK, E. L. & MOORE, M. H. Greenhouse evaluation of chemicals for control of powdery mildews. V. Test with unsaturated compounds 55, 287
- KIRBY, E. J. M. The effect of sowing date and plant density on barley 63, 513
- KIRK, R. G. Reproduction of *Lumbricillus rivalis* (Levinson) in laboratory cultures and in decaying seaweed 67, 255
- KIRKLEY, JEAN. *See* DUNN, J. A. 58, 213
- KIRKHAM, D. S. & HUNTER, L. D. Studies of the *in vivo* activity of esters of *o*-coumaric and cinnamic acids against apple scab 55, 359
- KNIGHT, B. E. A., TAYLOR, H. F. & WAIN, R. L. Studies on plant growth-regulating substances. XXIX. The plant growth-retarding properties of certain ammonium, phosphonium and sulphonium halides 63, 211
- KOHISTANI, M. R. *See* HEYDECKER, W. 64, 153
- KOLTIN, Y. & KENNETH, R. The role of the sexual stage in the over-summering of *Erysiphe graminis* DC. f.sp. *hordei* Marchal under semi-arid conditions 65, 263
- KRAMER, C. L. *See* PADY, S. M. *et al.* 67, 145
- KULKARNI, H. Y. Decline viruses of pawpaw (*Carica papaya* L.) in East Africa 66, 1
- KYLE, ANN M. *See* MAUDE, R. B. 66, 37
- LACEY, J. The infectivity of soils containing *Phytophthora infestans* 56, 363  
The role of water in the spread of *Phytophthora infestans* in the potato crop 59, 245  
Susceptibility of potato tubers to infection by *Phytophthora infestans* 59, 257  
The microbiology of moist barley storage in unsealed silos 69, 187  
*See* HIRST, J. M. *et al.* 55, 373
- LANGTON, F. A. Interactions of the tomato with two *forma speciales* of *Fusarium oxysporum* 62, 413
- LAPWOOD, D. H. Potato haulm resistance to *Phytophthora infestans*. IV. Laboratory and field estimates compared and further field analyses 51, 17  
The effect of soil moisture at the time potato tubers are forming on the incidence of common scab (*Streptomyces scabies*) 58, 437  
Observations on blight (*Phytophthora infestans*) and resistant potatoes at Toluca, Mexico 68, 41
- LAPWOOD, D. H., WELLINGS, L. W. & ROSSER, W. R. The control of common scab of potatoes by irrigation 66, 397
- LAST, F. T. *See* BROADBENT, L. *et al.* 55, 471. *See* DAWSON, J. R. *et al.* 56, 243; 60, 215. *See* HAYES, W. A. *et al.* 64, 177. *See* RAM REDDY, M. A. *et al.* 54, 397. *See* SMITH, PAULINE M. *et al.* 63, 19, 401

- LAST, F. T. & EBBEN, MARION H. The epidemiology of tomato brown rot 57, 95
- LAST, F. T., EBBEN, MARION H., HOARE, R. C., TURNER, E. A. & CARTER, A. R. Build-up of tomato brown rot caused by *Pyrenochaeta lycopersici* Schneider & Gerlach 64, 449
- LAST, F. T., EBBEN, MARION H., ROTHWELL, J. B. & JONES, D. A. G. Effects of cultural treatments on the incidence of, and damage done by, tomato brown rot 62, 55
- LAST, F. T., HOLLINGS, M. & STONE, OLWEN M. Some effects of cultural treatments on virus diseases of cultivated mushroom, *Agaricus bisporus* 59, 451
- LAWES, D. A. See HANNA, A. S. 59, 289
- LAZENBY, ALEC & RODGERS, H. H. Implications of variety  $\times$  environment interactions in grasses 51, 518
- LEACH, C. M., DICKASON, E. A. & GROSS, A. E. The relationship of insects, fungi and nematodes to the deterioration of roots of *Trifolium hybridum* L. 52, 371
- LEACH, R. See MOORE, K. G. 61, 65
- LEACH, R. W. A., BIDDINGTON, N. L., VERLOOP, A. & NIMMO, W. B. A side effect of chlor-thiamid and dichlobenil herbicides 67, 137
- LEAKEY, C. L. A. See EMECHEBE, A. M. et al. 69, 223; 70, 157
- LEAKEY, C. L. A. & SIMBWA-BUNYYA, M. Races of *Colletotrichum lindemuthianum* and implications for bean breeding in Uganda 70, 25
- LEAKEY, C. L. A. & PERRY, C. A. The relation between damage caused by insect pests and boll rot associated with *Glomerella cingulata* (Stonem.) Spauld. & von Schrenk (*Colletotrichum gossypii* Southw.) on Upland cotton in Uganda 57, 337
- LEARNER, M. A. Laboratory studies on the life histories of four enchytraeid worms (Oligochaeta) which inhabit sewage percolating filters 70, 251
- LE CREN, E. D. Population dynamics and exploitation in some freshwater fish 53, 495
- LEGG, J. T. Hop line-pattern virus in relation to the etiology and distribution of nettlehead disease 53, 389
- See GLENDINNING, D. R. et al. 57, 389. See KENTEN, R. H. 65, 419; 67, 195
- LEGG, J. T. & BONNEY, J. K. The host range and vector species of viruses from *Cola chlamydanthia* K.Schum., *Adansonia digitata* L. and *Theobroma cacao* L. 60, 399
- LEGG, J. T. & KENTEN, R. H. The resistance and tolerance of different cocoa varieties to cocoa swollen-shoot virus in Ghana 65, 425
- Field experiments on the resistance of cocoa to cocoa swollen-shoot virus 67, 369
- LEGG, J. T. & ORMEROD, P. J. The association of split-leaf blotch virus with nettlehead disease of hops 53, 403
- LENNARD, J. H. See ALI, M. A. et al. 66, 407
- LENNON, ELIZABETH A. See WATSON, MARION et al. 54, 153
- LEWIS, B. G. Effects of water potential on the infection of potato tubers by *Streptomyces scabies* in soil 66, 83
- LEWIS, T. The effect of weather on emergence and take-off of overwintering *Limothrips cerealium* Haliday (Thysanoptera) 51, 489
- The weather and mass flights of Thysanoptera 53, 165
- The species, aerial density and sexual maturity of Thysanoptera caught in mass flights 55, 219
- The effect of an artificial windbreak on the aerial distribution of flying insects 55, 503
- The effect of an artificial windbreak on the distribution of aphids in a lettuce crop 55, 513
- An analysis of components of wind affecting the accumulation of flying insects near artificial windbreaks 58, 365
- Artificial windbreaks and the distribution of turnip mild yellow virus and *Scaptomyza apicalis* (Diptera) in a turnip crop 58, 371
- The horizontal and vertical distribution of flying insects near artificial windbreaks 60, 23
- Factors affecting primary patterns of infestation 63, 315

- LEWIS, T. Patterns of distribution of insects near a windbreak of tall trees **65**, 213  
*See* DIBLEY, G. C. **66**, 469
- LEWIS, T. & DIBLEY, G. C. Air movement near windbreaks and a hypothesis of the mechanism of the accumulation of airborne insects **66**, 477
- LEWIS, T. & SMITH, B. D. The insect faunas of pear and apple orchards and the effect of windbreaks on their distribution **64**, 11
- LEWIS, T. & STEPHENSON, J. W. The permeability of artificial windbreaks and the distribution of flying insects in the leeward sheltered zone **58**, 355
- LEXANDER, K., CARLSSON, R., SCHALÉN, V., SIMONSSON, Å. & LUNDBORG, T. Quantities and qualities of leaf protein concentrates from wild species and crop species grown under controlled conditions **66**, 193
- LIGHT, W. I. St G., JOHN, MARGARET E., GOULD, H. J. & COGHILL, K. J. Hatching of the winter eggs of the fruit-tree red spider mite (*Panonychus ulmi* (Koch)) **62**, 227
- LISTER, R. M. Strawberry latent ringspot; a new nematode-borne virus **54**, 167  
*See* MURANT, A. F. **59**, 63
- LISTER, R. M. & MURANT, A. F. Seed transmission of nematode-borne viruses **59**, 49
- LLEWELYN, F. W. M. The 'hardening' effect of lime-sulphur sprays on mature apple trees **55**, 495
- LLLOYD, H. G. Spring traps and their development **51**, 329  
 The control of foxes (*Vulpes vulpes* L.) **61**, 334
- LLLOYD, R. Sewage effluents and their effects on fisheries **53**, 508
- LOACH, K. Analysis of differences in yield between six sugar-beet varieties **66**, 217
- LOCKARD, R. G. *See* ASSOMANING, E. J. A. **54**, 193
- LOFTY, J. R. *See* GRIFFITHS, D. C. *et al.* **60**, 479; **64**, 21
- LONG, D. L. *See* PADY, S. M. *et al.* **67**, 145
- LONGDEN, P. C. *See* SCOTT, R. K. **66**, 129
- LONGWORTH, J. F. *See* ENTWISTLE, P. F. **52**, 387
- LONGWORTH, J. F. & THRESH, J. M. The reaction of different cacao types to infection with swollen-shoot virus **52**, 117  
 Field trials on the effect of a Nigerian swollen-shoot virus on the growth of different cacao types **52**, 217  
 Supplementary note on tolerance to cacao swollen-shoot virus in Nigeria **53**, 343
- LORD, K. A. *See* GWIAZDA, MARIA **59**, 221
- LORD, K. A., MAY, MARGARET A. & STEVENSON, J. H. The secretion of the systemic insecticides dimethoate and phorate into nectar **61**, 19
- LORD, K. A., SCOTT, G. C., JEFFS, K. A., GRIFFITHS, D. C. & MASKELL, F. E. Persistence and distribution of insecticidal seed-dressings for control of the wheat bulb fly, *Leptohylemyia coarctata* **60**, 173
- LOVELESS, A. R. The possible role of pathogenic fungi in local degeneration of *Salvinia auriculata* Aublet on Lake Kariba **63**, 61
- LOVI, N. K. *See* GLENDINNING, D. R. **57**, 389
- LOWE, H. J. B. & RUSSELL, G. E. Inherited resistance of sugar beet to aphid colonization **63**, 337
- LOWE, L. B. & CARTER, O. G. Grain yield and quality of wheat as affected by chlormequat (2-chloroethyltrimethyl ammonium chloride) **68**, 203
- LOWE, ROSEMARY. *See* McCONNELL, ROSEMARY **53**, 502
- LUNDBORG, T. *See* LEXANDER, K. *et al.* **66**, 193
- LUPTON, F. G. H. Translocation of photosynthetic assimilates in wheat **57**, 355  
 The analysis of grain yield in wheat in terms of photosynthetic ability and efficiency of translocation **61**, 109



- LUPTON, F. G. H. Estimation of yield of wheat from measurements of photosynthesis and translocation in the field **64**, 363
- LUPTON, F. G. H. & ALI, MOHAMED, A. M. Studies on photosynthesis in the ear of wheat **57**, 281
- LUPTON, F. G. H. & JOHNSON, R. Breeding for mature-plant resistance to yellow rust in wheat **66**, 137
- LUURING, B. B. *See* DEAN, G. J. **66**, 485
- MACAULAY, E. D. M. *See* BANKS, C. J. **53**, 229; **55**, 207; **60**, 445
- MACCUAIG, R. D. & YEATES, MAUREEN, N. D. B. The toxicity of some insecticides to first-instar nymphs of the desert locust, *Schistocerca gregaria* (Forsk.) **54**, 415
- MCBRIDE, T. D. *See* PADY, S. M. *et al.* **67**, 145
- MCCONNELL (néé LOWE), ROSEMARY. Tropical fishery problems and research **53**, 502
- MCGEE, S. *See* MOORBY, J. **58**, 159
- MCINTOSH, A. H. Tests of dibutyltin compounds as potato blight fungicides **66**, 115  
Tests of aryltin compounds as potato blight fungicides **69**, 42
- MCINTOSH, A. H. & EVELING, D. W. Bioassay and other laboratory methods for testing formulations of potato blight fungicides **55**, 397  
Effect of wax and lanolin emulsions on the efficiency of potato-blight fungicides in laboratory tests **60**, 223
- MAHMOOD, M. *See* VASUDEVA, R. S. *et al.* **51**, 415
- MALCOLMSON, JEAN F. Factors involved in resistance to blight (*Phytophthora infestans* (Mont.) de Bary) in potatoes, and assessment of resistance using detached leaves **64**, 461
- MALCOLMSON, JEAN F. & GRAY, ELIZABETH G. Factors affecting the occurrence of gangrene (*Phoma exigua*) in potatoes **62**, 77  
The incidence of gangrene of potatoes caused by *Phoma exigua* in relation to handling and storage **62**, 89
- MAMULA, Đ. *See* ŠTEFANAC, ZLATA **69**, 229
- MANSOUR, I. M. *See* SABET, K. A. *et al.* **66**, 257, 265
- MANSOUR, I. S. *See* SABET, K. A. *et al.* **58**, 93
- MANTLE, P. G. Emergence and phytopathological properties of a new strain of *Cleviceps purpurea* (Fr.) Tul. on rye **60**, 353  
Studies on *Sphacelia sorghi* McRae, an ergot of *Sorghum vulgare* Pers. **62**, 443  
Studies on *Claviceps purpurea* (Fr.) Tul. parasitic on *Phragmites communis* Trin. **63**, 425
- MARCHETTI, R. Changes in resistance to toxicity of surface-active agents during the development of *Salmo gairdnerii* Richardson **55**, 425
- MARSHALL, J. *See* EVANS, E. *et al.* **65**, 473
- MARTIN, J. T. *See* BAKER, E. A. **60**, 313. *See* BAKER, E. A. *et al.* **53**, 59; **58**, 203. *See* ROBERTS, MARGARET F. **51**, 411. *See* SILVA FERNANDES, A. M. *et al.* **53**, 43. *See* WHEELER, B. E. J. *et al.* **51**, 403
- MARTIN, J. T., BAKER, E. A. & BYRDE, R. J. W. The fungitoxicities of cuticular and cellular components of citrus lime leaves **57**, 491  
The fungitoxicities of plant furocoumarins **57**, 501
- MARTIN, P. H. *See* FIRMAN, I. D. **62**, 429
- MARTINSON, VERONICA A. *See* GLENDINNING, D. R. *et al.* **57**, 389
- MASKELL, F. E. *See* LORD, K. A. *et al.* **60**, 173
- MATHIAS, P. L. *See* GAIR, R. *et al.* **63**, 503
- MATTHEWS, G. A. *See* JOHNSTONE, D. R. **55**, 431
- MATTHEWS, S. *See* GRIFFITH, R. L. **64**, 113
- MATTHEWS, S. A. A study of seed lots of peas (*Pisum sativum* L.) differing in predisposition to pre-emergence mortality in soil **68**, 177

- MAUDE, R. B. Studies on *Septoria* on celery seed 54, 313  
 Studies on the etiology of black rot, *Stemphylium radicinum* (Meier, Drechs. & Eddy) Neerg., and leaf blight, *Alternaria dauci* (Kühn) Groves & Skolko, on carrot crops; and on fungicide control of their seed-borne infection phases 57, 83  
 Pea seed infection by *Mycosphaerella pinodes* and *Ascochyta pisi* and its control by seed soaks in thiram and captan suspensions 57, 193  
 The control of *Septoria* on celery seed 65, 249
- MAUDE, R. B. & KYLE, ANN M. Seed treatments with benomyl and other fungicides for the control of *Ascochyta pisi* on peas 66, 37
- MAUDE, R. B. & SHURING, CATRIONA G. Seed treatments with Vitavax for the control of loose smut of wheat and barley 64, 259
- MAUDE, R. B., VIZOR, ANN S. & SHURING, CATRIONA G. The control of fungal seed-borne diseases by means of a thiram seed soak 64, 245
- MAY, MARGARET A. See LORD, K. A. *et al.* 61, 19
- MEAD-BRIGGS, A. R. Observations on the rabbit flea – a vector of myxomatosis 51, 338
- MEATON, V. H. See JONES, F. G. W. *et al.* 55, 13
- MEATS, A. Susceptibility of the leatherjackets *Tipula oleracea* and *T. paludosa* to soil flooding 65, 25
- MENCE, MARGARET J. See PEGG, G. F. 66, 417
- MENCE, MARGARET J. & HILDEBRANDT, A. C. Resistance to powdery mildew in rose 58, 309
- MENCE, MARGARET J. & PEGG, G. F. The biology of *Peronospora viciae* on pea: factors affecting the susceptibility of plants to local infection and systemic colonization 67, 297
- MEREDITH, D. S. 'Eyespot', a foliar disease of bananas caused by *Drechslera gigantea* (Heald & Wolf) Ito. I. Preliminary studies on pathogenicity and spore dispersal 51, 29  
 Some gramminicolous fungi associated with spotting of banana leaves in Jamaica 51, 371  
 Fruit spot ('speckle') of Jamaican bananas caused by *Deighthoniella torulosa* (Syd.) Ellis. V. Attempted control 52, 55  
*Pyricularia grisea* (Cooke) Sacc. causing pitting disease of bananas in Central America. I. Preliminary studies on pathogenicity 52, 453  
 Spore dispersal in *Alternaria porri* (Ellis) Neerg. on onions in Nebraska 57, 67  
 Freckle disease of banana in Hawaii caused by *Phyllostictina musarum* (Cke.) Petr. 62, 329
- MERRETT, M. J. See SUNDERLAND, D. W. 56, 447
- MESSINGER, P. S. Utilization of native natural enemies in integrated control 56, 328
- MICHAIL, S. H. See ABD-EL-REHIM, M. A. *et al.* 63, 95
- MILNE, A. Pest ecology and integrated control 56, 338
- MILNE, L. J. R. See KEYWORTH, W. G. 63, 415
- MILLINGTON, P. F. See RICHMOND, D. V. *et al.* 59, 233
- MOHSIN, MOHAMMED. See SMITH, MARGARET S. 66, 233
- MOLLOY, FRANCES M. See BURT, P. E. *et al.* 58, 341; 59, 1
- MONTGOMERIE, ISABEL G. Control of raspberry stamen blight 67, 321
- MOORBY, J. & MCGEE, S. Coiled-sprout in the potato: the effect of various storage and planting conditions 58, 159
- MOORE, K. G. & LEACH, R. The effect of 6-benzylaminopurine (benzyladenine) on senescence and chocolate spot (*Botrytis fabae*) of winter beans (*Vicia faba*) 61, 65
- MOORE, M. H. Glasshouse experiments on apple scab: I. Foliage infection in relation to wet and dry periods 53, 423; II. Direct and translocated fungicidal activity 57, 451; III. Fungicide mixtures, curative translocation and the influence of mildew 59, 239  
 See KIRBY, A. H. M. *et al.* 55, 287
- MORETON, B. D. See FRENCH, N. *et al.* 62, 241
- MORIARTY, F. The hatch of beet eelworm (*Heterodera schachtii* Schm.) larvae in rivanol and its use for the estimation of field populations 52, 423

- MORIARTY, F. The toxicity and sublethal effects of *p,p'*-DDT and dieldrin to *Aglais urticae* (L.) (Lepidoptera: Nymphalidae) and *Chorthippus brunneus* (Thunberg) (Saltatoria: Acrididae) **62**, 371
- MORRISON, J. See WOODFORD, E. K. **67**, 278
- MOWAT, W. P. Augusta disease in tulip – a reassessment **66**, 17  
Stabilization, culture and some properties of tulip halo necrosis virus **69**, 147
- MOWAT, D. J. & COAKER, H. The toxicity of some soil insecticides to carabid predators of the cabbage root fly, *Erioischia brassicae* (Bouché) **59**, 349
- MULINGE, S. K. Development of coffee berry disease in relation to the stage of berry growth **65**, 269  
Effect of altitude on the distribution of the fungus causing coffee berry disease in Kenya **67**, 93
- MULINGE, S. K. & CHESTERS, C. G. C. Ecology of fungi associated with moist stored barley grain **65**, 277  
Methods of isolating the microflora of moulding, high-moisture barley in partially sealed silos **65**, 285
- MUNDY, E. J. See HIDE, G. A. *et al.* **64**, 265
- MUNTHE, T. See MURANT, A. F. *et al.* **65**, 127
- MURANT, A. F. See TAYLOR, C. E. **64**, 43. See BARNETT, O. W. **65**, 435. See JONES, A. T. **69**, 11
- MURANT, A. F. & GOOLD, R. A. Purification, properties and transmission of parsnip yellow fleck, a semi-persistent, aphid-borne virus **62**, 123
- MURANT, A. F., MUNTHE, T. & GOOLD, R. A. Parsnip mosaic virus, a new member of the potato virus Y group **65**, 127
- MURANT, A. F. & TAYLOR, C. E. Treatment of soil with chemicals to prevent transmission of tomato blackring and raspberry ringspot viruses by *Longidorus elongatus* (de Man) **55**, 227
- MURANT, A. F. & ROBERTS, I. M. Mycoplasma-like bodies associated with *Rubus* stunt disease **67**, 389
- MURANT, A. F., TAYLOR, C. E. & CHAMBERS, J. Properties, relationships and transmission of a strain of raspberry ringspot virus infecting raspberry cultivars immune to the common Scottish strain **61**, 175
- MURDIE, G. See WAY, M. J. **56**, 326. See WAY, M. J. *et al.* **63**, 459
- MURTON, R. K. Natural and artificial population control of the wood-pigeon (the third Barnes Memorial Lecture) **55**, 177
- MURTON, R. K., ISAACSON, A. J. & WESTWOOD, N. J. The use of baits treated with  $\alpha$ -chloralose to catch wood-pigeons **52**, 271
- MURTON, R. K. & VISOZO, MONICA. Dressed cereal seed as a hazard to wood-pigeons **52**, 503
- NARIANI, T. K. See HOLLINGS, M. **56**, 99
- NASH, R. J., SMITH, T. A. & WAIN, R. L. Studies on plant growth-regulating substances. XXVII. The growth-regulating activity and metabolism of 2,4-dichlorophenoxyethylamine and related compounds in higher plants **61**, 481
- NEEDHAM, P. H. See BANKS, C. J. **66**, 465
- NETZER, D. & KENNETH, R. G. Persistence and transmission of *Alternaria dauci* (Kühn) Groves & Skolko in the semi-arid conditions of Israel **63**, 289
- NEWBOLD, J. W. The economics and chemical control of timothy flies (*Amaurosome* spp.) **51**, 171
- NEWHOOK, F. J. See VAUGHAN, E. K. *et al.* **58**, 389
- NEWTON, P. Growth of *Cucumis sativus*, variety Butcher's Disease Resister, with two concentrations of carbon dioxide **56**, 55



- NEWTON, P. The influence of increased CO<sub>2</sub> concentration and supplementary illumination on growth of tomato seedlings during the winter months 57, 345
- NIEMANN, G. J. & DEKKER, J. Evaluation of the activity of a number of procaine derivatives and analogous compounds against powdery mildew (*Sphaerotheca fuliginea*) on cucumber 57, 53
- NIMMO, W. B. See LEACH, R. W. A. *et al.* 67, 137
- NORRIS, J. R. *Bacillus thuringensis* in insect control 56, 335
- NORSE, D. Lesion and epidemic development of *Alternaria longipes* (Ell. & Ev.) Mason on tobacco 69, 105
- NORSE, D. & WHEELER, B. E. J. Perennation of *Alternaria longipes* and the early stages of its development on tobacco 67, 23
- NOUR, M. A. See YASSIN, A. M. 56, 207
- NUTMAN, F. J. & ROBERTS, F. M. The effect of fungicidal treatments on sporulating capacity in relation to the control of coffee berry disease 64, 85  
The stimulating effect of some fungicides on *Glomerella cingulata* in relation to the control of coffee berry disease 64, 335
- NUTMAN, F. J. & ROBERTS, F. M. (with Appendix by FREEMAN, G. H.). Seasonal variations in the sporulating capacity of the fungus causing coffee berry disease 64, 85
- O'CARROLL, F. M. See BRADBURY, F. R. 57, 15
- OGLE, HELEN J. & BROWN, J. F. Relative ability of two strains of *Puccinia graminis tritici* to survive when mixed 66, 273  
Some factors affecting the relative ability of two strains of *Puccinia graminis tritici* to survive when mixed 67, 157  
Quantitative studies of the post-penetration phase of infection by *Puccinia graminis tritici* 67, 309
- OKUSANYA, BOLAJOKO A. M. See WATSON, MARION A. 60, 199
- OKUSANYA, BOLAJOKO A. M. & WATSON, MARION A. Host range and some properties of groundnut rosette virus 58, 377
- OMER, M. E. H. & WOOD, R. K. S. Growth of *Pseudomonas phaseolicola* in susceptible and in resistant bean plants 63, 103
- ORCHARD, W. R. See BLOOMBERG, W. J. 64, 239
- ORMEROD, P. J. See LEGG, J. T. 53, 403
- OSBORNE, P. The life history, development and parasites of *Meligethes aeneus* (F.) 51, 172
- OUTRAM, I. See CAMPION, D. G. 60, 191
- OUTRAM, I. & CAMPION, D. G. Morphology of the male reproductive system and spermatophore of the red bollworm, *Diparopsis castanea* (Hmps.), and the possible effect of the chemosterilant tepa on the gross structure 60, 439
- OWUSU, G. K., CROWLEY, N. C. & FRANCKI, R. I. B. Studies of the seed transmission of tobacco ringspot virus 61, 195
- OXLEY, T. A. & WICKENDEN, GLORIA. The effect of restricted air supply on some insects which infest grain 51, 313
- PADY, S. M., KRAMER, C. L., LONG, D. L. & MCBRIDE, T. D. Spore discharge in *Entomophthora grylli* 67, 145
- PALMER, J. M. P. See HEATHCOTE, G. D. *et al.* 63, 155
- PARK, P. O. & BURDEKIN, D. A. Studies on the application of the copper fungicide for the control of coffee leaf rust, 53 133  
Studies on the ageing of copper fungicides used to control coffee leaf rust 54, 335
- PARKER, J. C. See SMITH, W. H. 58, 193

- PARKIN, E. A. The relative toxicity and persistence of insecticides applied as water-dispersible powders against stored-product beetles 57, 1  
Problems of grain storage 59, 324
- PARROTT, D. M. & TRUDGILL, D. L. Variations in the resistance to *Heterodera rostochiensis* of potatoes derived from *Solanum tuberosum* ssp. *andigena* and *S. multidissectum* 65, 385
- PARROTT, DIANA M. See JONES, F. G. W. 63, 175. See JONES, F. G. W. et al. 55, 13; 56, 27; 60, 151. See TRUDGILL, D. M. et al. 60, 421
- PARRY, W. H. Differences in the probing behaviour of *Elatobium abietinum* feeding on Sitka and Norway spruce 69, 177
- PAULSEN, AVELINA Q. & FULTON, R. W. Purification, serological relationships and some characteristics of plum line-pattern virus 63, 233
- PAWELSKA, KRYSZYNA. See JONES, F. G. W. 51, 277
- PEACHEY, J. E. See HARRISON, B. D. et al. 52, 243
- PEACHEY, J. E., RAO, G. N. & CHAPMAN, MARGARET R. Field tests of experimental and commercial soil sterilants against the potato-root eelworm, *Heterodera rostochiensis* Woll. 52, 19
- PEGG, G. F. See MENCE, M. J. 67, 297
- PEGG, G. F. & DIXON, G. R. The reactions of susceptible and resistant tomato cultivars to strains of *Verticillium albo-atrum* 63, 389
- PEGG, G. F. & MENCE, M. J. The biology of *Peronospora viciae* on pea: laboratory experiments on the effects of temperature, relative humidity and light on the production, germination and infectivity of sporangia 66, 417
- PELHAM, J., FLETCHER, J. T. & HAWKINS, J. H. The establishment of a new strain to tobacco mosaic virus resulting from the use of resistant varieties of tomato 65, 293
- PENTELOW, F. T. K. Introduction to symposium on freshwater fisheries research 53, 493
- PEREGRINE, W. T. H. Investigations on chemical control of zebra disease in *Agave* hybrid no. 11648 63, 45
- PERRY, D. A. See LEAKEY, C. L. A. 57, 337
- PHILLIPS, D. H. See BURDEKIN, D. A. 67, 131
- PHILLIPS, D. H. & GREIG, B. J. W. Some chemicals to prevent stump colonization by *Fomes annosus* (Fr.) Cooke 66, 441
- PICKARD, J. A. See WHEELER, B. E. J. et al. 51, 403
- PITT, D. Studies on sharp eyespot disease of cereals: I. Disease symptoms and pathogenicity of isolates of *Rhizoctonia solani* Kühn and the influence of soil factors and temperature on disease development 54, 77; II. Viability of sclerotia: persistence of the causal fungus, *Rhizoctonia solani* Kühn 54, 231; III. Effects of the disease on the wheat host and the incidence of disease in the field 58, 299
- PLUIJGERS, C. W. & SIJPESTEIJN, A. KAARS. The antifungal activity of thiosemicarbazides *in vitro* and their systemic activity against cucumber scab, *Cladosporium cucumerinum* 57, 465
- PLUIJGERS, C. W. See SIJPESTEIJN, A. KAARS et al. 61, 473
- POSNETTE, A. F. See CROPLEY, R. et al. 53, 325; 54, 177. See SENEVIRATNE, S. N. DE S. 65, 115. See RAMASWAMY, S. 68, 55
- POSNETTE, A. F. & CROPLEY, R. Field experiments with chat-fruit disease of apple 55, 439  
Decline and other effects of five virus infections on three varieties of plum (*Prunus domestica* L.) 65, 111
- POSNETTE, A. F., CROPLEY, R. & SWAIT, A. A. J. The incidence of virus diseases in English sweet-cherry orchards and their effect on yield 61, 351
- POSNETTE, A. F. & ELLENBERGER, CHRISTINA E. Further studies on green petal and other leaf-hopper-transmitted viruses infecting strawberry and clover 51, 69
- POSTLETHWAITE, J. D. See WINSPEAR, K. W. et al. 65, 75

- POULTON, M. E. *See* GREET, D. N. *et al.* **61**, 511
- POWELL, R. G. *See* ABRAHAM, P. D. *et al.* **62**, 159
- PRAKASH, ISHWAR & JAIN, A. P. Bait shyness of two gerbils, *Tatera indica indica* Hardwicke and *Meriones hurrianæ* Jordan **69**, 169
- PREECE, T. F. *See* CHU CHOW, MYRA **62**, 11. *See* FARRELL, G. M. *et al.* **63**, 265. *See* FLETCHER, J. T. **58**, 423
- PRICE, D. The seasonal carry-over of *Botrytis tulipæ* (Lib.) Lind., the cause of tulip fire **65**, 49
- PRICE JONES, D. *See* JONES, D. PRICE
- PRICE, T. V. Epidemiology and control of powdery mildew (*Sphaerotheca pannosa*) on roses **65**, 231
- PRING, R. J. *See* SOMERS, E. **58**, 457
- PURKAYASTHA, R. P. & DEVERALL, B. J. The growth of *Botrytis fabae* and *B. cinerea* into leaves of bean (*Vicia faba* L.) **56**, 139
- The detection of antifungal substances before and after infection of beans (*Vicia faba* L.) by *Botrytis* spp. **58**, 269
- PURVES, D. *See* RAGG, J. M. **51**, 169
- RAGG, J. M. & PURVES, D. Copper deficiency problems in south-east Scotland **51**, 169
- RAM REDDY, M. A., SALT, G. A. & LAST, F. T. Growth of *Picea sitchensis* in old forest nurseries **54**, 397
- RAMASWAMY, S. & POSNETTE, A. F. Properties of cherry ring mottle, a distinctive strain of prune dwarf virus **68**, 55
- RANAWEEERA, D. J. W. *See* DANTHANARAYANA, W. **70**, 1
- RANDLE, PHYLLIS E. *See* HAYES, W. A. *et al.* **64**, 177
- RAO, G. N. *See* PEACHEY, J. E. *et al.* **52**, 19
- RAW, F. Current work on side-effects of soil-applied organophosphorus insecticides **55**, 342
- Some aspects of the wheat bulb fly problem (the fifth Barnes Memorial Lecture) **59**, 155
- See* GRIFFITHS, D. C. *et al.* **60**, 479
- RAWLINSON, C. J. Effect of an organo-mercurial fungicide, chlormequat and decenyl succinic acid on frost hardiness and seedling diseases of oats **67**, 223
- RAWLINSON, C. J. & COLHOUN, J. Chemical treatment of cereal seed in relation to plant vigour and control of soil fungi **65**, 459
- READ, WILFRID H. *See* BROADBENT, L. *et al.* **55**, 471. *See* SMITH, PAULINE M. *et al.* **63**, 401
- REDFERN, R. *See* ROWE, F. P. **61**, 322; **62**, 355; **64**, 425
- REES, A. R. Effects of infection with narcissus mosaic, narcissus yellow stripe and tobacco rattle viruses on the growth and flowering of narcissus cv. 'Minister Talma' **58**, 25
- RICHMOND, D. V. & SOMERS, E. Studies on the fungitoxicity of captan: III. Relation between the sulphhydryl content of fungal spores and their uptake of captan **52**, 327; IV. Reactions of captan with cell thiols **57**, 231
- RICHMOND, D. V., SOMERS, E. & MILLIGTON, P. F. Studies on the fungitoxicity of captan: V. Electron microscopy of captan-treated *Neurospora* conidia **59**, 233; VI. Decomposition of <sup>35</sup>S-labelled captan by *Neurospora crassa* conidia **62**, 35
- RISHBETH, J. Stump protection against *Fomes annosus*. III. Inoculation with *Peniophora gigantea* **52**, 63
- ROBB, SHEILA M. A method for the detection of dahlia mosaic virus in *Dahlia* **52**, 145
- ROBERTS, I. M. *See* HARRISON, B. D. **63**, 347. *See* MURANT, A. F. **67**, 389
- ROBERTS, F. M. *See* NUTMAN, F. J. **64**, 85, 101, 335
- ROBERTS, MARGARET F. & MARTIN, J. T. Wither-tip disease of limes (*Citrus aurantifolia*) in Zanzibar. III. The leaf cuticle in relation to infection by *Gloeosporium limeticicola* Clausen **51**, 411



- ROBERTS, P. F. *See* GRIFFITHS, D. C. *et al.* 64, 21
- ROBERTSON, G. J. *See* VAUGHAN, E. K. *et al.* 58, 389
- ROBERTSON, W. M. *See* TAYLOR, C. E. 64, 233; 66, 375
- ROGERS, H. H. *See* LAZENBY, ALEC 51, 518
- ROGERS, P. F. Organic manuring for potato scab control and its relation to soil manganese 63, 371
- ROSS, G. J. S. *See* JONES, F. G. W. *et al.* 60, 151
- ROSS, R. G. & BURCHILL, R. T. Experiments using sterilized apple-leaf discs to study the mode of action of urea in suppressing perithecia of *Venturia inaequalis* (Cke.) Wint. 62, 289
- ROSSER, W. R. *See* LAPWOOD, D. H. *et al.* 66, 397
- ROTHWELL, J. B. *See* LAST, F. T. 62, 55
- ROTHWELL, K. *See* HEYNS, A. J. *et al.* 56, 399; 57, 33
- ROTHWELL, K. & WAIN, R. L. Studies on plant growth-regulating substances. XVII. S-esters of dithiocarbamates derived from amino acids 51, 161
- ROWE, F. P. Population studies of the house-mouse 51, 348
- ROWE, F. P. & REDFERN, R. Laboratory studies on the toxicity of anti-coagulant rodenticides to wild house-mice (*Mus musculus* L.) 61, 322
- Comparative toxicity of the two anti-coagulants, coumatetralyl and warfarin, to wild house-mice (*Mus musculus* L.) 62, 355
- Aggressive behaviour in related and unrelated wild house-mice (*Mus musculus* L.) 64, 425
- ROYLE, D. J. Infection periods in relation to the natural development of hop downy mildew (*Pseudoperonospora humuli*) 66, 281
- RUNHAM, R. L. *See* EVANS, E. *et al.* 58, 131; 65, 473
- RUSSELL, G. E. Some factors affecting the relative incidence, distribution and importance of beet yellows virus and sugar-beet mild yellowing virus in eastern England, 1955-62 52, 405
- Breeding for tolerance to beet yellows virus and beet mild yellowing virus in sugar beet: I. Selection and breeding methods 53, 363; II. The response of breeding material to infection with different virus strains 53, 377
- The host range of some English isolates of beet yellowing viruses 55, 245
- The control of *Alternaria* species on leaves of sugar beet infected with yellowing viruses: I. Some effects of four fungicides on two beet varieties 56, 11; II. Experiments with two yellowing viruses and virus-tolerant sugar beet 57, 425
- Breeding for resistance to infection with yellowing viruses in sugar beet. I. Resistance in virus-tolerant breeding material 57, 311
- The influence of foliar applications of sugars on the susceptibility of sugar beet to downy mildew 61, 381
- Some effects of spraying with thiabendazole on the susceptibility of sugar beet to yellowing viruses and on their vector, *Myzus persicae* Sulz. 62, 265
- Effects of sucrose sprays and darkness on aphid colonization of sugar beet and on aphid transmission of yellowing viruses 63, 351
- Effects on *Myzus persicae* (Sulz.) and transmission of beet yellows virus of applying certain trace elements to sugar beet 68, 67
- See* LOWE, H. J. B. 63, 337
- RUSSELL, G. E. & BARFORD, I. A. Some factors affecting the concentrations of sugars in leaves of inbred sugar-beet lines 68, 299
- RUSSELL, G. E. & EVANS, GWENLLIAN M. Some factors affecting germination of *Peronospora farinosa* conidia in water 62, 465
- Some effects of darkness and partial defoliation on the resistance of sugar beet to downy mildew 70, 99

- RUTHERFORD, P. P., GRIFFITHS, C. M. & WAIN, R. L. Studies on plant growth-regulating substances. XXIII. Water uptake by discs from inulin-storing roots and tubers in response to growth-substance treatment **58**, 467
- RYAN, C. L. J. *Verticillium* wilt of sage (*Salvia officinalis* L.) **58**, 71
- RYAN, E. W. See KAVANAGH, T. **68**, 263
- RYAN, E. W. & KAVANAGH, T. Comparison of fungicides for control of leaf spot (*Septoria apicola*) of celery **67**, 121
- RYLE, G. J. A. The influence of date of origin of the shoot and level of nitrogen on ear size in three perennial grasses **53**, 311
- Effects of daylength and temperature on ear size in S 24 perennial ryegrass **55**, 107
- Effects of photoperiod in the glasshouse on the growth of leaves and tillers in three perennial grasses **57**, 257
- Effects of photoperiod in growth cabinets on the growth of leaves and tillers in three perennial grasses **57**, 269
- Effects of shading on inflorescence size and development in temperate perennial grasses **59**, 297
- Distribution patterns of assimilated  $^{14}\text{C}$  in vegetative and reproductive shoots of *Lolium perenne* and *L. temulentum* **66**, 155
- SABET, K. A. & ISHAG, FARIDA. Studies on the bacterial diseases of Sudan crops. VIII. Survival and dissemination of *Xanthomonas phaseoli* (E.F.Sm.) Dowson **64**, 65
- SABET, K. A., ISHAG, FARIDA & KHALIL, OSMAN. Studies on the bacterial diseases of Sudan crops. VII. New records **63**, 357
- SABET, K. A., SAMRA, A. S. & EL-SHAFFEY, H. A. On the systematic position of the coliform bacteria responsible for stalk rot of maize **53**, 267
- SABET, K. A., SAMRA, A. S. & MANSOUR, I. M. Saprophytic behaviour of *Cephalosporium maydis* and *C. acremonium* **66**, 265
- SABET, K. A., SAMRA, A. S. & MANSOUR, I. S. Interaction between *Fusarium osysporum* f. *vasinfectum* and *Cephalosporium maydis* on cotton and maize **58**, 93
- SABET, K. A., ZAHER, A. M., SAMRA, A. S. & MANSOUR, I. M. Pathogenic behaviour of *Cephalosporium maydis* and *C. acremonium* **66**, 257
- SAGE, G. C. M. Male-sterility and the exploitation of hybrid vigour **59**, 319
- SALT, G. A. See RAM REDDY, M. A. *et al.* **54**, 397. See HIDE, G. A. **62**, 309. See WILLIAMS, T. D. **66**, 329
- SAMRA, A. S. See SABET, K. A. *et al.* **53**, 267; **58**, 93; **66**, 257, 265
- SAUNDERS, P. J. W. The toxicity of sulphur dioxide to *Diplocarpon rosae* Wolf causing black spot of roses **58**, 103
- Epidemiological aspects of black spot disease of roses caused by *Diplocarpon rosae* Wolf **58**, 115
- Host/parasite interaction in black spot disease of roses caused by *Diplocarpon rosae* Wolf **60**, 129
- See DOODSON, J. K. **65**, 317; **66**, 361. See DOLING, D. A. *et al.* **67**, 1
- SAVORY, B. M. Evidence that toxins are not the causal factors of the specific apple replant disease **63**, 225
- SCHAAD, N. W. & WILSON, E. E. The ecology of *Erwinia rubrifaciens* and the development of phloem canker of Persian walnut **69**, 125
- SCHALÉN, V. See LEXANDER, K. *et al.* **66**, 193
- SCHMUTTERER, H. See JAYARAJ, S. *et al.* **59**, 13
- SCOPES, N. E. A. The potential of *Chrysopa carnea* as a biological control agent of *Myzus persicae* on glasshouse chrysanthemums **64**, 433

- SCOPES, N. E. A. Control of *Myzus persicae* on year-round chrysanthemums by introducing aphids parasitized by *Aphidius matricariae* into boxes of rooted cuttings 66, 323  
 See WAY, M. J. 55, 340; 62, 199
- SCOTT, G. C. See LORD, K. A. *et al.* 60, 173; See GRIFFITHS, D. C. *et al.* 64, 21
- SCOTT, P. R. Effects of nitrogen and glucose on saprophytic survival of *Ophiobolus graminis* in buried straws 63, 27  
 Control of survival of *Ophiobolus graminis* between consecutive crops of winter wheat 63, 37  
 The effect of temperature on eyespot (*Cercospora herpotrichoides*) in wheat seedlings 68, 169
- SCOTT, R. K. The effect of weather on the concentration of pollen within sugar-beet seed crops 66, 119
- SCOTT, R. K. & LONGDEN, P. C. Pollen release by diploid and tetraploid sugar-beet plants 66, 129
- SELA, I. See HARPAZ, I. *et al.* 64, 57
- SELMAN, I. W. The effect of kinetin on infection of petunia and tomato leaves with tomato spotted-wilt virus 53, 67  
 See HULL, ROGER 55, 39. See ALDWINCLE, H. S. 60, 49
- SELMAN, I. W. & BORA, P. C. The effects of gibberellic acid and nutrient sprays on growth and yield of brussels sprout 61, 131
- SEN GUPTA, P. K. See VASUDEVA, R. S. *et al.* 51, 415
- SENEVIRATNE, S. N. DE S. & POSNETTE, A. F. Identification of viruses isolated from plum trees affected by decline, line-pattern and ringspot diseases 65, 115
- SEQUEIRA, DE. See DE SEQUEIRA
- SERGEANT, E. P. Some properties of cocksfoot mottle virus 59, 31  
 The transmission of European wheat striate mosaic virus by *Javaseila pellucida* (Fabr.) injected with extracts of plants and plant hoppers 59, 39  
 See WATSON, MARION 53, 77. See WATSON, MARION *et al.* 54, 153
- SETTY, K. G. H. & WHEELER, A. W. Growth substances in roots of tomato (*Lycopersicon esculentum* Mill.) infected with root-knot nematodes (*Meloidogyne* spp.) 61, 495
- SEWELL, G. W. F. & WILSON, J. F. Death of maiden apple trees caused by *Phytophthora syringae* Kleb. and a comparison of the pathogen with *P. cactorum* (L. & C.) Schroet. 53, 275  
 Verticillium wilt of the hop: the survival of *V. albo-atrum* in soil 58, 241  
 Fluctuating outbreaks in wilt-resistant varieties 58, 251  
 Field studies on wilt in a resistant cultivar in relation to nitrogen fertiliser applications 59, 265
- SHARPLES, R. O. The effect of a post-harvest heat treatment on the storage behaviour of Cox's Orange Pippin apple fruits 59, 401
- SHAW, M. J. P. Effects of population density on alienicolae of *Aphis fabae* Scop.: I. The effect of crowding on the production of alatae in the laboratory 65, 191; II. The effects of crowding on the expression of migratory urge among alatae in the laboratory 65, 197; III. The effect of isolation on the development of form and behaviour of alatae in a laboratory clone 65, 205
- SHEFFIELD, F. M. L. Stem-pitting in *Coffea arabica* 52, 211
- SHEPHARD, M. C. & WOOD, R. K. S. The effect of environment, and nutrition of pathogen and host, in the damping off of seedlings by *Rhizoctonia solani* 51, 389
- SHEPHERD, AUDREY M. See JONES, F. G. W. *et al.* 55, 13. See CLARKE, A. J. 57, 241; 58, 497; 61, 139
- SHEPHERD, AUDREY M. & COX, PATRICIA M. Observations on periodicity of hatching of eggs of the potato cyst-nematode, *Heterodera rostochiensis* Woll. 60, 143



- SHERIDAN, J. E. Celery leaf spot: sources of inoculum 57, 75
- SHERIDAN, J. J. See DICKINSON, C. H. 62, 473
- SHILLITO, J. F. See TAYLOR, J. C. *et al.* 61, 312
- SHIPTON, W. A. See BROWN, J. F. 58, 279
- SHIPTON, W. A., BROWN, J. F. & WHITE, N. H. Effects of changes in environmental schedules in the penetration of leaves and epidermal strips of wheat seedlings by *Puccinia graminis tritici* 60, 357
- SHURBEN, D. S. See HERBERT, D. W. M. 52, 321; 53, 33
- SHURING, CATRIONA G. See MAUDE, R. B. *et al.* 64, 245. See MAUDE, R. B. 64, 259
- SIJPESTEIJN, A. KAARS. See PLUIJGERS, C. W. 57, 465. See VONK, J. W. 65, 489
- SIJPESTEIJN, A. KAARS, PLUIJGERS, C. W., VERLOOP, A. & TEMPEL, A. Phenylazothioformamide, the active principle in the fungitoxic action of 1-phenylthiosemicarbazide 61, 473
- SILK, J. A. See FOX, H. M. *et al.* 52, 33
- SILLIBOURNE, J. M. See TEW, R. P. 56, 293
- SILVA FERNANDES, A. M., BAKER, E. A. & MARTIN, J. T. Studies on plant cuticle: VI. The isolation and fractionation of cultivar waxes 53, 43; VIII. Surface waxes in relation to water repellency 56, 297; IX. The permeability of isolated cuticular membranes 56, 305
- SIMBA-BUNYYA, M. See LEAKEY, C. L. A. 70, 25
- SIMONSSON, Å. See LEXANDER, K. *et al.* 66, 193
- SIMPSON, CAROL J. See TOMLINSON, J. A. *et al.* 66, 11
- SINGH, PRITAM. See VASUDEVA, R. S. *et al.* 51, 415
- SINGH, PRITAM, VASUDEVA, R. S. & BAJAJ, B. S. Seed bacterisation and biological activity of bulbiformin 55, 89
- SINHA, A. K. & WOOD, R. K. S. An analysis of responses of resistant and of susceptible tomato plants to *Verticillium* infection 59, 143
- The effect of growth substances on *Verticillium* wilt of tomato plants 60, 117
- Studies on the nature of resistance in tomato plants to *Verticillium albo-atrum* 62, 319
- SKIDMORE, J. F. Resistance to zinc sulphate of the zebrafish (*Brachydanio rerio* Hamilton-Buchanan) at different phases of its life history 56, 47
- SLOPE, D. B. Disease problems of intensive cereal growing 59, 317
- SLOPE, D. B. & ETHERIDGE, JUDITH. Grain yield and incidence of take-all (*Ophiobolus graminis* Sacc.) in wheat grown in different crop sequences 67, 13
- SMITH, B. D. See LEWIS, T. 64, 11
- SMITH, B. D. & CLARKE, G. M. Phytotoxicity to black-currants of sprays containing sulphur 59, 101
- SMITH, B. D. & STOTT, K. G. The life history and behaviour of the willow weevil *Cryptorhynchus lapathi* L. 54, 141
- SMITH, DALE & JEWISS, O. R. Effects of temperature and nitrogen supply on the growth of timothy (*Phleum pratense* L.) 58, 145
- SMITH, HELEN G. See GIBBS, A. J. *et al.* 61, 99
- SMITH, I. M. Biochemical changes in French bean pods infected with *Colletotrichum lindemuthianum* 65, 93
- SMITH, JUDITH G. Some effects of crop background on populations of aphids and their natural enemies on brussels sprouts 63, 326
- SMITH, L. See ELLENBY, C. 59, 283
- SMITH, M. S. See BALAYANNIS, P. G. *et al.* 55, 149, 261
- SMITH, M. S. & MOHSIN, MOHAMMED. 3,5-Dichlorophenoxyacetic acid as a growth retardant 66, 233
- SMITH, PAULINE M. The chemical control of chrysanthemum petal blight caused by *Itersonilia perplexans* Derx 58, 431

- SMITH, PAULINE M., LAST, F. T., KEMPTON, R. J. & GISBORNE, J. H. Tomato leaf mould: its assessment and effects on yield **63**, 19
- SMITH, PAULINE M., READ, W. H. & LAST, F. T. Effects of powdery mildew on cucumber yields, and its chemical control **63**, 401
- SMITH, R. S. Carbon dioxide evolution as a measure of attack by fungi and its application to testing wood preservatives and sapstain preventives **59**, 473
- SMITH, T. A. *See* NASH, R. J. *et al.* **61**, 481
- SMITH, W. H. & PARKER, J. C. The effect of temperature upon intensity of colour in the coronas of cut blooms of narcissus *Soleil d'Or* **58**, 193
- SMOOKLER, M. M. Properties of inhibitors of plant virus infection occurring in the leaves of species in the *Chenopodiales* **69**, 157
- SNEH, B. *See* JORDAN, V. W. L. *et al.* **70**, 139
- SOBÓTKA, W. *See* WAIN, R. L. *et al.* **51**, 445
- SOMERS, E. The uptake of copper by fungal cells **51**, 425  
*See* RICHMOND, D. V. **52**, 327; **57**, 231; **62**, 35. *See* RICHMOND, D. V. *et al.* **59**, 233
- SOMERS, E. & PRING, R. J. Uptake and binding of dodine acetate by fungal spores **58**, 457
- SOUTH, A. Estimation of slug populations **53**, 251
- SPENCER, D. M. *See* ATKIN, R. K. *et al.* **55**, 437. *See* BATES, ANGELA N. *et al.* **51**, 153. *See* CARTER, G. A. *et al.* **51**, 135; **54**, 115. *See* FAWCETT, C. H. **60**, 87; **61**, 245. *See* WAIN, R. L. *et al.* **51**, 445
- STEDMAN, O. J. *See* HIRST, J. M. *et al.* **55**, 373
- ŠTEFANAC, ZLATA & MAMULA, Đ. A strain of radish mosaic virus occurring in turnip in Yugoslavia **69**, 229
- STEPHENSON, J. W. *See* LEWIS, T. **58**, 355
- STERNLICHT, M. Contribution to the biology of the citrus bud mite *Aceria sheldoni* (Ewing) (Acarina: Eriophyidae) **65**, 221
- STEVENSON, J. H. Laboratory studies on the acute contact and oral toxicities of insecticides to honeybees **61**, 467  
*See* LORD, K. A. *et al.* **61**, 19
- STODDART, J. L. *See* CARR, A. J. H. **51**, 259
- STODDART, J. L. & CARR, A. J. H. Properties of wilt toxins produced by *Verticillium albo-atrum* Reinke & Berth. **58**, 81
- STONE, OLWEN M. Factors affecting the growth of carnation plants from shoot apices **52**, 199  
 The elimination of four viruses from carnation and sweet william by meristem-tip culture **62**, 119  
*See* HOLLINGS, M. **53**, 103; **56**, 73, 87; **65**, 311, 411. *See* HOLLINGS, M. *et al.* **65**, 299.  
*See* LAST, F. T. *et al.* **59**, 451
- STOREY, H. H. & HOWLAND, AUDRIE K. Inheritance of resistance in maize to the virus of streak disease in East Africa **59**, 429  
 Resistance in maize to a third East African race of *Puccinia polysora* Underw. **60**, 297
- STOTT, K. G. *See* SMITH, B. D. **54**, 141
- STOUGHTON, R. H. Obituary of Professor William Broadhurst Brierley **51**, 509
- STRICKLAND, A. H. Amounts of organochlorine insecticides used annually on agricultural and some horticultural crops in England and Wales **55**, 319
- STUART, T. A. Biophysical aspects of leaping behaviour in salmon and trout **53**, 503
- SUMMERS, L. A. *See* FOX, H. M. *et al.* **52**, 33. *See* CARTER, G. A. *et al.* **70**, 233
- SUMMERS, L. A., BYRDE, R. J. W. & HISLOP, E. C. The relationship between chemical constitution and antifungal activity in arylhydrazonoisoxazolone compounds **62**, 45
- SUNDERLAND, D. W. & MERRETT, M. J. The respiration of leaves showing necrotic local lesions following infection by tobacco mosaic virus **56**, 477
- SUTHERLAND, J. *See* EVANS, L. T. *et al.* **70**, 67

- SUTHERLAND, JACK R. *See* BLOOMBERG, W. J. 69, 265
- SUZUKI, TERRY. *See* BALD, J. G. *et al.* 67, 331
- SWAIT, A. A. J. *See* POSNETTE, A. F. *et al.* 61, 351
- SWINBURNE, T. R. The infection of apples, cv. Bramley's Seedling, by *Nectria galligena* Bres. 68, 253  
The seasonal release of spores of *Nectria galligena* from apple cankers in Northern Ireland 69, 97  
*See* AYUB, A. NAWAWI BIN HOJI 66, 245
- SYKES, G. B. *See* BROWN, E. B. 68, 291
- SYMONDS, B. V. *See* HUNTER, P. J. 65, 1
- TALBOYS, P. W. Variation in the virulence of *Verticillium dahliae* from strawberry 66, 43
- TALBOYS, P. W. & BENNETT, MARGERY. Growth and wilt (*Verticillium dahliae*) development in strawberry cultivars over a transition between two soil series 64, 483
- TALBOYS, P. W. & WILSON, J. F. Effects of temperature and rainfall on the incidence of wilt (*Verticillium albo-atrum*) in hops 66, 51
- TAN, A. M. & BURCHILL, R. T. The infection and perennation of the bitter rot fungus, *Gloeosporium album*, on apple leaves 70, 199
- TAYLOR, C. E. The multiplication of *Longidorus elongatus* (de Man) on different host plants with reference to virus transmission 59, 275  
*See* MURANT, A. F. 55, 227. *See* MURANT, A. F. *et al.* 61, 175
- TAYLOR, C. E. & MURANT, A. F. Transmission of strains of raspberry ringspot and tobacco black ring viruses by *Longidorus elongatus* (de Man) 64, 43
- TAYLOR, C. E. & ROBERTSON, W. M. The location of raspberry ringspot and tomato black ring viruses in the nematode vector *Longidorus elongatus* (de Man) 64, 233  
Sites of virus retention in the alimentary tract of the nematode vectors, *Xiphinema diversicaudatum* (Micol.) and *X. index* (Thorne & Allen) 66, 375
- TAYLOR, C. E. & THOMAS, P. R. The association of *Xiphinema diversicaudatum* (Micoletsky) with strawberry latent ringspot and arabis mosaic viruses in a raspberry plantation 62, 147
- TAYLOR, EILEEN J. *See* BENTLEY, E. W. 55, 193
- TAYLOR, H. F. *See* GRIFFITHS, J. *et al.* 58, 183. *See* KNIGHT, B. E. A. *et al.* 63, 211. *See* ZAKI, M. A. *et al.* 59, 481
- TAYLOR, H. F. & WAIN, R. L. Studies on plant growth-regulating substances. XXI. The release of pectic substances from wheat coleoptile tissue incubated with solutions of ethylenediaminetetracetic acid 57, 301
- TAYLOR, J. C., LLOYD, H. G. & SHILLITO, J. F. Experiments with warfarin for grey squirrel control 61, 312
- TAYLOR, J. D. The quantitative estimation of the infection of bean seed with *Pseudomonas phaseolicola* (Burkh.) Dowson 66, 29  
Bacteriophage and serological methods for the identification of *Pseudomonas phaseolicola* (Burkh.) Dowson 66, 387  
Field studies on halo blight of beans (*Pseudomonas phaseolicola*) and its control by foliage sprays 70, 191
- TAYLOR, JEAN M. Testing the effects of liquid eradicans on the emergence of *Anobium punctatum* (Deg.) 67, 201  
*See* BAKER, J. M. 60, 181
- TAYLOR, J. W. H. *See* EVANS, E. *et al.* 58, 131
- TAYLOR, K. D. Some aspects of grey squirrel control 51, 334
- TAYLOR, L. R. Aggregation and the transformation of counts of *Aphis fabae* on beans 65, 181  
*See* HEATHCOTE, G. D. *et al.* 63, 155



- TAYLOR, W. E. & BARDNER, R. Effects of feeding by larvae of *Phaedon cochleariae* (F.) and *Plutella maculipennis* (Curt.) on the yield of radish and turnip plants **62**, 249
- TEMPEL, A. See SIJPESTEIJN, A. KAARS *et al.* **61**, 473
- Tew, R. P. & SILLIBOURNE, J. M. Mercury residues in apples from trees receiving organo-mercurial fungicide in the previous autumn and winter **56**, 293
- THOMAS, I. Introduction [to symposium on harmful mammals] **51**, 325
- THOMAS, P. R. Host status of some plants for *Xiphinema diversicaudatum* (Micol.) and their susceptibility to viruses transmitted by this species **65**, 169
- See TAYLOR, C. E. **62**, 147. See COOPER, J. I. **69**, 22
- THOMPSON, HARRY V. The limitations of control measures [for harmful mammals] **51**, 326
- British wild mink **61**, 345
- THORNE, GILLIAN N. & BLACKLOCK, J. C. Effects of plant density and nitrogen fertilizer on growth and yield of short varieties of wheat derived from Norin 10 **68**, 93
- THORNE, GILLIAN N., WELBANK, P. J. & BLACKWOOD, G. C. Growth and yield of six short varieties of spring wheat derived from Norin 10 and of two European varieties **63**, 241
- THRESH, J. M. Field experiments on the spread of black currant reversion virus and its gall-mite vector (*Phytoptus ribis* Nal.) **58**, 219
- Increased susceptibility of black-currant bushes to the gall-mite vector (*Phytoptus ribis* Nal.) following infection with reversion virus **60**, 455
- Field experiments on the chemical control of black-currant reversion virus and its gall-mite vector (*Phytoptus ribis* Nal.) **62**, 255
- See CROPLEY, R. *et al.* **54**, 177. See LONGWORTH, J. F. **52**, 117, 217; **53**, 343
- THROWER, L. B. See THROWER, STELLA L. *et al.* **55**, 253
- THROWER, STELLA L., HALLAM, N. D. & THROWER, L. B. Movement of diquat (1,1'-ethylene-2,2'-bipyridylum)dibromide in leguminous plants **55**, 253
- THURSTON, JOAN M. See WILLIAMS, GWYNETH C. **53**, 29
- TINSLEY, T. W. See ELOJA, A. L. **51**, 253
- TITE, D. J. See WHITEHEAD, A. G. *et al.* **65**, 361
- TOMLINSON, J. A. Purification and properties of lettuce mosaic virus **53**, 95
- TOMLINSON, J. A. & CARTER, ANNE L. Studies on the seed transmission of cucumber mosaic virus in chickweed (*Stellaria media*) in relation to the ecology of the virus **66**, 381
- TOMLINSON, J. A., CARTER, ANNE L., DALE, W. T. & SIMPSON, CAROL J. Weed plants as sources of cucumber mosaic virus **66**, 11
- TOMLINSON, J. A. & GARRETT, R. G. Studies on the lettuce big-vein virus and its vector *Olpidium brassicae* (Wor.) Dang. **54**, 45
- TOMLINSON, J. A. & WALLEY, J. G. A. The isolation and identification of rhubarb viruses occurring in Britain **59**, 415
- TROUGHTON, ARTHUR. The relationship between the relative growth rates of the shoot system, number of tillers and mean tiller size in *Lolium perenne* **68**, 193
- TRUDGILL, D. L. See PARROTT, D. M. **65**, 385
- TRUDGILL, D. L. & CARPENTER, J. M. Disk electrophoresis of protein of *Heterodera* species and pathotypes of *Heterodera rostochiensis* **69**, 34
- TRUDGILL, D. L., WEBSTER, J. M. & PARROTT, D. M. The effect of resistant solanaceous plants on the sex ratio of *Heterodera rostochiensis* and the use of the sex ratio to assess the frequency and genetic constitution of pathotypes **60**, 421
- TURNER, E. A. See LAST, F. T. *et al.* **64**, 449
- TURNER, P. D. The incidence of *Ganoderma* disease of oil palms in Malaya and its relation to previous crop **55**, 417
- UGOCHUKWU, E. N. & WAIN, R. L. Studies on plant growth-regulating substances. XXV. The plant growth-regulating activity of cinnamic acids **61**, 121

- UPSTONE, M. E. Epidemiology of cocksfoot mottle virus **64**, 49
- UYEMOTO, J. K. & GILMER, R. M. Apple stem-grooving virus: propagating hosts and purification **69**, 16
- VANDYKE, JENNIFER M. *See* HERBERT, D. W. M. **53**, 415
- VAN EMDEN, H. F. The differing reactions of *Brevicoryne* and *Myzus* to leaf age, turgidity and soluble nitrogen in brassicas **63**, 324
- VAN EMDEN, H. F. & WEARING, C. H. The role of the aphid host plant in delaying economic damage levels in crops **56**, 323
- VARMA, ANUPAM. *See* GIBBS, A. J. *et al.* **58**, 231. *See* KASSANIS, B. **59**, 447
- VARMA, PRABHATI & GIBBS, A. J. Preliminary studies on sap-transmissible viruses of red clover (*Trifolium pratense* L.) in England and Wales **59**, 23
- VASUDEVA, R. S. *See* SINGH, PRITAM *et al.* **55**, 89
- VASUDEVA, R. S., SINGH, PRITAM, SEN GUPTA, P. K., MAHMOOD, M. & BAJAJ B. S. Further studies on the biological activity of bulbiformin **51**, 415
- VAUGHAN, E. K. *See* WATSON, A. G. **62**, 405
- VAUGHAN, E. K., NEWHOOK, F. J. & ROBERTSON, G. S. The influence of germinating seeds and developing roots on re-establishment of micro-organisms in fumigated soil **58**, 389
- VERLOOP, A. *See* SIJPESTEIJN, A. KAARS *et al.* **61**, 473  
*See* LEACH, R. W. A. *et al.* **67**, 137
- VERNON, A. J. *See* FIRMAN, I. D. **65**, 65
- VESSEY, J. C. *See* DEVERALL, B. J. **63**, 449
- VISOZO, MONICA. *See* MURTON, R. K. **52**, 503
- VIZOR, ANN S. *See* MAUDE, R. B. *et al.* **64**, 245
- VONK, J. W. & SIJPESTEIJN, A. KAARS. Studies on the fate in plants of ethylenebisdithiocarbamate fungicides and their decomposition products **65**, 489
- VRIES, F. W. DE. *See* FUCHS, A. *et al.* **65**, 497
- WAIN, R. L. *See* ARMAN, P. **51**, 439; ATKIN, R. K. *et al.* **53**, 437; BATES, ANGELA N. *et al.* **51**, 153; BALAYANNIS, P. G. *et al.* **55**, 149, 261; CARTER, G. A. *et al.* **51**, 135; **53**, 291; **54**, 115; **70**, 233; CHAMBERLAIN, VALERIE K. **68**, 307; **69**, 65; CLARKE, G. C. **51**, 453; FIRN, R. D. **69**, 73; GRIFFITHS, J. *et al.* **58**, 183; HARPER, D. B. **64**, 395; **67**, 395; HEYNS, A. J. *et al.* **56**, 399; **57**, 33; JAMES, C. S. **61**, 295; **63**, 205; KERR, M. W. **54**, 441, 447; KNIGHT, B. E. A. *et al.* **63**, 211; NASH, R. J. *et al.* **61**, 481; ROTHWELL, K. **51**, 161; RUTHERFORD, P. P. *et al.* **58**, 467; TAYLOR, H. F. **57**, 301; UGOCHUKWU, E. N. **61**, 121; ZAKI, M. A. *et al.* **59**, 481
- WAIN, R. L., SOBÓTKA, W. & SPENCER, D. M. Investigations on fungicides. VIII. The fungicidal properties of some thiocarbamoylthionitro paraffins **51**, 445
- WAKERLY, S. B. Effect of lime and phosphate on soil Collembola **51**, 171
- WALKER, J. C. *See* DEVERALL, B. J. **52**, 105
- WALKEY, J. G. A. *See* TOMLINSON, J. A. **59**, 415
- WALLACE, D. B. The economics of intensive cereal production **59**, 309
- WALLER, J. M. *See* GRIFFITHS, ELLIS *et al.* **67**, 45. *See* GRIFFITHS, ELLIS **67**, 75
- WALLIS, J. A. N. *See* FIRMAN, I. D. **55**, 123
- WALLIS, J. A. N. & FIRMAN, I. D. Spraying arabica coffee for the control of coffee berry disease **55**, 139  
A comparison of fungicide spray volumes for the control of coffee berry disease **59**, 111
- WARD, A. H. *See* DUNN, E. **56**, 419
- WARD, V. *See* BUXTON, E. W. *et al.* **55**, 83
- WATKINS, R. & WERTS, JULIE M. Pre-selection for *Phytophthora cactorum* (Leb. & Cohn) Schroet. resistance in apple seedlings **67**, 153

- WATSON, A. G. & VAUGHAN, E. K. The effect of fumigants on soil recolonization in the glass-house by organisms colonizing the spermosphere **62**, 405
- WATSON, D. J. A prospect of crop physiology (Presidential Address) **62**, 1  
Obituary notice of Frederick Charles Bawden **70**, 107  
See DYSON, P. W. **69**, 46
- WATSON, MARION. See GOODMAN, P. J. *et al.* **56**, 65. See OKUSANYA, BOLAJOKA, A. M. **58**, 377
- WATSON, MARION & OKUSANYA, BOLAJOKA A. M. Studies on the transmission of groundnut rosette virus by *Aphis craccivora* Koch **60**, 199
- WATSON, MARION & SERJEANT, E. P. The effect of motley dwarf virus on yield of carrots and its transmission in the field by *Cavariella aegopodiae* Scop. **53**, 77
- WATSON, MARION, SERJEANT, E. P. & LENNON, ELIZABETH A. Carrot motley dwarf and parsnip mottle viruses **54**, 153
- WATTS, L. E. See CHANNON, A. G. *et al.* **56**, 389
- WAUGH, G. DUNCAN. Observations on the effects of chlorine on the larvae of oysters (*Ostrea edulis* (L.)) and barnacles (*Elminius modestus* (Darwin)) **54**, 423
- WAY, M. J. The nature and causes of annual fluctuations in numbers of *Aphis fabae* Scop. on field beans (*Vicia faba*) **59**, 175  
See ELLIOTT, W. M. **62**, 215
- WAY, M. J. & BANKS, C. J. Natural mortality of eggs of the black bean aphid, *Aphis fabae* Scop. on the spindle tree (*Euonymus europaeus* L.) **54**, 255  
Interspecific mechanisms in relation to the natural regulation of numbers of *Aphis fabae* Scop. **59**, 189  
Population studies on the active stages of the black bean aphid, *Aphis fabae* Scop., on its winter host, *Euonymus europaeus* L. **62**, 177
- WAY, M. J. & HEATHCOTE, G. D. Interactions of crop density of field beans, abundance of *Aphis fabae* Scop., virus incidence and aphid control by chemicals **57**, 409
- WAY, M. J. & MURDIE, G. An example of varietal variations in resistance of brussels sprouts **56**, 326
- WAY, M. J., MURDIE, G. & GALLEY, D. J. Experiments on integration of chemical and biological control of aphids on brussels sprouts **63**, 459
- WAY, M. J. & SCOPES, N. E. A. Studies on the persistence and effects on soil fauna of some soil-applied systemic insecticides **62**, 199  
Side-effects of some soil-applied systemic insecticides **55**, 340
- WEARING, C. H. See EMDEN, H. F. VAN **56**, 323
- WEBB, M. J. W. See CHANNON, A. G. *et al.* **56**, 389. See CHANNON, A. G. **59**, 335
- WEBB, R. M. See CORBETT, D. C. M. **65**, 327
- WEBLEY, D. Slug activity in relation to weather **53**, 407  
Aspects of trapping slugs with metaldehyde and bran **56**, 37  
Observations on the effects of distribution and numbers of slug pellets on the catch of slugs **66**, 347
- WEBSTER, J. M. Population increase of *Ditylenchus dipsaci* (Kühn) in the narcissus and the spread of the nematode through the soil **53**, 485  
The significance of biological races of *Ditylenchus dipsaci* and their hybrids **59**, 77  
See TRUDGILL, D. L. *et al.* **60**, 421
- WELBANK, P. J. A comparison of competitive effects of some common weed species **51**, 107  
See HUMPHRIES, E. C. *et al.* **56**, 351. See THORNE, GILLIAN N. *et al.* **63**, 241
- WELLINGS, L. W. See LAPWOOD, D. H. *et al.* **66**, 397
- WERTS, JULIE M. See WATKINS, R. **67**, 153



- WESTERN, J. H. Applied Biology and the University (Presidential Address) 55, 345  
 See WILLIAMS, G. H. 56, 253, 261
- WESTWOOD, N. J. See MURTON, R. K. *et al.* 52, 271
- WHARTON, A. L. Detection of infection by *Pseudomonas phaseolicola* (Burkh.) Dowson in white-seeded dwarf bean stocks 60, 305
- WHEATLEY, G. A. The assessment and persistence of residues of organochlorine insecticides in soils and their uptake by crops 55, 325
- WHEELER, A. W. Effect of CCC and glycine betaine on growth and growth-substance content of primary leaves of dwarf french bean (*Phaseolus vulgaris* L.) 63, 127  
 See SETTY, R. G. H. 61, 495
- WHEELER, B. E. J. Withertip disease of limes (*Citrus aurantifolia*) in Zanzibar. I. Field trials with fungicides 51, 237  
 See MERRIMAN, P. R. 61, 387. See NORSE, D. 67, 23
- WHEELER, B. E. J., PICKARD, J. A. & MARTIN, J. T. Withertip disease of limes (*Citrus aurantifolia*) in Zanzibar. II. Mercury residues on leaves and fruits 51, 403
- WHITBREAD, R. Bacterial canker of poplars in Britain. I. The cause of the disease and the role of leaf-scars in infection 59, 123
- WHITE, J. H. See BROCK, A. M. *et al.* 53, 243
- WHITE, N. H. See BROWN, J. F. *et al.* 58, 279. See SHIPTON W. A. *et al.* 60, 357
- WHITEHEAD, A. G., FRASER, JANET E. & GREET, D. N. The effect of D-D, chloropicrin and previous crops on numbers of migratory root-parasitic nematodes and on the growth of sugar beet and barley 65, 351
- WHITEHEAD, A. G. & HEMMING, J. R. A comparison of some quantitative methods of extracting small vermiform nematodes from soil 55, 25
- WHITEHEAD, A. G. & HOOPER, D. J. Needle nematodes (*Longidorus* spp.) and stubby-root nematodes (*Trichodorus* spp.) harmful to sugar beet and other field crops in England 65, 339
- WHITEHEAD, A. G., TITE, D. J. & FRASER, JANET E. The effect of small doses of nematicides on migratory root-parasitic nematodes and on the growth of sugar beet and barley in sandy soils 65, 361
- WHITNEY, P. J. The carbohydrate and water balance of beans (*Vicia faba*) attacked by broomrape (*Orobanche crenata*) 70, 59
- WICKENDEN, GLORIA. See OXLEY, T. A. 51, 313
- WIGGELL, D. See JENKINS, J. E. E. *et al.* 55, 71
- WIGGLESWORTH, SIR VINCENT. Introductory remarks [in symposium on some approaches towards integrated control of British insect pests] 56, 315  
 The religion of science (Presidential Address) 60, 1
- WILLIAMS, C. B. Relation of weather conditions to insect activity and abundance in the Scottish Highlands 51, 173
- WILLIAMS, GWYNETH C. The life-history of the Indian meal-moth, *Plodia interpunctella* (Hübner) (Lep. Phycitidae) in a warehouse in Britain and on different foods 53, 459
- WILLIAMS, GWYNETH C. & THURSTON, JOAN M. The effect of temperature in a sack-drier on survival of insects (*Oryzaephilus surinamensis* (L.) (Col., Silvanidae)) and weed seeds (*Avena fatua* L. and *A. ludoviciana* Dur.) 53, 29
- WILLIAMS, G. H. & WESTERN, J. H. The biology of *Sclerotinia trifoliorum* Erikss. and other species of sclerotium-forming fungi: I. Apothecium formation from sclerotia 56, 253; II. The survival of sclerotia in soil 56, 261

- WILLIAMS, T. D. The effects of formalin, nabam, irrigation and nitrogen on *Heterodera avenae* Woll., *Ophiobolus graminis* Sacc. and the growth of spring wheat **64**, 325  
Barley segregates resistant and susceptible to the cereal cyst-nematode (*Heterodera avenae* Woll.) **66**, 339
- WILLIAMS, T. D. & SALT, G. A. The effects of soil sterilants on the cereal cyst-nematode (*Heterodera avenae* Woll.), take-all (*Ophiobolus graminis* Sacc.) and yields of spring wheat and barley **66**, 329
- WILSON, A. R. Some observations on the infection of tomato stems by *Botrytis cinerea* Fr. **51**, 171
- WILSON, APHRA P. See BAKER, E. A. *et al.* **58**, 203
- WILSON, E. E. See SCHAAD, N. W. **69**, 125
- WILSON, E. J. See DRUMMOND, D. C. **61**, 303
- WILSON, J. F. See SEWELL, G. W. F. **53**, 275; **58**, 241, 251; **59**, 265
- WINDER, G. H. See DUNNING, R. A. **70**, 89
- WINSLOW, R. D. See HARRISON, B. D. *et al.* **52**, 243
- WINSOR, G. W. See BROADBENT, L. **54**, 23. See CHEAL, W. F. **57**, 287, 379
- WINSPEAR, K. W., POSTLETHWAITE, J. D. & COTTON, R. F. The restriction of *Cladosporium fulvum* and *Botrytis cinerea*, attacking glasshouse tomatoes, by automatic humidity control **65**, 75
- WITTS, K. J. See HUMPHRIES, E. C. *et al.* **56**, 351
- WOOD, R. K. S. See BLACKHURST, FRANCES M. **52**, 89. See COLE, A. L. J. **66**, 75. See ESURUOSO, O. F. **68**, 271. See KAVANAGH, J. A. **60**, 375; **67**, 35. See OMER, M. E. H. **63**, 103. See SHEPARD, M. C. **51**, 389. See SINHA, A. K. **59**, 143; **60**, 117; **62**, 319
- WOODCOCK, D. See BYRDE, R. J. W. *et al.* **57**, 223; **64**, 119
- WOODFORD, E. K. & MORRISON, J. National use of grassland **67**, 278
- WOODHEAD, T. Micro-meteorological studies of coffee berry disease. A field investigation into the incidence of the physical conditions favourable for spore germination **62**, 451
- WOODS, R. D. See GIBBS, A. J. *et al.* **58**, 231. See KASSANIS, B. **64**, 213
- WREN, M. J. See FARRELL, G. M. *et al.* **63**, 265
- WRIGHT, D. W. Alternatives to organochlorine insecticides for the control of the carrot fly and the cabbage root fly **55**, 337  
See COAKER, T. H. **52**, 337
- WRIGHT, M. A. Factors governing ingestion by the earthworm *Lumbricus terrestris* (L.) with special reference to apple leaves **70**, 175
- WYATT, I. J. The distribution of *Myzus persicae* (Sulz.) on year-round chrysanthemums: I. Summer season **56**, 439; II. Winter season: the effect of parasitism by *Aphidius matricariae* Hal. **65**, 31  
Factors affecting aphid infestation of chrysanthemums **63**, 331  
A laboratory method for studying the biology and control of pests in mushroom compost **64**, 441  
The control of paedogenetic cecid larvae in mushroom beds by the use of thionazin **66**, 497
- YASSIN, A. M. & NOUR, M. A. Tomato leaf-curl diseases in the Sudan and their relation to tobacco leaf curl **56**, 207
- YEATES, MAUREEN N. D. B. See MACCUAIG, R. D. **54**, 415
- YULE, W. N. Aqueous formulations of pyrethrum for controlling phytophagous Arthropoda – an evaluation using bioassay techniques **53**, 15
- ZAHER, A. M. See SABET, K. A. *et al.* **66**, 257

- ZAITLIN, MILTON & HESKETH, J. D. The short-term effects of infection by tobacco mosaic virus on apparent photosynthesis of tobacco leaves **55**, 239
- ZAKI, M. A., TAYLOR, H. F. & WAIN, R. L. Studies with 3,5-diiodo-4-hydroxybenzonitrile (ioxynil) and related compounds in soils and plants **59**, 481
- ZARACOVITIS, C. Factors in testing fungicides against powdery mildews: I. A slide spore-germination method of evaluating protectant fungicides **54**, 361; II. Tests against oat powdery mildew in the greenhouse **55**, 275





## INDEX OF SUBJECTS

- Abacá (*Musa textilis*) mosaic probably due to strain of sugar-cane mosaic virus 51, 253
- Aceria sheldoni*, citrus bud mite, biology 65, 221
- Actidione, *see* Cycloheximide
- Acyrtosiphon pisum*, toxicity of pyrethrum formulations to 53, 15
- Adalia bipunctata*  
effect of different aphid foods on 59, 207  
selection of aphid prey by 59, 331  
predator of aphids on cucumbers and chrysanthemums 65, 451
- Adansonia digitata*, viruses from, host range and vector species 60, 399
- Advisory Entomologists' conference, history of 53, 222
- Aedes aegypti*, effect of sub-lethal doses of dieldrin on 52, 1
- Aegeria tipuliformis*, currant clearwing moth, bionomics of 53, 243
- Agave hybrid no. 11648, control of zebra disease on 63, 45
- Aglais urticae*, toxicity of DDT and dieldrin to 62, 271
- Agriolimax reticulatus*, estimation of population 53, 251; control by meta pellets 66, 347  
control by metaldehyde and methiocarb pellets 65, 1
- Agriotes* spp., *see* Wireworms
- Air movement near windbreaks 66, 477
- Aldrin, effects of: on frit fly 51, 301; on wood-pigeons 52, 503; on club-root of cabbage 55, 99; on soil fauna (arable) 60, 11; on wheatfield soil fauna 60, 479; on wireworms 64, 21
- Alkyl dinitrophenols, insecticidal action of 52, 313
- Allethrin toxicity to *Alphitobius laevigatus* 52, 7, 305
- Allium* spp. effects of extracts and volatile products on sclerotia of *Sclerotium cepivorum* 61, 407; 62, 103; 63, 415
- Alphitobius laevigatus*  
influence of site of application of insecticides to 52, 7  
joint action of toxicants on 52, 305, 313, 351
- Alsike clover, *see* *Trifolium*
- Alternaria*  
*brassicicola*, *see* Cabbage diseases, fungus  
*dauci* on carrot crops 57, 83; persistence in Israel 63, 289  
*longipes* - perennation and infection of tobacco 67, 23  
epidemic development 69, 105  
*porri* on onion, conditions affecting 54, 303  
spore dispersal of in Nebraska 57, 67  
spp., control on sugar beet 56, 111  
control on yellows-infected beet 57, 425  
*tenuis*, uptake of copper by spores of 51, 425
- Amaurosoma* spp., timothy flies, control 51, 171
- 4-Amino-4'-hydroxyazobenzene as seed protectant 52, 33
- Ammonium chloride toxicity to rainbow trout 52, 321; 53, 33
- Ammonium halides as growth regulators 63, 211
- Andersen air sampler used in isolating fungi from soil 51, 215
- Anemometer, sensitive vertical 66, 469
- Anemone necrosis 55, 447
- Anobium punctatum*, toxicity of tributyltin oxide to 60, 181  
evaluation of liquid eradicants 67, 201
- Anthocoris nemorum* and *A. confusus* eggs, action of menazon, dimethoate and phorate on 62, 215; 66, 313
- Anthranilic acid (*o*-aminobenzoic acid) as growth-regulating substance 61, 295
- Antibiotics  
effect on reproduction of *Aphis fabae* 59, 13  
effect on rubber latex flow 62, 159

- Anti-coagulants, use against rats, mice, grey squirrels **61**, 303, 312, 322
- Antifouling paints, effectiveness of **51**, 361
- Aphelinus flavipes* fails to control *Aphis gossypii* **66**, 505
- Aphidius matricariae* parasitizing *Myzus persicae* on chrysanthemum **65**, 31; **66**, 323
- Aphids  
 effect of sucrose sprays and darkness on **63**, 351  
 flight, effects of windbreaks on **55**, 505, 513  
 gut characters determining origin of migrants **55**, 485  
 integrated chemical and biological control of **63**, 459  
 plant colonization by **63**, 315, 351  
 plant spacing effects on numbers of **61**, 289  
 predators, aphidophagous Syrphidae **61**, 415, 425, 435  
 sampling by traps and crop inspection **63**, 155  
 resistance to by glandular hairs **68**, 113
- Aphis*  
*craccivora*  
 effects of plant spacing on **61**, 289  
 vector of groundnut rosette virus **52**, 125; **54**, 199; **60**, 199
- fabae*  
 aggregation and transformation of counts on beans **65**, 181  
 effect of antibiotics on reproduction **59**, 13  
 effects of crowding **65**, 191, 197, 205  
 feeding, growth and reproduction on *Vicia faba* **53**, 119  
 fluctuations in population **59**, 175  
 ingestion of nitrogen and solid matter from *Vicia faba* **55**, 207  
 natural regulation on numbers **59**, 189  
 on beans  
 control by insecticides **64**, 1  
 effects on yield and interaction with predators and attendant ants **60**, 445  
 interaction with crop density and virus incidence **57**, 409  
 on *Euonymus*, population studies **62**, 177  
 vector of beet yellows virus **53**, 259  
 vector of sugar-beet mosaic and pea mosaic virus **52**, 133  
*gossypii* integrated control on cucumber **67**, 211; **68**, 1  
*Aphrodes bicinctus* transmits green petal virus **51**, 69  
*Apis mellifera*, see Bee, honey
- Apple  
 cuticle, wax components **53**, 43  
 diseases, bacterial  
 fireblight (*Erwinia amylovora*) in Kent **69**, 137  
 diseases, fungus  
 brown rot, *Sclerotinia fructigena*, effect on antifungal compound formation **61**, 245  
 collar rot, *Phytophthora cactorum* and *P. syringae* **53**, 275  
*Diaporthe pernicioso* fruit rot **66**, 245  
*Gloeosporium album* and *G. perennans*  
 control by gas storage **54**, 327  
 control by heat **59**, 389  
 control by spraying wood infections **51**, 379  
 factors affecting **53**, 119  
 leaf infection **70**, 119  
 sporulation suppressants **60**, 241  
 mildew, *Podosphaera leucotricha*  
 alkyl dinitrophenols tested against **64**, 119  
 artificial infection with **51**, 61  
 control by DDAB and domiphen bromide **52**, 45  
 evaluation of fungicides for control **51**, 51, 61; **65**, 473; **68**, 149  
 fluctuation in spore concentrations **55**, 409  
 surfactants tested against **65**, 473  
*Nectria galligena* fruit rot  
 release of spores **69**, 97  
*Phytophthora cactorum* collar rot  
 pre-selection of seedlings for resistance **67**, 153  
 scab, *Venturia inaequalis*  
 coumaric and cinnamic esters, action of **55**, 359  
 control by suppression of ascospore production **56**, 285; **62**, 289, 297  
 direct and translocated fungicidal effect on **57**, 451

- Apple (*cont.*)  
 scab (*cont.*)  
   fungicide mixtures and translocation effects on 59, 234  
   infection in relation to wet and dry periods 53, 423  
   perithecial formation inhibited by urea 61, 203  
 diseases, virus  
   chat fruit: field experiments 55, 439  
   latent viruses, comparison of 61, 361  
   stem grooving and graft union abnormalities in Virginia crab 60, 59; 69, 16  
 earthworm ingestion of leaves 70, 175  
 fruits  
   antifungal compounds in 61, 245  
   chlorogenic acid in 61, 245  
   mercury residues in 56, 293  
   phenolic acids induced by infection with *Sclerotinia fructigena* 60, 87  
 orchard insect fauna 64, 11  
 pests  
   fruit tree red spider mite, *Panonychus ulmi*  
     effects on growth and cropping of young trees 61, 269, 277  
   phytotoxic effects of chlorthiamid and dichlobenil 67, 137  
   replant disease not caused by toxins 63, 225  
 rootstocks  
   growth potential related to leaf structure 60, 67  
   spray damage: 'hardening' effect of lime sulphur 55, 495  
   storage  
     control of *Gloeosporium* rots 51, 379  
     effect of heat treatment 59, 401  
 Applied biology, *see* Biology, applied  
*Acrobelloides butschlii* on mushroom 58, 477  
*Agaricus bisporus*, *see* Mushroom  
 Alkyl dinitrophenols, structure-activity relationships 64, 131  
*Aphelenchoides composticola* on mushroom 58, 477; 61, 161  
 Aprocarb (2-*iso*-propoxyphenyl *N*-methyl-carbamate)  
   joint action with thanite against house-flies 63, 477  
 Arabis mosaic virus transmitted by *Xiphinema diversicaudatum* 51, 97; 52, 243; site of retention 66, 375  
   on hop 57, 131  
*Arion intermedius*, estimation of population 53, 251  
*A. hortensis* control by meta pellets 66, 347  
*Arthrobotrys oligospora*, nematode-trapping fungus 51, 295; 58, 43, 51  
*A. robusta* 58, 43, 51  
 Arthropods of veterinary importance 53, 175  
 Arylhydrazono-isoxazolone compounds  
   anti-fungal action of 62, 45  
 Aryltin compounds as fungicides 69, 42  
*Ascochyta pisi* control by seed soaks in thiram or captan 57, 193  
   survival in soil 62, 475  
   control by benomyl seed treatment 66, 37  
 Assessment of fungal infection of potato tubers 62, 309  
 Assimilated <sup>14</sup>C, distribution in *Lolium* 66, 155; in coffee 64, 359  
 Assimilation rates of tomato plants 59, 85  
 Association of Applied Biologists  
   Laws in 1964 54, 285; in 1969 64, 533  
   List of Members 1965 56, 493; 1969 62, 493  
   Report of Council for 1962 51, 525; 1963 53, 519; 1964 55, 519; 1965 57, 513; 1966 59, 493; 1967 61, 520; 1968 63, 523; 1969 66, 353; 1970 69, 80  
 Atrazine, antifouling activity 51, 361  
*Aulacorthum solani*, resistance to in *Solanum* spp. 68, 245  
*Avena fatua* and *A. ludoviciana* heat-resistance of seeds 53, 29  
 Azinphos-ethyl, *S*-(3,4-dihydro-4-oxobenzo [d]-[1,2,3]-triazin-3-ylmethyl) diethylphosphorothiolothionate,  
   tested against wireworms 64, 21  
 Azobenzene derivatives as seed protectants 52, 33  
 B 77488 (*O*-*O*-diethylphosphorothioate *O* ester with phenylglyoxylonitrile oxime) tested against wireworms 64, 21  
*Bacillus*  
   *subtilis* bulbiformin production by increased by soil amendment 51, 415  
   *thuringiensis* use in insect control 56, 335  
 Bacterial diseases of Sudan crops 53, 267; 63, 357

- Bactericides, effect on rubber latex flow **62**, 159
- Bait shyness in gerbils **69**, 169
- Baits, stupefying, for wood-pigeons **52**, 271
- Banana diseases
- black leaf streak, *Mycosphaerella fijiensis* **66**, 293; **70**, 19
  - eyespot, *Drechslera gigantea* **51**, 29
  - freckle, *Phyllostictina musarum* **62**, 329
  - fruit spot ('speckle') *Deightonella torulosa* **52**, 55
  - fruit pitting, *Pyricularia grisea* **52**, 453
  - leaf spot, *Mycosphaerella musicola* **51**, 353
  - leaf spotting by graminicolous fungi **51**, 371
- Barley
- diseases, fungus
    - foliar diseases, survey of **63**, 253
    - fungi on stored moist grain **65**, 277, 285; **69**, 187
    - leaf blotch, *Rhynchosporium secalis*, loss caused by **62**, 273
    - loose smut, *Ustilago nuda*
      - infection affected by seedling competition **54**, 91
      - inoculation with **54**, 225
    - Vivatex seed treatment controls **64**, 259
  - powdery mildew
    - annual variation **67**, 1
    - effects on growth **70**, 149
    - evaluation of control materials **51**, 51; **52**, 45
  - diseases, virus
    - yellow dwarf virus
      - effects on cereals in glasshouse trials **65**, 317
      - on *Lolium perenne* **57**, 155
      - tolerance to in barley and oats **57**, 163
  - pests, insect
    - aphids, distribution of **66**, 485
  - pests, nematode
    - cereal root eelworm, *Heterodera avenae*
      - effects on continuously-grown barley **63**, 503; **66**, 329
      - resistant and susceptible barley genotypes **59**, 407; **65**, 163; **66**, 339
      - effect of D-D, chloropicrin and previous crops **65**, 351
  - quality in **59**, 321
  - soil sterilants affect yield **66**, 321
  - sowing date and plant density effects **57**, 155
- Barnacles, *Elminius modestus*, toxicity of chlorine to **54**, 423
- Barnes Memorial Lectures **51**, 177; **53**, 1; **55**, 177; **57**, 173
- Bawden, Frederick Charles, obituary **70**, 107
- Bean, *Vicia faba*
- broomrape (*Orobanche crenata*) effects on physiology **70**, 59
  - diseases, bacterial
    - halo blight, *Pseudomonas phaseolicola*
      - detection in white-seeded beans **60**, 305
      - estimation of seed infection **66**, 29
      - field studies and control **70**, 191
      - relation to biochemical factors **61**, 255; **63**, 103
  - diseases, fungus
    - Botrytis fabae* and *B. cinerea*
      - antifungal substances induced by **56**, 269; **63**, 449
      - effect of benzyladenine on **61**, 65
      - effect of phytoalexin on **63**, 449
      - growth into leaves **56**, 139
    - Colletotrichum lindemuthianum* in Uganda **70**, 25
  - diseases, virus
    - broad-bean stain and broad-bean mosaic **61**, 99
    - interactions of crop density, aphids and virus incidence **57**, 409
  - pests, *Aphis fabae*, control of **64**, 1
  - pollination and fertilization **59**, 289
- Bean, field
- control of *Aphis fabae* on **64**, 1
  - interactions of crop density, aphids and virus incidence **57**, 409
  - pollination and fertilization **59**, 281
- Bean, French, *Phaseolus vulgaris*
- biochemical changes caused by *Colletotrichum lindemuthianum* **65**, 93
  - effect of CCC and glycine betaine **63**, 127
  - peroxidase isoenzymes in virus-infected plants **65**, 105
  - resistance to halo blight related to oxygen uptake **52**, 105
- Bee, honey, *Apis mellifera*
- diseases, virus
    - incidence of **60**, 483
    - sacbrood, spread of **63**, 4 3
    - toxicities of insecticides to **61**, 467



- Beet eelworm, *Heterodera schachtii*  
hatching by rivanol 52, 423
- Beet, red, yield variations 51, 523
- Beet, sugar, *see* Sugar beet
- Beetles, stored-product, insecticide effects on 57, 1
- Benomyl, methyl 1-(butylcarbamoyl)-2-benzimidazole carbamate  
pea seed treatment against *Ascochyta pisi* 66, 37
- Benzoic acids, halogen-substituted, as growth regulators 63, 205
- Benzyladenine (6-benzylaminopurine)  
effect on bean senescence and chocolate spot 61, 65  
effect on plants inoculated with viruses 60, 49
- Bermuda grass, *see* *Cynodon dactylon*
- Beta spp. susceptibility to yellowing viruses 55, 245
- BHC, benzene hexachloride  
effect on soil fauna 60, 479  
effect on wireworms 64, 21  
in seed dressings, systemic action 52, 361  
toxicity to desert locust 54, 415  
toxicity to *Anobium punctatum* 67, 201
- B-nine (B 9, *N*-dimethylaminosuccinamic acid)  
effect on growth of potatoes 58, 171; 60, 333
- Biological control  
of insects 53, 179, 510  
of *Myzus persicae* 64, 433
- Biology, applied  
and the University 55, 345  
as an educational discipline 64, 189  
changes in 53, 1; 55, 345  
nature and prospects of 53, 351  
as an evolutionary process 66, 179  
effects of progress in 69, 1
- Bird(s)  
harmful, control of 48, 505  
repellants tested against pigeons 51, 127
- 1,1,bis(4-chlorophenyl)-2,2,2-trichloroethanol (Kelthane)  
translaminar effect on mites 51, 485
- Bivane direction indicator 66, 469
- Blackberry, *Rubus fruticosus*  
raspberry ringspot virus on 54, 183
- Black-currant, *Ribes nigrum*  
diseases, fungus  
*Sphaerotheca mors-uvae* 61, 387, 389; 64, 119  
diseases, virus  
reversion 54, 117; 58, 219; 60, 455; 62, 255  
yellows 54, 177
- pests  
gall mite, *Phytoptus ribis*  
reversion reduces resistance to 54, 177; 60, 455  
spread of 58, 219; 62, 255  
sulphur, phytotoxicity to 59, 101
- Blossom beetle, *see* *Meligethes aeneus*
- Bollworm, red, *Diparopsis castaneum*, *see* Cotton pests
- Bordeaux mixture, *see* Copper compounds
- Botrytis cinerea*  
antifungal substances induced by 56, 269; 63, 449  
effect of pollen grains on infection 62, 11  
growth into bean leaves 56, 139  
on carnation cut flowers 60, 367  
spore resistance to quintozone, tecnazene and dicloran 68, 271  
spore-containing droplets, biochemical changes in 59, 375  
tomato stems infected by 51, 171  
checked by humidity control 15, 75
- fabae*  
action of drazoxolon on 61, 65  
effect of benzyladenine on 61, 65  
growth into bean leaves 56, 139  
*tulipae* seasonal carry-over 65, 49
- Brachydanio rerio* (zebrafish) resistance to zinc sulphate 56, 47
- Brassica*, *see also* Cabbage, Brussels sprouts, etc.  
aphid colonization affected by leaf age and nitrogen 63, 324
- Brassica napus*, *see* Rape
- Breeding for virus disease tolerance 53, 365
- Bremia lactucae*, two races of 56, 389; race W 4 68, 185  
tests of zineb against 59, 355
- Brevicoryne brassicae*, colonization affected by leaf age and nitrogen 63, 324  
resistance of rape to 64, 203  
susceptibility of brussels sprouts 68, 121

- Brevipalpus californicus* pest of tea in Ceylon 70, 1
- Brierley, Professor W. B., obituary 51, 509
- Broomrape (*Orobancha crenata*) effects on bean 70, 59
- Brussels sprouts
- effect of gibberellic acid and nutrient sprays on 61, 131
  - effect of crop background on colonization by aphids 63, 326
  - effects of topping and plant density on dry matter 70, 67
  - integration of chemical and biological aphid control 63, 459
  - root fly control 59, 339
  - seasonal changes in aphid populations 68, 233
- Bulbiformin production increased by soil amendment 51, 415
- effect of soil bacterization on 55, 89
- Bushy dwarf virus, *see* Raspberry diseases, virus
- CCC, *see* chlorocholine chloride
- Cabbage
- diseases, fungus
    - club root, *Plasmodiophora brassicae*
      - effect of aldrin on 55, 99
      - inoculation with 54, 71
    - dark leaf spot, *Alternaria brassicicola*
      - tests of fungicides against 65, 481
    - downy mildew, *Peronospora parasitica*
      - tests of fungicides against 62, 23
  - pests
    - root fly, *Erioschia brassicae*
      - dieldrin-resistant 61, 447
      - emergence from pupae 52, 337
      - effect of beetle predators 56, 7
      - effect of insecticides on predators 57, 397, 59, 349
      - insecticidal control 59, 339
      - structure of eggshell 56, 1
  - seed treatment
    - BHC, systemic action 52, 361
- Cacao, *Theobroma cacao*. (*See also* Cocoa)
- diseases, fungus
    - blackpod, *Phytophthora palmivora*
      - chemical control 52, 465
      - spraying treatments compared 52, 481
    - Verticillium wilt 69, 223; 70, 157
  - diseases, virus
    - swollen shoot
      - reactions of clones to 52, 117; 53, 343
      - reaction of hybrid progenies to 52, 217
      - shading checks 54, 193
      - vectors, mealybugs, *Ferrisia virgata* and *Planococcoides njalensis*, feeding behaviour 52, 387
      - movement of dimethoate in 56, 419
- Cadman, C. H., portrait 69, 1; obituary 69, 277
- Calacarus carinatus* pest of tea in Ceylon 70, 1
- Caliothrips* spp. on cotton 51, 521
- Candida albicans* causing moniliasis 51, 170
- Captafol (*N*-(1,1,2,2-tetrachloroethylthio)-cyclohex-4-ene-1,2-dicarboximide)
- tested against *Peronospora parasitica* 62, 23
  - used against coffee berry disease 64, 106
- Capisium annuum* and *C. frutescens*
- pepper veinal mottle virus on 69, 235
- Captan
- fungitoxicity of 59, 233; 62, 35
  - pea seed soaks in, to control foot rot 57, 193
  - persistence in soil 64, 113
  - <sup>35</sup>S-labelled, decomposition by conidia of *Neurospora crassa* 62, 35
  - spore uptake in relation to sulphhydryl content 52, 327
  - thiols, reactions with 57, 231
- Carbon dioxide effect on cucumber growth 56, 55
- Carboxin, *see* Vitavax
- N*-carboxymethylthiocarbamates 56, 399
- Carduelis*, *see* Linnet
- Carica papaya*, *see* Papaya and Pawpaw
- Carnation
- diseases, fungus
    - Botrytis cinerea* on cut flowers 60, 367
  - diseases, virus
    - Italian ringspot 65, 299
    - mottle, transmission and properties 53, 103
    - ringspot 56, 63
    - virus elimination by meristem tip culture 62, 119
  - growth from shoot apices 52, 199

- Carrot
- diseases, fungus
    - black rot, *Stemphylium radicinum* and leaf blight, *Alternaria dauci* 57, 83; 63, 289
  - diseases, virus
    - motley dwarf affecting yield 53, 77
    - mottle 54, 153
    - red-leaf 54, 153
  - pests
    - willow-carrot aphid, *Cavariella aegopodii*
      - effect of timing of sprays 60, 33
      - effect of host size 63, 318; varietal susceptibility 66, 301
    - yield variations 51, 523
- Cat, pests of 53, 175
- Cationic wetting agents for mildew control 52, 45
- Cattle pests
  - general 53, 175
  - warble fly, *Hypoderma bovis*, control 52, 295; 53, 175
- Cauliflower
  - damping-off by *Rhizoctonia solani*, factors affecting 51, 389
- Cavariella aegopodii*
  - effect of timing of insecticide applications on 60, 33
  - on willow and carrot 56, 429; 63, 318
  - on umbelliferous hosts 58, 213
  - susceptibility of carrot varieties 66, 301
  - transmits parsnip yellow fleck 62, 123
  - vector of carrot motley dwarf 53, 77
- Cedar, Western red, *Thuja plicata*
  - control of *Didymascella thujina* on 67, 131
- Celery
  - disease, fungus, leaf spot, *Septoria* spp.
    - assessment in relation to fungicide tests 68, 263
    - source of inoculum 57, 75; control 65, 249; 67, 121
    - seed, viability of *Septoria* on 54, 213; 61, 89
    - yellow vein virus 55, 459
  - Cellulase activity of *Polyporus betulinus* 58, 123
- Cellulose
  - membranes colonized by *Verticillium* 57, 59
- Centrospora acerina* cause of parsnip black canker 56, 119
- Cephalosporium acremonium*
  - causes black-bundle disease of maize 66, 257
  - saprophytic behaviour 66, 265
- Cephalosporium maydis* interaction with *Fusarium oxysporum* 58, 93
  - causes leaf-wilt of maize 66, 257
  - saprophytic behaviour 66, 265
- Cercospora herpotrichoides*, see Wheat diseases, fungus, eyespot
- Cereals
  - breeding for yield increase 59, 302
  - copper deficiency in S E Scotland 51, 169
  - intensive production
    - cultural problems 59, 315
    - disease problems 59, 317
    - economics 59, 309
    - eelworm problems 63, 503
    - male-sterility and hybrid vigour 59, 319
    - quality 59, 321
    - yield fluctuations 51, 513
- Ceresan dressings increase oat seedling vigour 65, 459; 67, 223
- Ceylon, mite pests of tea in 70, 1
- Charlock, *Sinapis arvensis*
  - competitive effects on kale and wheat 51, 107
  - host of *Meligethes aeneus* 51, 172
- Chat-fruit of apple 55, 439
- Chemical composition and antifungal activity 62, 45
- Chenopodiales, virus inhibitors in leaves of 69, 157
- Chenopodium album*
  - competitive effect on kale, sugar-beet and wheat 51, 107
  - for infection vine viruses 51, 85
- Cherry
  - diseases, bacterial
    - bacterial canker, *Pseudomonas mors-prunorum*
      - infection experiments 58, 31
      - inhibition of leaf-scar infection by saprophytic bacteria 56, 149
    - leaf inoculum 52, 97
  - diseases, virus
    - effect on yield 61, 351
    - leaf-roll 53, 333; 69, 11
    - rasp-leaf 53, 333

Cherry (*cont.*)diseases, virus (*cont.*)

tatter-leaf 53, 325

ring mottle a strain of prune dwarf virus 68, 55

Chickweed, *Stellaria media*, seed transmits cucumber mosaic virus 66, 381

Chitin, in soil, effect on pea wilt 55, 83

 $\alpha$ -Chloralose for wood-pigeon control 52, 271

Chlorinated hydrocarbons as cereal seed dressings

effect on club-root 55, 99

effect on wood-pigeons 52, 503

Chlorine toxicity to barnacles and oysters 54, 423

Chlormequat, *see* Chlorocholine chloride

Chlorobromopropene against potato root eel-worm 52, 19

Chlorocholine chloride (CCC, chlormequat, 2-chloroethyltrimethylammonium chloride)

effects on French beans 63, 127

effects on potatoes 58, 171; 60, 333

effects on wheat 56, 351; 64, 375; 68, 203; on oats 67, 223

effects on *Verticillium dahliae* and *Heterodera rostochiensis* 68, 71

Chloromethylphenoxyacetic acids as growth substances 51, 453

Chloromethylphenylglycines as growth substances 51, 453

Chlorophacinone (2-(1-(*p*-chlorophenyl)-1-phenyl)acetyl-1,3-indandione)

anti-coagulant used against mice 61, 322

4'-Chlorophenylthiosemicarbazide tested against *Fusarium* wilts of pea and tomato 65, 4974-*o*-Chlorophenylhydrazono-3-methyl-5-isoxazolone, *see* Drazoxolon

Chloropicrin treatment

effect on pea wilt 60, 391

effect on migratory root-parasitic nematodes 65, 351; 66, 329

preceding clover sowing 52, 371

soil fumigant action 58, 389; 62, 405

Chlorthiamid causes leaf margin chlorosis 67, 137

Chocolate spot, *Botrytis fabae*

effect of benzyladenine on 61, 65

*Chorthippus brunneus*, toxicity of DDT and dieldrin to 62, 371

Chromatography, circular-paper

testing of sugar and fructosan content 56, 65

Chrysanthemum

aphid infestation, factors affecting 63, 331; 65, 31, 451

attempts to eliminate stunt virus 65, 311

*Chrysopa carnea* predator of *Myzus persicae* on 64, 433*Mycosphaerella ligulicola* on 58, 291; 61, 77*Myzus persicae* on 56, 439; 63, 330; 65, 31parasitized by *Aphidius matricariae* 65, 31; 66, 323

parasitized by coccinellids 65, 451

petal blight, *Itersonilia perplexans* 58, 431white rust, *Puccinia horiana* 62, 429*Chrysopa carnea* predator of *Myzus persicae* on chrysanthemum 64, 433

Cinnamic acids

action of esters of on apple scab 55, 359

growth-regulating activity 61, 121

*Citrus aurantifolia*, *see* LimesCitrus bud mite, *Aceria sheldoni*, biology 68, 221

Cladosporium

*cucumerinum* control by thiosemicarbazides 57, 465*fulvum*, *see* Tomato diseases, fungus*Claviceps purpurea*, phytopathological properties of new strain on rye 60, 353parasitic on *Phragmites communis* 63, 425

Clover(s)

alsike, *see* *Trifolium hybridum*

delphinium yellows virus kills 51, 69

green petal virus does not protect from witches' broom virus 51, 69

mosaic viruses 58, 231

stolbur virus kills 51, 69

yellow vein virus 56, 99

Clover, red, *Trifolium pratense*

sap-transmissible viruses of 59, 23

Clover, white

phyllody virus (= strawberry green-petal) effect of zinc on 51, 259

*Coccinella 7-punctata*

effect of different aphid foods 59, 207

selection of aphid prey by 59, 331

predator of aphids on cucumbers and chrysanthemums 65, 451

Coccinellidae, specificity in 56, 336



- Cockroach, *Periplaneta americana*  
 action of diazinon on 59, 1  
 action of diazoxon on 58, 341
- Cocksfoot, *Dactylis glomerata*  
 diquat and paraquat uptake by 59, 91  
 mottle virus 59, 23; 64, 49  
 streak virus 57, 149, 155
- Cocoa, *Theobroma cacao*, see also Cacao  
 diseases, fungus  
   canker, *Phytophthora palmivora*, in Fiji 65, 65  
 diseases, virus  
   host range and vector species 60, 399  
   mottle-leaf, seedling tolerance to 57, 389  
   swollen-shoot  
   assessment of tolerance and resistance to 65, 419, 425  
   checked by shade 54, 193  
   resistance of T 17 and other progenies 56, 219; 67, 369  
   seedling tolerance to 57, 389  
   serological relationships of virus strains 67, 195  
   survey of breeding material 56, 227
- pests  
   capsid control 51, 356
- Coconut, *Cocos nucifera*, lethal bole rot disease 66, 453
- Coelomegilla maculata* predator of aphids on cucumbers and chrysanthemums 65, 411
- Coffee, *Coffea* spp.  
 assimilate movement in branches 64, 359; 67, 99  
 diseases, fungus  
   brown blight 58, 409  
   coffee berry disease, *Colletotrichum coffeanum*  
   control 55, 139; 59, 111; 64, 515  
   early-season sprays for control 64, 515  
   effect of altitude 67, 93  
   effect of berry growth stage 65, 369  
   effect of fungicides 64, 101, 335; 67, 45, 433; 70, 35  
   effect of rainfall and cropping 67, 75  
   inoculum sources 64, 515; 67, 45  
   micrometeorological studies 62, 451  
   sporulating capacity of pathogen 64, 85  
   rust, *Hemileia vastatrix*  
   control by copper sprays 53, 133; 54, 335; 55, 123  
   diseases, physiological  
   ‘Lyamungu dieback’ 53, 281; 54, 107  
   stem pitting 52, 211  
   uptake and distribution of macronutrients 68, 213
- Coiled sprout of potato 58, 159
- Cola chlamydanthra*, viruses from, host range and vector species 60, 399
- Collembola in soil, effect of lime and phosphate on 51, 171
- Colletotrichum coccodes*, see Tomato diseases, fungus, black dot
- Colletotrichum coffeanum*, see also Coffee diseases, fungus; coffee berry disease  
 cause of brown blight of coffee 58, 409  
 effect of fungicidal treatments on 64, 101; 70, 35  
 sporulating capacity 64, 85
- Colletotrichum lindemuthianum*  
 causing biochemical changes in French bean pods 65, 93  
 races of, in Uganda 70, 25
- Control, integrated 56, 315
- Copper  
 compounds as fungicides  
   absorption by leaves 51, 439  
   against coffee berry disease 64, 101  
   ageing of deposits 54, 335  
   Bordeaux mixture  
   against cocoa blackpod 52, 465  
   effect of leaching and weathering 54, 335  
   carbide-Bordeaux against cocoa black-pod 52, 465  
   deposition and retention 53, 133  
   solubilization 57, 475  
   uptake by spores 51, 425  
 deficiency in cereals 51, 169  
 oxychloride  
   against coffee leaf rust 54, 335  
   biological activity of spray deposits 58, 131  
   effect of spray suspension on leaves 70, 245  
   sugar-beet downy mildew checked by 52, 415  
 sulphate, absorption by leaves 51, 439

- Corky root disease of Douglas-fir seedlings 69, 265
- Cucumber  
 integration of chemical control of *Aphis gossypii* with predatory control of *Tetranychus urticae* 68, 1
- Cuprous oxide against coffee leaf rust  
 deposition of 53, 133  
 weathering 54, 335
- Corynebacterium fascians*, pathogenicity of mutants 56, 161
- Cotton  
 diseases, fungus  
 boll rot, *Glomerella cingulata*  
 in Uganda 57, 337  
*Rhizoctonia solani*, control by hot-water seed treatment 63, 95  
 wilt, *Fusarium oxysporum*  
 in Egypt 58, 93  
 control by hot-water seed treatment 63, 95  
 wilt, *Verticillium dahliae*  
 spread from weeds in New South Wales 67, 169  
 ground spraying compared with helicopter 55, 431  
 nitrogen affects yield 51, 520  
 pests  
 insects associated with boll rot 57, 337  
 jassids, control 51, 358, 521  
 red bollworm, *Diparopsis castaneum*  
 male probing activity in relation to sterility induced by tepa 60, 191  
 morphology of male reproductive system 60, 439  
 thrips, effects on yield 51, 521  
 yield, seasonal effects 51, 519
- Coumaphos (*O-O*-diethyl *O*-(3-chloro-4-methyl-7-coumarinyl)phosphorothionate)  
 used against pests of poultry, sheep and calves 52, 295
- o*-Coumaric acid  
 action of esters of, on apple scab 55, 359
- Coumateteryl against wild house mice 62, 355
- Copyu in Britain 51, 345
- Crop  
 physiology 62, 1  
 production, energy relations in 67, 272  
 productivity and profit 67, 265  
 yields in relation to environment 51, 511
- Cryptorrhynchus lapathi*, willow weevil  
 life history 54, 141
- Cucumber, *Cucumis* sp.  
 CO<sub>2</sub> effect on growth 56, 55  
 diseases, fungus  
 control and effect on yields 63, 401  
 mildew, *Erysiphe cichoracearum*, control by dimethirimol 66, 505  
*Mycosphaerella* stem rot 58, 423  
 powdery mildew, *Sphaerotheca fuliginea*, procaine tests against 57, 53  
 surfactant tests against 65, 473  
 root rot control 60, 215  
 scab, *Cladosporium cucumerinum*, control by thiosemicarbazides 57, 465  
 diseases, virus  
 weeds as sources of mosaic 66, 11, 381
- pests  
 aphids, control by coccinellids 56, 411  
 integrated control 66, 505  
 red spider mite, *Tetranychus urticae*  
 control by Kelthane 51, 485  
 control by *Phytoseiulus persimilis* 66, 505  
 thrips, control by BHC 66, 505  
 whitefly, *Trialeurodes vaporariorum*, control by *Encarsia formosa* 66, 505
- Currant, *see* Black currant
- Currant clearwing moth, *Aegeria tipuliformis*, bionomics of 53, 243
- Cuscuta campestris* transfers delphinium yellows virus from *Vinca rosea* to strawberry 51, 69
- Cuticle, plant  
 cutin in 53, 59  
 development in lime leaves affects infection with withertip 51, 411  
 fungitoxicity of lime leaf cuticle 57, 491  
 infection with withertip 51, 411  
 of plants of related families 60, 313  
 of some Angiosperm leaves and fruits 66, 145  
 penetration by 2,4-D 67, 243  
 permeability of 56, 305  
 thickness affects susceptibility of onion leaf 54, 303  
 waxes in 53, 43; 56, 297; 67, 243
- Cutin, nature and determination 53, 59
- Cycloneda sanguinea* predator of aphids on cucumber 65, 411

*Cylindrocarpon*

*destructans* on corky-root of Douglas-fir seedlings 69, 267

*Cynodon dactylon*, Bermuda grass, host of *Drechslera gigantea* 51, 29

Cycloheximide (= Actidione) tests against damping-off of peas 58, 321

Cytokinins effect resistance of tobacco to powdery mildew 66, 239

## 2,4-D

interaction with inactive analogues 58, 183  
effect on water uptake from inulin-storing tissue 58, 467

penetration of plant cuticles 67, 243

Daconil 2787 (tetrachloroisophthalonitrile) tested against *Peronospora parasitica* 62, 23

*Dactylaria gracilis*, *D. psychrophila*, nematode-trapping fungi 51, 295

*Dactylella doedycoides*, nematode-trapping fungus 51, 296

Dahlia mosaic virus, properties and hosts 67, 357

*Dahlia variabilis*, detection of mosaic virus in 52, 145

## Darkness

effect on aphid colonization of sugar-beet 63, 351

effect on diquat and paraquat activity 60, 77; 63, 117

Dazomet (tetrahydrodimethylthiadiazine thione)

control of potato-root eelworm by 52, 19  
effect of soil fumigation by, on wheat 63, 81; 67, 235

effect on pea wilt 60, 391  
effect on cereal cyst-nematode 66, 329

D-D (dichloropropene + dichloropropane)  
control of *Heterodera avenae* by 63, 81; 66, 329

control of potato-root eelworm by 52, 19  
control of *Xiphinema diversicaudatum* by 52, 243

effect on pea wilt 60, 391  
effect on wheat 63, 81; 67, 235

effect on migratory root-parasitic nematodes 65, 351, 361

DDAB (didecyltrimethylammonium bromide) tested against powdery mildews 52, 45

## DDT

effect on soil fauna in arable field 60, 11  
site of application affects toxicity 52, 7

toxicity to *Aglais urticae* and *Chorthippus brunneus* 62, 371

toxicity to *Alphitobius laevigatus* 52, 7, 305

Decenylsuccinic acid does not increase frost-hardiness of oats 67, 223

Deer and forestry 61, 330

Deficiencies, mineral, in plants

copper, in S.E. Scotland 51, 169

*Deightoniella torulosa* causing banana fruit spot 52, 55

Delphinium yellows virus on strawberry and clover 51, 69

Demeton-S-methyl (*S*-(2-(ethylthio)ethyl)-dimethyl phosphorothiolate) controls *Aphis fabae* on beans 64, 1

2-Deoxy-D-glucose, fungitoxicity of 53, 437

*Dermanyssus gallinae*, poultry mite, controlled by organophosphorus compounds 52, 295

Dew effect on uredospore germ-tube growth of *Puccinia graminis* 64, 495

3,9-Diamino-7-ethoxyacridine lactate, *see* Rivanol

*Dianthus*

*barbatus*, *see* Sweet William

*caryophyllus*, *see* Carnation

*Diaporthe perniciosa* apple rot 66, 245

Diazinon (*O,O*-diethyl *O*-(2-isopropyl-6-methyl-4-pyrimidinyl)phosphorothioate)

action on cholinesterase in cockroach 59, 1  
toxicity to desert locust nymphs 54, 415

toxicity to house-flies 59, 221

Diazoxon (*O,O*-diethyl *O*-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphate) 58, 341

Dibutyltin compounds as potato blight fungicides 66, 115

Dichlobenil causes leaf margin chlorosis 67, 137

Dichlofluanid (*N'*-(dichlorofluoromethylthio)-*N*-*N*-dimethyl-*N'*-phenyl sulphamide)

tested against *Peronospora parasitica* 62, 23

2,6-Dichlorobenzamide causes leaf margin chlorosis 67, 137

- Dichlorophen (5,5-dichloro-2,2-dihydroxy-diphenyl methane  
tested for apple *Gloeosporium* control **51**, 379  
2,4-Dichlorophenoxyacetic acid, *see* 2,4-D  
3,5-Dichlorophenoxyacetic acid as growth retardant **66**, 233; **69**, 72  
2,4-Dichlorophenoxyethylamine, growth regulator **61**, 481  
Dichlorvos (2,2-dichlorovinyl dimethyl phosphate)  
used to control mushroom phorid **54**, 129  
Dicloran (2,6-dichloro-4-nitroaniline)  
controls purple blotch, *Alternaria porri*, of onion **54**, 303  
resistance of *Botrytis cinerea* to **68**, 271  
*Didymascella thujina*  
control on Western red cedar **67**, 131  
Dieldrin  
cabbage root fly resistant to **61**, 447  
effect on soil fauna **60**, 479  
effect of sub-lethal doses on *Aedes aegyptii* **52**, 1  
toxicity to *Aglais urticae* and *Chorthippus brunneus* **62**, 371  
toxicity to *Alphitobius laevigatus* **52**, 7, 305  
toxicity to *Schistocerca gregaria* **54**, 415  
toxicity to *Anobium punctatum* **67**, 201  
Diethyl O-2-pyrazinyl phosphorothionate, *see* Thionazin  
OO-Diethyl S(ethylthiomethyl)phosphorodithioate, *see* Phorate  
3, 5-Diiodo-4-hydroxybenzonitrile, *see* Ioxynil  
Dimethirimol, 5-*n*-butyl-2-dimethylamino-4-hydroxy-6-methylpyrimidine  
fungitoxic action **66**, 103  
controls cucumber mildew **66**, 505  
Dimethoate  
action on anthocorid nymphs **66**, 313  
action on *Aphis fabae* and anthocorid eggs **62**, 215  
influence of soil moisture on **65**, 15  
movement in cacao tree **56**, 419  
*Myzus persicae* resistant to **66**, 465  
secretion into nectar **61**, 19  
Dimethyl - 3 - methyl - 4 - methylthiophenyl phosphorothionate, *see* Fenthion  
Dimethyltetrahydythiadiazine thione, *see* Dazomet  
Dimethyl thiuramdisulphide tested against potato-root eelworm **52**, 19  
Dinitro-s-alkyl phenols  
use in powdery mildew control **57**, 211; **64**, 119  
tested against *Venturia inaequalis* **64**, 119  
4,6-Dinitro-2-*n*-butyl phenol, insecticidal action **52**, 313  
4,6-Dinitro-2-*sec*-butyl phenol, insecticidal action **52**, 313  
Dinocap  
the 'dinocap' misconception **57**, 211  
components of formulation containing dinocap **57**, 223  
*Dioscorea* spp., diosgenin in **58**, 203  
Diosgenin in *Dioscorea* spp. **58**, 203  
*Diparopsis castaneum*, *see* Cotton, pests, red bollworm  
Diphacinone (2-diphenylacetyl-1,3-indandione) anticoagulant used against mice **61**, 332  
*Diplocarpon rosae* (rose black-spot)  
epidemiology of **58**, 115  
host/parasite interaction **60**, 129  
toxicity of sulphur dioxide to **58**, 103  
Diptera  
frequency in Scottish highlands **51**, 173  
stem-boring, in grasses and wheat, toxicity of aldrin to **51**, 301  
Diquat dibromide  
effect of darkness on activity **60**, 77; **63**, 117  
movement in leguminous plants **55**, 253  
uptake by tomato, potato, sugar-beet and cocksfoot **59**, 91; **63**, 117  
Disease(s), plant, *see also* under hosts  
assessment of fungal infection of potato tubers **62**, 309  
Disulfoton (OO-diethyl-S-2-(ethylthio)-ethyl phosphorodithioate)  
granules control *Aphis fabae* on beans **64**, 1  
influence of soil moisture on **65**, 15  
Dithiocarbamic acid derivatives as fungicides **51**, 135; **54**, 115  
*Ditylenchus dipsaci*  
biological races of **59**, 77  
control on lucerne with phorate **51**, 503  
*Ditylenchus myceliophagus* on mushroom **61**, 161  
on narcissus **53**, 485  
toxicity of hot-water treatment to **54**, 381



- DNOC (3,5-dinitro-*o*-cresol)  
toxicity to desert locust nymphs 54, 415
- Dodine (*n*-dodecylguanidine acetate)  
uptake by spores 58, 457
- Dog, pests of 53, 175
- Dolichos bean, *Xanthomonas phaseoli* on 64, 65
- Domiphen (*n*-dodecyl-dimethyl-2-phenoxy-ethyl ammonium bromide)  
tested against barley mildew 52, 49
- Dothidiella ulai*, dispersal of conidia from *Hevea brasiliensis* 63, 435
- Douglas-fir seedlings, chemical control of root disease of 64, 239  
phenology of corky-root disease 69, 265
- Drazoxolon (PP 781) (4-*o*-chlorophenylhydrazono-3-methyl-5-isoxazolone)  
study of antifungal activity 62, 45
- Drechslera gigantea* causing eye-spot of banana leaves 51, 29
- Dursban (OO-diethyl O-3,5,6-trichloro-2-pyridyl phosphorothioate)  
tested against wireworms 64, 2
- Dusts, inert, on leaves, increase water loss 64, 139
- Dyfonate (O-ethyl-S-phenylethylphosphonodithioate)  
tested against wireworms 64, 21
- Earthworms (*Lumbricus terrestris*) ingestion of apple leaves 70, 175
- Easter Lily, *see* Lily
- Education of applied biologists 53, 1
- Eelworms, *see* Nematicides, Nematodes, Nematology and individual species
- Eggs, birds', toxicity of insecticides to 64, 409
- Eggplant (*Solanum melongena*) mosaic virus 64, 225
- Elatobium abietinum* on spruce 69, 177
- Elder, American (*Sambucus canadensis*)  
latent virus 70, 49
- Elderberry, golden, virus 69, 11
- Elderberry latent virus 70, 49
- Electrophoresis, disk, of proteins of *Heterodera* spp. 69, 34
- Elm mosaic virus 69, 11
- Elminius modestus*, barnacle, toxicity of chlorine to 54, 423
- Empoasca lybica*, cotton jassid, 51, 521
- Encarsia formosa* controls whitefly on cucumber 66, 505
- Enchytraeid worms in sewage percolating filters 70, 251
- Endosulfan against black-currant gall mite 62, 255
- Endrin against black-currant gall mite 62, 255
- Entomology  
agricultural and horticultural in U.K. 53, 215  
medical 53, 190
- Entomophthora grylli*, spore discharge in 67, 145
- Enzymes, pectic and cellulolytic, from *Verticillium albo-atrum* 52, 89
- Erioischia brassicae* (cabbage root fly)  
dieldrin-resistant 61, 447  
diurnal periodicity and cycle of behaviour 70, 109  
effect of beetle predators on 56, 7  
effect of insecticides on predators of 57, 397; 59, 349  
insecticidal control in brussels sprouts 59, 339  
structure of egg shell 56, 1  
temperature affects emergence from pupa 52, 337
- Erwinia amylovora* causing apple fireblight in Kent 69, 125
- Erwinia rubrifaciens* causing walnut phloem canker 69, 125
- Erwinia* spp. causing maize stalk rot 53, 267
- Erysiphe*  
*cichoracearum* (tobacco, etc. powdery mildew)  
content of conidia in air 57, 445  
effect of irrigation on 57, 435  
effect of potash deficiency on 57, 201  
effect of tobacco nutrition on 54, 291  
germination of conidia 58, 401  
susceptibility of leaves to 58, 61; 66, 239  
on cucumber 66, 505
- graminis*  
annual variation on cereals 67, 1  
effects on growth of barley 70, 149  
evaluation of fungicides for control 51, 51; 55, 275, 287  
resistance in oats affected by sowing date 68, 31  
oversummering in Israel 65, 263

- Ethion (*OOO'O*-tetraethyl *SS'*-methylene-bis-phosphorodithioate)  
 tested against wireworms 64, 21
- Ethirimol (5-*n*-butyl-2-ethylamino-4-hydroxy-6-methylpyrimidine)  
 fungitoxic action 66, 103
- O*-Ethyl-*S-p*-tolylethylphosphonodithioate  
 controls wireworms 54, 241
- Ethylene bisdithiocarbamates, fate in plants  
 65, 489
- Ethylenediaminetetraacetic acid  
 release of pectins from wheat coleoptile  
 treated with 57, 301
- 1,1'-Ethylene-2,2'-bipyridylum dibromide,  
*see* Diquat
- Ethylene dibromide  
 pre-sowing treatment for clover 52,  
 371  
 nematocidal effect 65, 361
- Ethylmercury phosphate seed treatments  
 against *Pleospora betae* 51, 41; 19,  
 247
- Euonymus europaeus*  
 population studies of *Aphis fabae* on 62,  
 177
- Euphorbia hirta* host of *Aphis craccivora* 52,  
 125
- Euscelis plebojus* vector of green-petal virus  
 51, 69
- Fenchlorphos (*O,O*-dimethyl *O*-trichlorophenyl phosphorothioate) used  
 against poultry and stock pests 52,  
 295
- Fenthion (dimethyl-3-methyl-4-methylthiophenyl phosphorothionate) controls  
 wireworms 54, 241
- Ferrisiana virgata*, vector of cacao viruses  
 52, 387
- Fireblight (*Erwinia amylovora*) on apples in  
 Kent 69, 137
- Fish  
 coarse, biology of 53, 498  
 exclusion from water intakes 53, 505
- Fisheries, freshwater  
 development of research on 53, 493  
 population dynamics 53, 495  
 sewage effluent effects on 53, 508  
 stocks of River Axe, Devon 53, 497  
 tropical problems and research 53,  
 502
- Flax, *Linum usitatissimum*  
 diseases, fungus  
*Fusarium oxysporum* control by hot-  
 water seed treatment 63, 95
- Flea, rabbit, vector of myxomatosis 51, 338
- Fly (Flies)  
 house (*Musca domestica*)  
 a vector of disease? 53, 190  
 joint effect of aprocarb and thanite on  
 63, 477  
 potency of narcotics to 57, 15
- Fomes annosus*, stump protection against by  
*Peniophora gigantea* 52, 63; by  
 sodium nitrite 66, 441
- Forest(s)  
 entomology 53, 180  
 effect of deer 61, 330  
 forest-products entomology 53, 184
- Formaldehyde (formalin)  
 effect on pea wilt 60, 391  
 effect on spring wheat 64, 325; 66, 329;  
 67, 235  
 effect on *Heterodera avenae* and *Ophiobolus graminis* 66, 329
- Fox, *Vulpes vulpes*  
 control 61, 334
- Freshwater fisheries *see* Fisheries, fresh-  
 water
- Fructosan accumulation in virus-infected  
 plants 56, 65
- Fruit-tree red spider mite, *see* *Panonychus ulmi*
- Fumigation of soil, effects on spring wheat  
 63, 81
- Fungicides, *see also* under individual fungi-  
 cides  
 activity of lime leaf cuticle 57, 491  
 activity related to chemical constitution  
 57, 223; 64, 119, 131  
 alkylidinitrophenols 64, 119, 133  
 captafol, *see* Captafol  
 captan, *see* Captan  
 carboxymethyldithiocarbamic acid deriva-  
 tives 56, 399; 57, 33  
 chloropicrin, *see* Chloropicrin  
 copper, *see* Copper compounds as fungi-  
 cides  
 dazomet, *see* Dazomet  
 2-deoxy-D-glucose 53, 437  
 dithiocarbamic acid derivatives 51, 135;  
 54, 115; 56, 399

Fungicides (*cont.*)

- dodine, uptake by spores **58**, 457
- ethylmercury phosphate against *Pleospora betae* **51**, 41
- evaluation
  - against powdery mildews **51**, 41; **57**, 211, 223; **64**, 119; against celery leaf spot **68**, 263
  - against *Peronospora parasitica* **62**, 23
  - against potato blight **55**, 397
- fentin acetate (triphenyl tin acetate) controls *Phytophthora palmivora* **52**, 465
- formaldehyde, *see* Formaldehyde
- furocoumarins **57**, 501
- hydroxydithioformic acid derivatives **51**, 135
- hydroxynitroalkanes **51**, 153
- isothiocyanates **51**, 135
- laboratory bioassays
  - against powdery mildews **51**, 51, 61; **45**, 361
  - against *Venturia inaequalis* **54**, 349; **64**, 119
- mechanism of action
  - captan uptake by spores **52**, 327
- nitro-alkanes **51**, 153
- phenylmercury acetate controls cocoa blackpod **52**, 465
- procaine derivatives against cucumber powdery mildew **57**, 53
- redistribution on plants **57**, 475; **66**, 89
- resistance to **68**, 271
- splash dispersal **63**, 71
- sporulation suppressants **60**, 241
- systemic
  - activity of inorganic salts **53**, 291
  - carboxymethylthiocarbamates **57**, 33
  - thiosemicarbazides against cucumber scab **57**, 465
  - thiocarbamoylthionitroparaffins **51**, 445
  - thiosemicarbazides **57**, 465
  - translocation of activity **57**, 451; **64**, 131
  - vapour phase activity **60**, 251, 265
  - wax and lanolin emulsions affect potato-blight fungicides **60**, 223
  - zineb, *see* Zineb
- Fungistatic activity of tomato leaves on *Verticillium* spp.
- Furniture beetles, *see* *Anobium punctatum*
- Furocoumarins, plant, fungitoxicities of **57**, 501

*Fusarium**caeruleum*

- potato tuber susceptibility affected by growth and nutrition **60**, 231

*oxysporum*

- f. *lilii*, pathogenicity to Easter lily etc. **67**, 331

f. *lini*

- control in flax by hot-water seed treatment **63**, 95
- effect of chitin on **55**, 83
- method of isolating from soil **51**, 215

f. *lycopersici*

- reactions of tomato varieties to **52**, 237; **54**, 99; **62**, 413

f. *pisi*

- effect of soil fumigants on **60**, 391

f. *vasinfectum*

- control by hot-water treatment **63**, 95
- cotton wilt pathogen **58**, 93

*sambucinum* seedling attack on oats **65**, 459*udum*

- inhibited by bulbiformin **51**, 415

Gall mite (*Phytopus ribis*), *see* Black-currant pestsGamma-BHC *see* BHCGäumann, E. Obituary **53**, 345*Ganoderma* disease of oil palm **55**, 417Gerbils, bait shyness of **69**, 169

## Gibberellic acid

- potato leaf area affected by **52**, 419
- effect on Brussels sprout **61**, 131
- effect on growth of sugar beet **55**, 159

*Gladiolus*, pathogenicity of *Fusarium oxysporum* to **67**, 331

## Glasshouse

- soil treatment with steam/air mixtures **56**, 243

- pests, red spider, *see* *Tetranychus urticae*

*Gloeosporium**album*

- control of apple storage rot **51**, 379
- factors affecting **53**, 119
- on apple leaves **70**, 199

*limeticola*

- wither-tip of lime, control **51**, 237
- infection affected by cuticle **51**, 411

*perennans* (apple storage rot)

- control by gas storage **54**, 327
- factors affecting **53**, 119

- Gleospodium* (cont.)  
*perennans* (cont.)  
 production of pectolytic enzymes by 54, 327  
 sporulation suppressants 60, 241
- Glomerella cingulata*  
 on coffee, stimulating effect of fungicides on 64, 335  
 on cotton in Uganda 67, 337
- Glycine betaine effect on french bean 63, 127
- Gooseberry  
 overwintering of American mildew (*Sphaerotheca mors-uvae*) 61, 387
- Grain storage  
 effect of oxygen shortage on pests 51, 313  
 problems of 59, 324
- Gram, Ernst, Obituary 55, 317
- Grapevine, *see also* Vine  
 fanleaf virus in *Xiphinema* spp. 66, 375
- Grasses  
 ear size influenced by date of origin and nutrition 53, 311  
 effect on growth of  
 photoperiod 57, 257, 269  
 temperature and nitrogen 58, 145  
 effect of shading on inflorescence size and development 59, 297  
 variety  $\times$  environmental interaction 51, 518
- Grassland, national use of 67, 278
- Grey squirrel control 51, 334
- Groundnut, *Arachis hypogaea*  
 diseases, virus  
 rosette  
 effect of sowing date and spacing 52, 125; 54, 199  
 assistor virus for 62, 139  
 host range and properties 58, 377  
 transmission by *Aphis craccivora* 60, 199; 62, 139  
 pests  
*Aphis craccivora* 54, 199  
 effects of plant spacing on 61, 289
- Growth, plant, and crop yield 57, 173
- Growth substances: growth regulators  
 ammonium halides, 63, 211  
 anthranilic acids 61, 295  
 auxins, interactions of with inactive analogues 58, 183  
 benzoic acids, halogen-substituted 63, 205  
 CCC on sugar beet 55, 159  
 (2-chloroethyl)trimethylammonium chloride, *see* CCC  
 chloromethylphenoxyacetic acids (*see also* MCPA) 51, 453  
 chloromethylphenylglycines 51, 453  
 chlorosubstituted  $\alpha$ -hydroxy- and  $\alpha$ -methoxy-phenylacetic acids 68, 307  
 cinnamic acids 61, 121  
 2,4-D effect on water uptake of inulin-storing tissues 58, 477  
 3,5-dichlorophenoxyacetic acid 69, 72  
 2,4-dichlorophenoxyethylamine 61, 481  
 dithiocarbamate derivatives 51, 161  
 ethylenediaminetetraacetic acid 57, 301  
 gibberellic acid, *see* Gibberellic acid  
 isatic acids 61, 295  
 phenols, substituted 64, 395; 67, 395  
 phosphonium halides 63, 211  
 ring-substituted phenylacetic acid 69, 64  
 root-knot nematodes induce in tomato roots 61, 495  
 rubber latex flow affected by 62, 159  
 sulphonium halides 63, 211  
 tomato *Verticillium* wilt affected by 60, 117  
 2,3,6-trichlorobenzoic acid 55, 149  
 $\gamma$ -(2,4,5-trichlorophenoxy)butyric acid 55, 261
- Guineacorn, *see Sorghum vulgare*
- Hairs, glandular, aphid-resistant in *Solanum* spp. 68, 113
- Halo blight of bean, *see Pseudomonas phaseolicola*
- Haplospheeria deformans*, *see* Raspberry, fungus diseases, stamen blight
- Harmful mammals 51, 325
- Harpalus rufipes*, strawberry seed beetle, control 62, 241
- Helicopter spraying of cotton 55, 431
- Hemileia vastatrix*, coffee rust  
 control by copper fungicides 51, 359; 53, 133; 45, 335; 55, 123
- Hens' eggs, toxicity of insecticides to 64, 409  
 toxicity of herbicides to 66, 515
- Heptachlor  
 pre-sowing treatment for clover 52, 371  
 toxicity to desert locust 54, 415
- Herbicides, toxicity to hens' eggs 66, 515



*Heterodera**avenae* (cereal cyst eelworm)

effect on continuously-cropped cereals  
63, 503

effect of formalin, nabam, irrigation and  
nitrogen on 64, 325; effect of soil  
sterilants on 66, 329

resistant and susceptible barley geno-  
types 59, 407; 65, 163; 66, 339

*goettingiana*, population studies 55, 15

*rostochiensis* (potato root eelworm)

association with *Verticillium dahliae* 67,  
185

control

by chlorobromopropene, dazomet,  
D-D, metham-sodium, methyl  
bromide, methyl isothiocyanate,  
tribromopropene 52, 19

by D-D 54, 391

cyst colour changes, bionomics and  
distribution of pathotypes 60, 411

cyst formation on resistant *Solanum* spp.  
51, 277; 65, 377

cyst numbers in soil, assessment of 51,  
269

damage by 63, 493

disk electrophoresis of proteins of  
pathotypes 69, 34

effect of inbreeding on 62, 485

effect of resistant potatoes on 58, 487;  
60, 421

effect of soil leachings on hatch 59, 283

hatching agents for 61, 139

larval emergence affected by tempera-  
ture 51, 172

orientation to females 58, 327

pathotype distribution 60, 411

pathotypes reproducing on hybrid re-  
sistant potatoes, genetic relation of  
56, 27

periodicity of egg hatching 60, 143

population affected by cropping 51,  
172

population fluctuations 63, 175

population genetics 60, 151

relationship to tomato brown rot 61,  
503

resistance to, in *Lycopersicon* 61, 151;  
in *Solanum* sp. 65, 385

seasonal changes in population 64, 31

sex attractants 61, 411

*schachtii* (beet cyst eelworm)

action of nabam and metham-sodium  
on 57, 241

effect of potassium chloride on 54, 269

orientation to females 58, 327

resistance of sugar beet to 66, 169

sex attractants of 61, 511

spp.

hatch stimulation by inorganic ions 58,  
497

disk electrophoresis of proteins 69, 34

*Heteropeza pygmaea*, control of paedogenetic  
larvae 66, 497

*Hevea*, see Rubber

Hexoestrol, uptake by roots and retention by  
leaves 52, 163

History of agricultural entomology in U.K.  
53, 216

Hollow heart of peas 64, 153

Honey-bee, see Bee

Hop, *Humulus lupulus*

diseases, fungus

downy mildew *Pseudoperonospora*  
*humuli*

control by streptomycin etc. 57, 183

infection and control 56, 381; 66, 281

persistence in rootstocks 53, 129

wilt, *Verticillium albo-atrum* 58, 241,  
251

effects of temperature and rainfall 66,  
51

resistance in relation to nitrogen 59,  
265

diseases, virus

arabis mosaic and *Prunus* necrotic ring-  
spot 57, 131

line-pattern 53, 389

nettlehead 53, 389, 403

split-leaf blotch 53, 403

*Prunus* necrotic ringspot strains 59, 437

Horses, pests of, 53, 175

Host-plant selection by insects

mechanisms of 56, 317

role of aphid host 56, 323

Hot-water treatment

against *Ustilago nuda* 55, 295

of cotton and flax seed 63, 95

Humidity control for glasshouse tomatoes  
65, 73

Hydroxydithioformic acid derivatives as  
fungicides 51, 135

- Hypoderma bovis* controlled by organophosphorus compounds 52, 295
- Hypothermia, fatal, in house-mice 61, 326
- Inclusion bodies in mosaic-infected dahlia cells 52, 145
- Inhibition of conidial germination in *Verticillium dahliae* and *V. tricornis* 51, 231
- $\beta$ -Indole-acetic acid checks tomato aucuba mosaic 52, 393
- Infestation Control Laboratory, work of 53, 200
- Insect Control Inspectorate, work of 53, 200
- Insects
- control
    - biological 53, 510
    - by *Bacillus thuringiensis* 56, 335
    - by granulosis virus of *Pieris brassicae* 56, 331
  - distribution, aerial, affected by windbreaks 55, 503; 60, 23; 64, 11; 65, 213
  - distribution in relation to predators and parasites 53, 510
  - leaf area destroyed by, determination of 61, 13
  - natural enemies of 56, 328
  - oscillating barrier for retention of 65, 9
  - resistance to
    - in fruit plants 56, 325
    - in brussels sprouts 56, 326
  - trapping in Scottish Highlands 51, 173
- Insecticides, *see also* under individual insecticides
- chlorinated, *see* Organochlorine insecticides
  - joint action of 52, 305, 313, 315
  - persistent, problem of in British agriculture 55, 319-343
  - pyrethrins, surfactant effects on 53, 15
  - systemic
    - dimethoate in cacao 56, 411
    - estimation of residues 61, 457
    - influence of volatility and solubility 56, 411
  - toxicity
    - site of topical application affects 52, 7
    - to bees 61, 467
    - to hens' eggs 64, 409
    - to houseflies, narcotic potency 57, 15
    - to stored-product beetles 57, 1
- Integrated control of insect pests 56, 315; 63, 459; 66, 505
- in glasshouses 56, 347; 66, 505; 68, 1
  - relation to pest ecology 56, 338
  - utilization of natural enemies 56, 328
- Inulin-storing tissues, 2,4-D effect on water uptake 58, 467
- Ioxynil, 3,5-diiodo-4-hydroxybenzonitrile, herbicidal effect 54, 441, 447; 59, 481
- Iris, bulbous, mosaic virus 61, 187
- Irrigation effect on spring wheat 64, 325
- Isatic acid, *O*-aminophenylglyoxylic acid, growth-regulating activities 61, 295
- Isothiocyanate derivatives as fungicides 51, 135
- Itersonilia*
- pastinaceae*
    - cause of parsnip canker 51, 1
    - infects parsnip flowers and seed 64, 281
    - trapping of spores of 51, 223
  - perplexans*
    - chrysanthemum petal blight 58, 431
    - on parsnip and chrysanthemum 51, 1
- Javaseella pellucida* vector of wheat striate mosaic virus 59, 39
- Kale, *Brassica oleracea*
- competitive effects of weeds 51, 107
  - effect of nitrogen 51, 107
  - interplanted with swedes, yield 52, 185
  - phytotoxic effects of chlorthiamid and dichlobenil 67, 137
- Kaolin dust on leaves increases water loss 64, 139
- Kaolin spray effects on leaves 70, 245
- Kariba, Lake, degeneration of *Salvinia auriculata* in 63, 61
- Kearns, H. G. H., portrait 51, 353
- Kelthane, 1,1-bis(4-chlorophenyl)-2,2,2-trichloroethanol, translaminar effect 51, 485
- Kinetin
- effect on phosphorus mobilization in radish leaves 60, 321
  - effect on tomato aucuba mosaic of tobacco 55, 51
  - effect on tomato spotted-wilt virus 53, 67
  - stimulates tomato aucuba mosaic 52, 393

- Lanolin emulsions affect efficiency of potato blight fungicides **60**, 223
- Latex, rubber, flow affected by growth regulators **62**, 159
- Laws of Association of Applied Biologists, *see* Association of Applied Biologists
- Leaf
- area determination **52**, 193; **54**, 281; **61**, 13
  - sap of tomato, fungistatic effect **51**, 231
  - protein concentrates **66**, 193
- Leatherjackets, *Tipula oleracea* and *T. paludosa*
- susceptibility to soil flooding **65**, 25
- Leiognathys sylviarum*, fowl mite, controlled by organophosphorus compounds **52**, 295
- Leptohylemyia coarctata*, *see* Wheat pests, bulb fly
- Lettuce
- diseases, fungus
    - Bremia lactucae*, downy mildew, race W4 **68**, 185
    - tests of zineb and other fungicides against **59**, 355
  - Rhizoctonia solani*
    - factors affecting pathogenicity **51**, 389
  - Sclerotinia minor* epidemic **70**, 207
  - diseases, virus
    - big-vein transmitted by *Olpidium brassicae* **54**, 45
  - mosaic virus, purification and properties **53**, 95
  - pests
    - aphid distribution affected by wind-breaks **55**, 513
- Light wavelength effect on virus infection **65**, 403
- Lily, Easter, pathogenicity of *Fusarium oxysporum* to **67**, 331
- Lime
- effect on soil Collembola **51**, 171
- Limes *Citrus aurantifolia*
- fungitoxicities of leaf components **57**, 491
  - mercury residues on **51**, 403
  - withertip disease, *Gloeosporium limetticola*
    - control by fungicides **51**, 237
    - cuticle development affects **51**, 411
- Limothrips cerealium*
- weather affects emergence and take-off **51**, 489
- Line-pattern virus of plum **63**, 233
- Linnet, *Carduelis c. cannabina*, damage to strawberry **62**, 241
- Lithium sulphate controls wheat mildew **53**, 291
- Locusts, *Schistocerca gregaria* and *Locusta migratoria*
- toxicity of insecticides to nymphs **54**, 415
  - toxicity of malathion to **65**, 43
- Lolium perenne*, perennial ryegrass
- daylength and temperature affect ear size **55**, 107
  - distribution of assimilated  $^{14}\text{C}$  in shoots **66**, 155
  - effects of barley yellow dwarf virus **57**, 155
  - relative growth of main shoots and tillers **68**, 193
- Lolium temulentum*, common darnel
- distribution of assimilated  $^{14}\text{C}$  in shoots **66**, 155
- Longidorus attenuatus*
- effect of soil fumigants and previous crops **65**, 351, 361
- elongatus*
- extraction from soil **60**, 429
  - multiplication and virus transmission **59**, 275
  - vector of raspberry ringspot **64**, 43, 233
  - vector of tomato viruses **55**, 227; **64**, 43, 233
- macrosoma*
- vector of raspberry ringspot **54**, 183
  - spp. on sugar beet **65**, 339
- Loose smut, *see* *Ustilago nuda*
- Lucerne, *Medicago sativa*
- stem eelworm, *Dictylenchus dipsaci* **51**, 503
  - Verticillium* wilt **52**, 439
- Lucilia sericata*, sheep maggot fly
- control by organophosphorus compounds **52**, 295
- Lumbricillus rivalis* reproduction in laboratory and in decaying seaweed **67**, 255
- Lumbricus terrestris*, ingestion of apple leaves by **70**, 175
- Lupin, garden, virus diseases of **61**, 373

- 'Lyamungu dieback' of coffee 53, 281; 54, 107
- Lycoriella auripila* control on mushrooms 62, 395
- Lyctus brunneus*, toxicity of tributyltin oxide to 60, 181
- Lyophilization effect on virus survival 65, 411
- Macrosiphum euphorbiae*, resistance to in *Solanum* 68, 245
- Macrosteles sexnotatus* transmits delphinium yellows virus to white clover 51, 69
- Maize, *Zea mays*
- diseases, fungus
    - black-bundle, *Cephalosporium acremonium* 66, 257
    - late-wilt, *Cephalosporium maydis* 58, 93; 66, 257
    - stalk rot, *Erwinia carotovora* f. *zeae* 53, 267
    - rust, *Puccinia polysora*, resistance to 60, 297
  - diseases, virus
    - abacá mosaic virus infects maize 51, 253
    - inheritance of resistance to streak virus 59, 429
  - effect of plant population on dry-matter production 63, 135
  - growth and yield of inbred and crossbred varieties 68, 81
- Malathion toxicity to locusts 65, 43
- Man, insects harmful to 53, 190
- Mancozeb (= maneb + zinc ion) controls onion purple blotch 54, 303
- tested against *Alternaria brassicicola* 65, 481
- Maneb-nickel sulphate tested against *Peronospora parasitica* 62, 23
- Manganese in soil
  - relation to potato scab control 63, 371
- Mangold clamps
  - aphids from, as vectors of beet viruses 57, 321
- Manila hemp, see Abacá
- Marasmiellus cocophilus* lethal bole rot of coconut 66, 453
- Mealybug vectors of cacao viruses 52, 387
- Medical entomology 53, 190
- Megaselia halterata*, mushroom phorid control by dichlorvos 54, 129
- Meligethes aeneus* in S.E. Scotland 51, 172
- Meloidogyne javanica*
  - suction effects on egg hatch 63, 183
  - oxygen effects on hatch and larval migration 63, 191
- Meloidogyne* spp., root-knot nematodes
  - induce growth substances in tomato roots 61, 495
- Members of Association of Applied Biologists, see Association of Applied Biologists
- Menazon, *O-O*-dimethyl-*S*-(4,6-diamino-1,3,5-triazin-2-yl methyl)phosphorodithioate
  - seed dressing effect on aphid vectors of sugar-beet yellows 62, 113
  - soil treatment effect on soil fauna 62, 199
  - sprays control *Aphis fabae* on beans 64, 1
  - systemic action on *Aphis fabae* and anthocorid eggs 62, 215; on anthocorid nymphs 66, 313
  - soil moisture effects 65, 15
- Meriones hurricanae* (gerbil) bait shyness of 69, 169
- Meristem-tip culture to eliminate viruses in carnation and sweet-william 62, 119
- Mercury spray residues 51, 403; 56, 293
- Mercury compounds
  - control of oat seedling losses by Ceresan 65, 459
  - effects on rubber latex flow 62, 159
  - treatment of sugar-beet seed 69, 245
- Mesorhabditis spiculigera* on mushroom 58, 477
- Metaldehyde for slug control 56, 37; 65, 1; 66, 347
- fumigant effect 65, 507
- Meteorology
  - micrometeorological studies on coffee berry disease 62, 451
- Metham-sodium, sodium *N*-methylthiocarbamate
  - action on *Heterodera schachtii* 57, 241
  - tested against potato-root eelworm 52, 19
- Methiocarb, 3,5-dimethyl-4-methylthiophenyl methylcarbamate, pellets for slug control 65, 1
- Methyl bromide
  - control of *Xiphinema diversicaudatum* by 52, 243



- Methyl bromide (*cont.*)  
 effect on cereal cyst-nematode 66, 329  
 soil fumigant effect 58, 389; 62, 405
- S-Methyl-N-methyl-N-carboxymethyl di-thiocarbamate  
 growth-regulating substance 51, 161
- Methyl isothiocyanate tested against potato-root eelworm 52, 19
- Metopolophium dirhodum* distribution in cereal crops 66, 485
- Metopolophium festucae* reproductive behaviour 67, 289
- Mexico, potato blight observations at Toluca 68, 41
- Milax budapestensis* effect of Meta pellets on 66, 347
- Mink, British wild 61, 345
- Moniliasis caused by *Candida albicans* 51, 170
- Moore, W. C., obituary 61, 167
- Mop-top virus, *see* Potato diseases, virus
- Morphine accumulation in *Papaver somniferum* 51, 459
- Mosquito, *see* *Aedes*
- Mouse, house, *Mus musculus*  
 aggressive behaviour in 64, 425  
 induction of fatal hypothermia in 61, 326  
 population studies 51, 348  
 toxicity of coumatetralyl and warfarin to 62, 355  
 use of anti-coagulants against 61, 322
- Musa textilis*, *see* Abacá
- Mushroom  
 microbial stimulus affecting sporophore formation 64, 177
- pests  
*Heteropeza pygmaea* and *Mycophila speyeri*, control of paedogenetic larvae 66, 497  
*Lycoriella auripila* control 62, 395  
 method of studying biology and control 64, 441  
 nematodes *Ditylenchus myceliophagus* and *Aphelenchoides composticola* effects on yield 61, 161  
 phorid *Megaselia halterata* control by dichlorvos 54, 129  
 viruses  
 effects of cultural treatments on 59, 451
- Myocastor coypus*, *see* Coypu
- Mycophila speyeri*, control of paedogenetic larvae 66, 497
- Mycoplasma-like bodies associated with potato witches'-broom 63, 347; with *Rubus* stunt 67, 389
- Mycosphaerella fijiensis*, black leaf streak of bananas 66, 293
- Mycosphaerella ligulicola*  
 effect of chrysanthemum leaf washings on 61, 77  
 effect of temperature during pycnidiospore formation 63, 295  
 host range and variation 60, 385  
 survival on chrysanthemum roots 58, 29
- Mycosphaerella melonis* stem rot of cucumber 58, 423
- Mycosphaerella pinodes*  
 control by seed soaks in captan and thiram 57, 193  
 survival in soil 62, 473
- Myrothecium verrucaria* used to test fungicidal content of soils 64, 113
- Myxomatosis spread by rabbit flea 51, 338
- Myzus persicae*  
 colonization of brassicas affected by leaf age and nitrogen 63, 324  
*Chrysopa carnea* a predator of 64, 433  
 fecundity reduced by thiabendazole 62, 265  
 on chrysanthemum 56, 439; 64, 433; 65, 31  
 parasitized by *Aphidius matricariae* 65, 31; 66, 313  
 on radish; uptake of phosphamidon 70, 169  
 resistance to, in *Solanum* spp. 68, 245  
 vector of  
 beet yellows virus 53, 259; 68, 67  
 pea mosaic virus 52, 133  
 sugar-beet mosaic virus 52, 133  
 resistance to dimethoate 66, 465
- Nabam  
 action on *Heterodera schachtii* cysts 57, 241  
 effect on spring wheat 64, 325  
 fate in plants 65, 489
- $\beta$ -Naphthol a pigeon repellent 51, 127
- Narcissus  
 diseases, fungus  
*Fusarium oxysporum* 67, 331

Narcissus (*cont.*)

diseases, virus

mosaic 58, 13, 25

tobacco rattle 58, 25

yellow stripe 58, 25

flower colour affected by temperature 58, 193

pests, eelworm

*Ditylenchus dipsaci* 53, 485

control by hot water 54, 381

Narcotic potency tests on houseflies 57, 15

Nectar contamination by dimethoate and phorate 61, 19

*Nectria galligena*

apple fruit rot 68, 253

release of spores 69, 97

Nematodes, *see also individual species*

control by hot-water treatment 54, 381

effect of D-D, chloropicrin and previous crops 65, 351

extraction from soil 55, 25

microphagous saprobic species, effect on mushrooms 58, 477

population changes in wheat 65, 327

Nematode-borne viruses, seed-transmission of 59, 49, 63

## Nematode-trapping fungi

conidial germination in soil 54, 375

ecology of 52, 431

in soil 51, 295

*Neurospora crassa* conidiadecompose <sup>35</sup>S-labelled captan 62, 35

uptake of copper by 51, 425

Nickel sulphate tested against *Peronospora parasitica* 62, 23

Nigeria, Northern, survey of covered-smut on guineacorn 51, 367

Nitrochalk effect on spring wheat 64, 325

Nonyl phenol ethoxylate toxicity to rainbow trout 55, 425

Notes for speakers 52, 345

## Nutrition, plant

effect on tulip bulb production 52, 493

## Oats

diseases, fungus

*Cylindrocarpum radicola* and *Fusarium sambucinum*

seedling attack controlled by Ceresan 65, 459

*Erysiphe graminis* f.sp. *avenae* effect of sowing date on resistance to 68, 31  
powdery mildew, fungicidal tests 55, 275; annual variation 67, 1

diseases, virus

tolerance to barley yellow dwarf 57, 163; 66, 361

frost and disease resistance 67, 223

pests, insect, aphids, distribution of 66, 485

pests, eelworm

*Heterodera avenae*, *Pratylenchus neglectus* and *Trichodorus primitivus* on 63, 503

seed treatment increases seedling vigour 65, 459; 67, 223

Oestrogens, plant uptake of 52, 163

Oil drops, deposition of 55, 267

Oil palm, *Ganoderma* disease of 55, 417*Oligonychus coffeae* pest of tea in Ceylon 70, 1

## Onion

diseases, fungus

purple blotch, *Alternaria porri*

conditions affecting in Kenya 54, 303

spore dispersal in Nebraska 57, 67

exudates induce tolerance of *Sclerotium cepivorum* to antibiotics 63, 415*Oospora pustulans*, skinspot of potato, phenology 64, 265*Ophiobolus graminis*, take-all, *see also* Wheat, diseases, fungus

control of survival 63, 37

effect of

ammonium and nitrate nutrition 70, 225

crop sequences 67, 13

direct drilling 61, 557

formalin, nabam, irrigation and nitrogen 64, 325; 67, 235

growth of wheat and barley 70, 215

nitrogen and glucose on saprophytic survival 63, 27

seed fumigants 66, 329

grasses as carriers 55, 307

investigation of soil populations 64, 503

*Oscinella frit*, *O. vastator*, pests of wheat 51, 301Opium poppy, *see Papaver somniferum*

## Oranges

effect of wounds in *Penicillium* infection 60, 375

- Oranges (*cont.*)  
infection by *Trichoderma viride* and *Penicillium digitatum* 66, 75; 67, 35
- Organochlorine insecticides  
amounts used in England and Wales 55, 319  
assessment of residues and uptake 55, 325  
alternatives for carrot fly control 55, 337  
future needs 55, 335  
side-effects of 55, 329, 340  
water contamination by 55, 332
- Organomercury compounds, *see* Mercury
- Organophosphorus compounds  
side-effects of soil applications of 55, 342; 60, 479  
use against livestock pests 52, 295
- Orobanche crenata* effect on physiology of *Vicia faba* 70, 59
- Oryzaephilus surinamensis*  
survival affected by temperature in sack-drier 53, 29
- Ostrea edulis*, *see* Oyster
- Oyster, toxicity of chlorine to 54, 423
- P 1973 (*S*-(*N*-methoxycarbonyl-*N*-methyl carbamoyl methyl) dimethyl phosphorothiolothionate)  
tested against wireworms 64, 21
- P 2188 (*O,O*-diethyl *S*-chloromethyl phosphorothiolothionate)  
tested against wireworms 64, 21
- PP 781, *see* Drazoxolon
- Pancreatic ribonuclease inhibits tomato aucuba mosaic 52, 393
- Panonychus ulmi*, fruit tree red spider mite  
effects on plum and apple trees 61, 269, 277  
hatching of winter eggs 63, 227; 70, 119
- Papaver somniferum*, opium poppy  
seed and capsule development, morphine content 51, 459
- Papaya, *Carica papaya*, control of *Phytophthora parasitica* on 63, 53  
*See also* Pawpaw
- Paraquat  
effect of darkness on activity 60, 77; 63, 117  
uptake by tomato, potato, sugar beet and cocksfoot 59, 91; 63, 117
- Parathion toxicity to desert locust 54, 415
- Parsnip  
diseases, fungus  
black canker, *Centrospora acerina* 56, 119  
canker caused by *Itersonilia* and *Phoma* spp 51, 1, 223  
effect of sowing date and spacing on canker 54, 63  
*Itersonilia* infection of flowers and seed 64, 281  
diseases, virus  
mottle 54, 153  
yellow fleck 62, 123  
mosaic 65, 127
- Partition coefficient between fungicide and components of living cells 64, 119
- Pasture, *see* Grasses
- Pathology, Plant  
teaching and research 51, 177; 53, 1; 55, 345
- Pawpaw decline virus in East Africa 66, 1
- Pea  
diseases, fungus  
*Ascochyta pisi* control by seed treatment with benomyl 66, 37  
effect of soil fumigants 60, 391  
foot rots (*Ascochyta*, *Mycosphaerella*) control by captan and thiram seed soaks 57, 193  
survival in soil 62, 473  
*Peronospora viciae*, effect of environment on sporangia 66, 417  
pre-emergence mortality, predisposition to 68, 177  
*Pythium ultimum*, damping-off control by azobenzene 52, 33  
effect of cycloheximide 58, 321  
wilt, *Fusarium oxysporum*, effect of chitin soil amendment on 55, 83  
effect of phenylthiosemicarbazide on 65, 497  
diseases, virus  
early-browning, transmission 54, 1; 57, 121  
mosaic, spread 52, 133  
hollow heart and poor stands 64, 153  
nodulation induced by *Rhizobium* spp. effect of soil fumigants on 60, 391  
pests, nematode  
cyst-nematode, *Heterodera goettingiana* 55, 13

- Pea (*cont.*)  
 pisatin production in leaves 64, 315
- Peach silver-leaf disease related to sap nutrients 65, 85
- Pear  
 orchard insect fauna 64, 11
- Pelargonium leaf-curl virus relationships 56, 87
- Pelodera cylindrica* on mushroom 58, 477
- Penicillium*  
*digitatum* effect of wounds on infection of oranges by 60, 375  
 mixed infection with *Trichoderma viride* on oranges 66, 75  
 effect of additives on spore germination and infection 67, 35  
 effect of additives on spore germination and infection 67, 35  
*italicum* uptake of copper by spores of 51, 425
- Peniphora gigantea*, stump inoculation with to protect against *Fomes annosus* 52, 63
- Peppers (*Capsicum* spp.) veinal mottle virus on 69, 235
- Periplaneta americana*, see Cockroach
- Peronospora*  
*farinosa* on sugar beet 52, 415; 60, 97, 201; 62, 465  
*parasitica* tests of fungicides against 62, 23  
*viciae* effect of environment on sporangia 66, 417  
 susceptibility of pea to infection 67, 297
- Peroxidase isozymes in virus-infected French bean 65, 105
- Persistent insecticides, see Organochlorine insecticides
- Pest Infestation Laboratory, work of 53, 206
- Pests (general)  
 of animals 53, 175  
 of tropical importance 51, 353; 53, 196  
 vertebrate 51, 325
- Petunia  
 infection with tomato spotted wilt virus affected by kinetin 53, 67
- Phaedon cochleariae*  
 effects of larval feeding on radish and turnip leaves 62, 249
- Phaseolus vulgaris*, see Bean
- Phenols, substituted, as growth regulators 64, 395; 67, 395
- Phenylacetic acid derivatives, substituted, as growth regulators 68, 307; 69, 64
- Phenylazothioformamide, fungitoxicant in 1-phenylthiosemicarbazide 61, 473
- Phenylmercuric salts  
 control withertip of limes: residue estimates 51, 237, 403  
 used against *Gloeosporium* on apples 51, 379
- Phenylthiosemicarbazide tested on pea and tomato wilts 65, 497
- Phialophora radicicola* root pathogen of Graminae 66, 59
- Philippines, abacá mosaic virus in 51, 253
- Phleum pratense*, timothy grass  
 growth affected by nitrogen and temperature 58, 145
- Phoma exigua* causing potato gangrene 62, 77, 89; 69, 213
- Phoma* sp. causing parsnip canker 51, 1
- Phorate (OO-diethyl S-(ethylthiomethyl)-phosphorodithioate)  
 absorbed by wheat and mustard seed 53, 445  
 controls lucerne stem eelworm 51, 503  
 effect on *Aphis fabae*, *Anthocoris nemorum* and *A. confusus* eggs 62, 215; on anthocorid nymphs 66, 313  
 effect on soil fauna 62, 199  
 granules control *Aphis fabae* on beans 64, 1  
 secretion into nectar 61, 19  
 soil moisture effects on 65, 15  
 tested against frit fly 51, 301
- Phosphamidon (2-chloro-2-diethyl-carbamoyl-1-methyl-vinyl dimethyl phosphate) uptake by *Myzus persicae* 70, 169
- Phosphate effect on soil Collembola 51, 171
- Phosphonium halides as growth regulators 63, 211
- Phosphorothioate and phosphorothiothioate compounds tested against wireworms 64, 21
- Photoperiod effect on perennial grasses 57, 257, 269
- Photosynthesis in ear of wheat 57, 281
- Phragmites communis*, *Claviceps purpurea* on 63, 425



- Phyllody virus (= strawberry green-petal) in white clover **51**, **259**
- Phyllostictina musarum* causing banana freckle **62**, **329**
- Phytoalexin  
controlling *Botrytis* lesions in bean leaves **63**, **449**  
in pea leaves in relation to senescence **64**, **315**
- Phytoptus ribis*, black currant gall mite  
reversion reduces resistance to **54**, **177**;  
**60**, **455**  
spread of **58**, **219**; **62**, **255**
- Phytophthora*  
*cactorum*, collar rot of apple trees **53**, **275**;  
**67**, **153**  
*infestans*, see also under Potato diseases, blight  
effect on stomata **63**, **265**  
haulm susceptibility to **51**, **17**  
infectivity of soils containing **56**, **363**  
observations at Toluca, Mexico **68**, **41**  
resistance of tomatoes to **65**, **255**  
role of water in spread **59**, **245**  
tuber susceptibility to **59**, **257**
- palmivora*  
biochemistry of tissues infected by **63**, **303**  
control **52**, **465**  
causes cocoa canker in Fiji **65**, **65**
- parasitica*  
control on papaya **63**, **53**  
*syringae*, collar rot of apple trees **53**, **275**
- Phytoseiulus persimilis* controls *Tetranychus urticae* **66**, **505**; **67**, **211**
- Phytotoxicity of sulphur to black currant **54**, **101**
- Picea sitchensis*, Sitka spruce, seedling growth increased by partial soil sterilization **54**, **397**
- Pieris brassicae*, granulosus virus of **56**, **331**
- Pigeon  
feral, response to repellants **51**, **127**  
wood, effect of  $\alpha$ -chloralose on **52**, **271**
- Pigeon-pea, *Cajanus cajan*  
wilt, *Fusarium udum*, inhibited by bulbi-formin **51**, **415**
- Pigs, arthropod pests of **53**, **175**
- Pine  
stump protection **52**, **63**  
*Dothiostroma* needle blight **59**, **133**, **363**
- Pirimicarb (5,6-dimethyl-2-dimethylamino-4-pyrimidinyl dimethylcarbamate)  
use in integrated control of *Tetranychus urticae* **67**, **211**
- Pisatin production in pea leaves **64**, **315**
- Pisum sativum*, see Pea
- Pival, 2-pivalyl-1,2-indandione  
anti-coagulant used against mice **61**, **322**
- Planococcoides* (= *Pseudococcus*) *njalensis*  
vector of cacao viruses **52**, **387**
- Plasmiodiophora brassicae*, club root  
infection of cabbage seedlings with **54**, **71**  
control by aldrin **55**, **99**
- Pleospora betae* (= *P. bjoerlingii*) control with ethyl mercury phosphate **51**, **41**;  
**69**, **247**
- Plodia interpunctella*, Indian meal moth  
life-history in Britain **53**, **459**
- Plum  
diseases, bacterial  
bacterial canker infection experiments **58**, **31**  
diseases, virus  
line-pattern **63**, **233**; **65**, **111**, **115**  
ringspot prune dwarf, bark split, decline **65**, **111**, **115**  
pests  
red-spider mite, *Panonychus ulmi*  
effect on growth and cropping **61**, **269**, **277**
- Plutella maculipennis*  
effect of feeding of larvae on leaves of radish and turnip **62**, **249**
- Podosphaera leucotricha*, apple powdery mildew  
action of drazoxolon on **62**, **45**  
artificial infection with **51**, **61**  
evaluation of materials for control **51**, **51**, **61**; **52**, **45**; **62**, **45**  
fluctuations in spore concentration **55**, **409**  
protection of fruit buds **68**, **149**
- Pollen grains affect infections by *Botrytis cinerea* **62**, **11**
- Polygalacturonase activity of filtrates from *Verticillium albo-atrum* cultures **52**, **79**
- Polyporus betulinus*, cellulase activity of **58**, **123**
- Poplar, bacterial canker **59**, **123**
- Poppy, opium, see *Papaver somniferum*

## Potassium

- chloride, effect on beet eelworm, *Heterodera schachtii* 54, 269
- deficiency, effect on tobacco powdery mildew 57, 201

## Potato

## diseases, fungus

- blight, *Phytophthora infestans*
  - bioassays of fungicides against 55, 397
  - effect on stomata 63, 265
  - effect of wax and lanolin emulsions on fungicides against 60, 223
  - haulm susceptibility to 51, 17
  - observations at Toluca, Mexico 68, 41
  - resistance assessment and factors 64, 461
  - role of water in spread 59, 245
  - sequence of foliage infection 51, 17
  - spraying trials: tuber infection 55, 375
  - tests of aryltin compounds against 69, 42
  - tests of dibutyltin compounds against 66, 115
  - tuber susceptibility 59, 257
- coiled sprout 66, 407
  - effect of storage and planting 58, 159
- common scab, *Streptomyces scabies* 58, 447; 63, 571
  - control by irrigation 66, 397
  - effect of wetness on tuber infection 66, 83
- dry rot, *Fusarium caeruleum*
  - tuber susceptibility affected by growth and nutrition 60, 231
- gangrene, *Phoma exigua*
  - factors affecting 62, 77, 89; 69, 213
- measuring prevalence of fungi on tubers 62, 309
- wilt, *Verticillium* spp. (= early-dying disease)
  - association with *Heterodera rostochiensis* 67, 185; 68, 71
  - effect on transpiration 68, 159
  - effect on leaf area 61, 217; on water deficit 66, 225
  - effect of main stem number and lateral stem development 63, 379
  - host/parasite relations 64, 469

- survival 63, 277; in soil 67, 177
- symptoms and causal agents 61, 231
- skin spot, *Oospora pustulans*, phenology 64, 265

## diseases, virus

- aphid-borne viruses, influence of temperature 56, 461
- leaf-roll, control of aphid transmission 54, 13
- mop-top
  - effects on spraing 68, 281
  - effects on tobacco 67, 377
  - host range 65, 393
  - transmission by *Spongospora* 63, 1
- spraing, relation to mop-top virus 68, 281
- tobacco rattle virus, prevention of transmission 69, 23
- virus-free clones, production of 59, 447
- witches'-broom, association with mycoplasma 63, 237
- X, interaction with Y in tobacco 53, 151
- gibberellic acid and mineral constituents
  - affect leaf area 52, 149
- growth regulators, GA, CCC, B9, modify growth habit 58, 171; 60, 333
- leaf area determination 52, 193
- nutrient supply, effects on growth 69, 46
- pests, eelworms, potato cyst eelworm, *see also Heterodera rostochiensis*
  - assessment of soil populations 51, 269
  - behaviour towards resistant tuberous and other *Solanum* spp. 51, 277; 65, 377, 385
- cyst-colour changes, bionomics of pathotypes 60, 411
- damage caused by 63, 493
- effect of inbreeding on 62, 485
- effect of resistant potatoes on 58, 487; 60, 421
- effect of soil leachings on hatch 59, 283
- hatching agents for 61, 139
- periodicity of egg hatching 60, 143
- population genetics 60, 151
- population fluctuations 63, 175; 64, 31
- resistance to in *Lycopersicon* 61, 151
- tests of D-D against 54, 391
- tests of soil sterilants against 52, 19
- with *Verticillium dahliae* 67, 185; 68, 71

- Potato (*cont.*)  
 pests, insect  
*Rhopalosiphoninus latysiphon* 69, 89  
 wild, *see Solanum* spp.
- Potential between thanite and aprocarb  
 in action on houseflies 63, 477
- Poultry pests  
 control by organophosphorus compounds 52, 295  
 mites and lice 53, 175
- Powdery mildews  
 curative activity of surfactants 65, 473  
 evaluation of chemicals for control 51, 51, 61; 52, 45; 55, 275, 287; 57, 211; 65, 473  
 vapour action of fungicides on 60, 251, 265
- Pratylenchus minyus*, control by soil fumigants 65, 361
- Pratylenchus neglectus* on oats and barley 63, 503
- Procaine derivatives tested on cucumber powdery mildew 57, 53
- Propineb, zinc propylene bisdithiocarbamate tests against *Peronospora parasitica* 62, 23  
 tests against *Alternaria brassicicola* 65, 481
- Protein  
 leaf protein concentrates 66, 193
- Prunus*, *see also Plum*  
 diseases, virus  
 line-pattern 63, 233  
 necrotic ringspot and prune dwarf 53, 325  
 necrotic ringspot in hop 57, 131
- Pseudomonas mors-prunorum*  
 infection experiments 58, 31  
 inhibition by saprophytic bacterium 56, 149  
 leaf inoculum on cherry 52, 97
- phaseolicola*, halo blight  
 detection in white-seeded beans 60, 305  
 estimation of infection of bean seed 66, 29  
 field studies and control 70, 191  
 resistance and biochemical status 61, 255  
 resistance of bean leaves to 52, 105; 63, 103
- bacteriophage and serological methods for identification 66, 387
- putida*  
 affecting mushroom sporophore formation 64, 177
- syringae*  
 infection experiments 58, 31
- Pseudoperonospora humuli*, hop downy mildew  
 control by dusts 56, 381  
 control by streptomycin etc. 57, 183  
 persistence in hop rootstocks 53, 129  
 infection periods 66, 281
- Public health  
 insects of importance in 53, 190
- Puccinia*  
*graminis tritici*  
 dew effect on uredospore germ-tube growth 64, 495  
 environmental factors affecting infection 66, 429  
 environmental factors affecting leaf penetration 60, 357  
 post-penetration stages of infection 67, 309  
 relative survival of mixed strains 66, 273; 67, 157  
 wheat resistance to 58, 274
- horiana*, chrysanthemum white rust, 62, 429
- polysora*  
 maize resistant to 60, 297
- striiformis*  
 breeding wheat for resistance to 66, 137
- Pyrenochaeta lycopersici*, *see Tomato*, diseases, fungus, brown root rot
- Pyrethrum  
 synergists and surfactants for 53, 15  
*Thrips nigropilosus* on 55, 1
- Pyricularia grisea* causing pitting of bananas 52, 453
- Pythium*  
 spp., method of isolation from soil 51, 215  
*ultimum* on pea seed, controlled by azo-benzene 52, 33
- Quintozene, resistance of *Botrytis cinerea* to 68, 271
- R42211, *O,O*-diethyl *O*-(2-diethylamino-6-methylpyrimidin-4-yl)phosphorothioate

- R<sub>42211</sub> (*cont.*)  
 tested against wireworms 64, 21
- Rabbit  
 fleas and mites 53, 175  
 myxomatosis spread by rabbit flea 51, 338
- Radish  
 feeding of *Myzus persicae* on 70, 169  
 leaf damage by larvae of *Phaedon cochleariae* and *Plutella maculipennis* 62, 249  
 radish mosaic virus on turnip 69, 229
- Rainbow trout, *see* Trout
- Rape, *Brassica napus*  
 resistance to *Brevicoryne brassicae* 64, 203
- Raspberry, *Rubus idaeus*  
 diseases, fungus  
 stamen blight, *Haplospheeria deformans*, epidemiology 60, 343; control 67, 321  
 diseases, virus  
 bushy dwarf 65, 435  
 ringspot and arabis mosaic transmitted by *Xiphinema diversicaudatum* 62, 147  
 ringspot on blackberry nematode-transmitted 54, 183  
 ringspot transmission by *Longidorus elongatus* 64, 43, 233  
 control of 55, 227  
 virulent ringspot strain 61, 175
- Rats  
 control in sewers 51, 342; 62, 341  
 ship, laboratory-reared, growth of 55, 193  
 social behaviour and movement 51, 343  
 warfarin-resistant 61, 303
- Raw, Frank, obituary 61, 167
- Red bollworm, *see* Cotton, pests
- Red clover, *see* Clover
- Redistribution of fungicides on plants 57, 475
- Red spider  
 fruit-tree, *see* *Panonychus ulmi*  
 glasshouse, *see* *Tetranychus urticae*
- Religion of science, the 60, 1
- Repellants, response of pigeons to 51, 127
- Research in plant pathology 51, 177; 53, 1; 55, 345
- Residues from systemic insecticides  
 assessment of 61, 457
- Resistant strains of *Botrytis cinerea* 68, 271
- Respiration  
 of leaves with tobacco mosaic virus 56, 477
- Rhizoctonia solani*  
 control by hot-water treatment on cotton seed 63, 95  
 effects on wheat crop 58, 299  
 environment and nutrition affect pathogenicity 51, 389  
 persistence in soil 54, 231  
 virulence of isolates 54, 77
- Rhopalosiphoninus latysiphon* on potato roots 69, 89
- Rhopalosiphum padi*  
 distribution in cereal crops 66, 485  
 life cycle and host preference 68, 135  
 morph determination 68, 11
- Rhubarb viruses in Britain 59, 417
- Rhynchosporium secalis*, barley leaf blotch, losses caused by 62, 273
- Ribes* spp., resistance to aphids 68, 23
- Ribonuclease, pancreatic, *see* Pancreatic ribonuclease
- Ringworm 51, 170
- Rivanol, 3,9-diamino-7-ethoxyacridine lactate  
 hatching agent for beet eelworm eggs 52, 423
- Root-knot nematode, *see* Tomato pests, nematode
- Rose  
 diseases, fungus  
 black spot, *Diplocarpon rosae*  
 epidemiology 58, 115  
 host/parasite interaction 60, 129  
 toxicity of sulphur dioxide to 58, 103  
 mildew, *Sphaerotheca pannosa*  
 epidemiology and control 65, 231  
 resistance to 58, 309  
 tests of alkyl dinitrophenols against 69, 119  
 tests of surfactants against 65, 473
- Rosette virus, *see* Groundnut diseases, virus
- Rubus* stunt diseases associated with mycoplasmas 67, 389
- Rubber, *Hevea brasiliensis*  
 diseases, fungus  
 South American leaf blight, *Dothidiella ulei*  
 dispersal of conidia 63, 435  
 growth regulator effects on latex flow 62, 159



- Sack-drier  
effect of temperature on weed seeds and insects 53, 28
- Sage, *Salvia officinalis*  
*Verticillium* wilt of 58, 71
- Salmo gairdnerii*, see Trout, rainbow
- Salmon  
leaping behaviour 53, 503  
stocks in River Axe, Devon 53, 497
- Salvinia auriculata* degeneration in Lake Kariba 63, 61
- Sambucus canadensis*, elderberry latent virus on 70, 49
- Sapstain (of wood)  
tests of preventives 59, 473
- Scaptomyza apicalis*  
on turnips, shelter effect 58, 271
- Schistocerca gregaria*, desert locust  
toxicity of insecticides to nymphs 54, 415  
toxicity of malathion to 65, 43
- Science, the religion of 60, 1
- Sclerotia, testing viability of 65, 59
- Sclerotinia*  
*fructigena*  
induces phenolic acids in apples 60, 87  
induces chlorogenic acid in apples 61, 245  
*trifoliorum*  
apothecium formation 56, 253  
sclerotium survival in soil 56, 261
- Sclerotium cepivorum*  
effect of alliin products on sclerotia 64, 303  
effect of *Allium* spp. on sclerotia 58, 273; 61, 407; 62, 105; 64, 289  
germination of sclerotia in aseptic conditions 60, 109  
tolerance to antibiotics in presence of onion exudates 63, 415
- Sea-trout  
stocks in River Axe, Devon 53, 497
- Seaweed  
reproduction of *Lumbricillus rivalis* in 67, 255
- Seed  
dressings  
BHC, systemic action 52, 361  
captan and thiram persistence in soil 64, 113  
for control of wheat bulb fly 60, 173  
menazon on sugar beet 62, 113  
steeps  
for peas, captan and thiram 57, 173  
for sugar beet, ethylmercury phosphate 51, 41
- Seed-transmission  
of nematode-borne viruses 59, 49, 63  
of vine viruses through seed of *Chenopodium amaranticolor* 51, 85
- Septoria aptii*  
sources of inoculum 57, 75  
viability on celery seed 54, 313; 61, 89  
control on celery seed 65, 249
- Septoria apiicola*, celery leaf spot, control 67, 121; 67, 263
- Sewage effluents  
effect on fisheries 53, 508
- Sheep  
pests  
arthropods 53, 175  
blow-fly, *Lucilia sericata*, control by organophosphorus compounds 52, 295; 53, 175
- Shelter belts 51, 169
- Silica dust on leaves increases water loss 64, 139
- Silver-leaf disease, relation to sap nutrients 65, 85
- Simuliidae frequency in Scottish Highlands 51, 173
- Sinapsis arvensis*  
competitive effects on kale and wheat 51, 107  
host of *Meligethes aeneus* 51, 172
- Sitka spruce, see Spruce, Sitka
- Sitobium* spp., distribution in cereal crops 66, 485
- Sitophilus granarius* controlled by reduced oxygen supply 51, 313
- Slugs  
activity in relation to weather 53, 407  
control by metaldehyde 56, 37; 65, 1, 507  
control by methiocarb 65, 1  
effect of Meta slug pellet distribution 66, 347  
estimation of population 53, 251, 407  
toxicity of contact poisons to 62, 363  
toxicity of stomach poisons to 63, 167
- Sodium nitrite to prevent *Fomes annosus* infection 66, 441

## Soil

- amendment increases antibiotic production **51**, 415
- copper deficiency in S.E. Scotland **51**, 169
- fauna
  - Collembola, effect of lime and phosphate on **51**, 171
  - effect of menazon, phorate and thionazin on **62**, 199
  - effect of wireworm insecticides on **60**, 479
  - fumigation effect on spring wheat **63**, 81
  - fungi
    - isolation of *Pythium* spp. and *Fusarium oxysporum* **51**, 215
  - macrofauna affected by organochlorine residues **61**, 29
  - moisture tension effects on germination **51**, 473
  - moisture tension effects on systemic insecticides **65**, 15
  - nematodes, trapping by fungi **51**, 295
  - partial sterilization increases growth of Sitka spruce seedlings **54**, 397
  - treatment
    - heating by steam/air mixtures **56**, 243; **60**, 215
    - fumigation, effect on micro-organisms **58**, 389; **62**, 405; **63**, 81
- Solanum* spp.
  - aphid-resisting glandular hairs in **68**, 113
  - resistance to *Myzus persicae*, *Macrosiphum euphorbiae* and *Aulacorthum solani* **68**, 245
- Solanum melongena*, see Eggplant
- Sorghum vulgare*, guinea-corn
  - covered smut, *Sphacelotheca sorghi*, survey of infection in N. Nigeria **51**, 367
  - ergot, *Sphacelia sorghi*, **62**, 443
- Sphacelia sorghi*, ergot of *Sorghum vulgare* **62**, 443
- Sphacelotheca sorghi*, covered smut of *Sorghum vulgare* **51**, 367
- Speakers, notes for (revised) **52**, 345
- Sphaerotheca fuliginea*
  - effect on cucumber yields, and control **63**, 401
  - tests of procaine against **57**, 53
- mors-uvae*
  - on black-currant **61**, 387, 399
  - on gooseberry **61**, 387

## pannosa

- epidemiology and control **65**, 231
- resistance of rose to **58**, 309
- Spilopsyllus cuniculi*, rabbit flea
  - vector of myxomatosis **51**, 338
- Spindle tree, see *Euonymus*
- Splash dispersal of spores and fungicides **63**, 71
- Spongospora subterranea* transmits potato mop-top virus **63**, 1
- Spore dispersal of *Drechslera gigantea* **51**, 29
- of *Dothidiella ullei* **63**, 435
- Spore trapping of *Itersonilia pastinacae* in parsnip crops **51**, 223
- Spores
  - splash dispersal of **63**, 71
  - uptake of copper by **51**, 425
- Sporulation suppressants **60**, 241
- Sprayers
  - for cocoa **52**, 481
  - helicopter vs. ground sprayers for cotton **55**, 431
- Sprays and Spraying
  - biological activity of copper oxychloride spray deposits **58**, 131
  - deposition and retention of coffee leaves **53**, 133
  - high-volume and low-volume compared **53**, 133
  - of tropical crops **51**, 353
- Spring traps **51**, 329
- Spruce, Norway and Sitka, attacks by *Elatobium abietinum* **69**, 167
- Spruce, Sitka, *Picea sitchensis*
  - seedling growth increases by soil partial sterilization **54**, 397
- Squirrel, grey, *Sciurus carolinensis*
  - use of warfarin against **61**, 312
- Stamen blight, *Haplosphaeria deformans*, see Raspberry diseases, fungus
- Steam/air mixtures for soil heating
  - against cucumber root rot **60**, 215
  - chemical and biological effects **56**, 243
- Stemphylium radicinum* on carrots **57**, 83
- Stereum purpureum*, see Silver-leaf disease
- Stockalite (kaolin) dust on leaves increases water loss **64**, 139
- Stolbur virus on strawberry and clover **51**, 59
- Stored products
  - grain, problems of **59**, 324

Stored products (*cont.*)

moist barley grain, fungi and bacteria on  
65, 277, 285; 69, 187

## pests

beetles, insecticide effects on 57, 1

control by reducing oxygen supply 51,  
313

general 53, 200

*Plodia interpunctella* 53, 459

*Sitophilus granarius* on wheat 51, 313

Storey, Harold Haydon, obituary 64, 188

## Strawberry

## diseases, fungus

mildew, control by DDAB 52, 45

wilt, *Verticillium dahliae*

evaluation of fungicides for control  
70, 163

influence of soil amendment 70, 139

soil effect 64, 483

variation in virulence 66, 43

## diseases, virus

arabis mosaic control 52, 243

delphinium yellows virus 51, 69

green petal (*see also* Phyllody virus)

host range 51, 69, 259

vectors 51, 69

latent ringspot nematode-borne 54,

167; 60, 405

stolbur 51, 69

## pests

seed beetle, *Marpalus rufipes* 62, 241

*Tarsonemus fragariae*, effect on yield  
70, 13

*Streptomyces scabies*, potato scab, 58, 47; 63,  
471

control by irrigation 66, 397

effect of moisture on tuber infection 66,  
83

Streptomycin for control of hop downy  
mildew 57, 183

Stubby-root nematodes, *see* Sugar-beet pests

Stump inoculation with *Peniophora gigantea*  
52, 63

*Stylosanthes* spp.

relation to groundnut rosette virus 62,  
139

## Sucrose sprays

effect on aphid colonization of sugar beet  
63, 351

Sudan crops, bacterial diseases of 53, 267;  
63, 357

## Sugar(s)

accumulation in virus-infected plants 56,  
65

affecting susceptibility of sugar beet to  
downy mildew 61, 381

## Sugar beet

artificial defoliation, effects on yield 70, 89

CCC, effect of 64, 161

diquat and paraquat uptake 59, 91

## diseases, fungus

*Alternaria* control on yellows-infected  
plants 57, 425

downy mildew, *Peronospora farinosa*

conidial germination in water 62, 465

economic importance 60, 281

effect of darkness and defoliation on  
resistance 70, 99

effects of foliar application of sugars  
61, 381

effect of sprays 52, 415

field experiments on 60, 97

laboratory experiments on tempera-  
ture and humidity effects 61, 47

*Pleospora betae*, control by seed  
steeps and mist application of ethyl  
mercury phosphate 51, 41; 69, 245

## diseases, virus

mosaic, spread 52, 133

mild yellowing, distribution 52, 405

## yellows

control 56, 345

distribution 52, 405

effect on yield 51, 516; 52, 405;  
effects of trace elements 68, 67

effects of darkness and sucrose sprays  
63, 351

interaction with *Alternaria* 56, 111;  
57, 425

menazon seed dressing checks aphid  
vectors 62, 113

resistance in virus-tolerant breeding  
material 57, 311

spread 56, 231; 60, 469; 63, 351

thiobendazole checks spread 62, 265  
time of insecticide application affects  
spread 60, 469

light and temperature effect on seedlings  
and subsequent growth 64, 385

nitrogen, effect of 51, 107

## pests

aphids from mangold clamps 57, 321

- Sugar beet (*cont.*)  
 pests (*cont.*)  
   cultural factors affecting aphid colonization 63, 330  
   Docking disorder, control 69, 253  
   effect of darkness and sucrose sprays on aphid colonization 63, 351  
   effect of nitrogen fertilizer on nematodes 69, 253  
   effect of soil fumigants on root-parasitic nematodes 65, 351, 361; 69, 253  
   *Heterodera schachtii*, effect of potassium chloride 54, 269; resistance to 66, 169  
   inherited resistance to aphid colonization 63, 337  
   needle nematodes (*Longidorus* spp.) 65, 339; 68, 291, 69; 253  
   stubby-root nematodes (*Trichodorus* spp.) 65, 339; 68, 291; 69, 253  
 seed crops  
   pollen release by diploid and tetraploid plants 66, 129  
   weather effect on pollen concentration 66, 119  
   sugar concentrations in inbred lines 68, 299  
   weeds, competitive effects 51, 107  
   yields, disease effects on 51, 516; varietal differences 66, 217
- Sugar cane  
   abacá mosaic virus a strain of sugar-cane mosaic virus 51, 253
- Sulphonium halides as growth regulators 63, 211
- Sulphur dioxide toxicity to rose black spot 58, 103
- Sulphur phytotoxicity to black-currant 59, 101
- Surface-active agents for mildew control 52, 45; 65, 473
- Swede  
   yield when interplanted with kale 52, 185
- Sweet-pea, virus spread in 55, 39
- Sweet-William, virus elimination by meristem-tip culture 62, 119
- Swollen-shoot virus, *see* Cacao and Cocoa, diseases, virus
- Systemic insecticides, *see also* individual materials  
   assessment of residues 61, 467
- Syrphidae, aphidophagous, oviposition 61, 415, 425, 435
- Take-all, *Ophiobolus graminis*, *see* Wheat diseases, fungus
- Talc dust on leaves increases water loss 64, 139
- Tarsonemus fragariae* effect on strawberry yields 70, 13
- Tatera indica indica* (gerbil) bait shyness of 69, 169
- Tea in Ceylon, mite pests of 70, 1
- Teaching plant pathology 51, 177; 53, 1; 55, 345
- Tecnazene, resistance of *Botrytis cinerea* to 68, 271
- Tepa, tris-(1-aziridinyl)phosphine oxide, induces sterility in red bollworm 60, 191
- Terramycin  
   effect on reproduction of *Aphis fabae* 59, 13
- Tetranychus urticae* (= *T. telarius*)  
   control on cucumbers  
     by Kelthane 51, 485  
     by *Phytoseiulus persimilis* 66, 505; 67, 211  
   integrated control 68, 1
- Thanite, isobornyl thiocyanacetate, action on houseflies 63, 477
- Theobroma cacao*, *see* Cacao and Cocoa
- Thiabendazole affects fecundity of aphids and transmission of viruses 62, 265
- Thielaviopsis basicola* inhibits infectivity of tobacco mosaic virus 64, 57
- Thiocarbamoylthionitroparaffins as fungicides 51, 445
- Thiosemicarbazides as fungicides 57, 465
- Thionazin, diethyl-O-2-pyrazinylphosphorothionate  
   controls wireworms 54, 241  
   effects on soil fauna 62, 199  
   controls cecid larvae in mushroom beds 66, 497
- Thiram, tetramethylthiuram disulphide  
   seed dressing persistence in soil 64, 113  
   seed steps control  
     fungal seed-borne diseases 64, 245  
     seed infection with celery blight 54, 313  
     seed infections of peas 57, 193



- Thrips nigropilosus*, see also *Limothrips* and  
Thysanoptera on pyrethrum 55, 1
- Thuja plicata*, control of *Didymascella thujina* on 67, 131
- Thysanoptera  
species, density and maturity in mass  
flights 55, 219  
weather effects on mass flights 53, 165
- Tilletia caries*, wheat bunt, control by azo-  
benzene 52, 33
- Timber, see also Wood  
insect pests 53, 184
- Timothy, *Phleum pratense*, effect of tempera-  
ture and nitrogen on growth 58,  
145
- Timothy flies, *Amaurosoma* spp., control 51,  
171
- Tin compounds as fungicides 66, 11; 69,  
42
- Tiona WD (titanium oxide) dust on leaves  
increases water loss 644, 139
- Tipula* spp. see Leatherjackets
- Titanium oxide, see Tiona WD
- Tobacco  
diseases, fungus  
*Alternaria longipes*, infection by 67,  
23  
epidemic development of 69, 105  
powdery mildew, *Erysiphe cichoracearum*  
conidial content of air over crop 57,  
445  
germination of conidia 58, 401  
irrigation affects 57, 435  
leaf susceptibility to 58, 61  
nutrition affects 54, 291  
potash deficiency affects 57, 201  
resistance affected by topping, cyto-  
kinins and antibiotics 66, 239
- diseases, virus  
mosaic  
defective strains of 64, 213  
effect on photosynthesis 55, 239  
effect on respiration 56, 477  
inhibition of infectivity by *Thiela-  
viopsis basicola* 64, 57  
strains on resistant tomato varieties  
65, 293  
potato mop-top symptoms affected by  
light and temperature 67, 377  
potato virus X interaction with Y 53,  
151
- ringspot  
causing anemone necrosis 55, 447  
seed transmission 61, 195  
tomato aucuba mosaic  
effects of kinetin and temperature 55,  
51
- leaves  
nitrogen and carbohydrate content  
affected by potassium deficiency  
57, 201
- Tomato  
assimilation rates of 59, 85  
bronzing of fruit 55, 71  
carbon dioxide effects 57, 345  
diquat and paraquat uptake 59, 85  
diseases, fungus  
black dot, *Colletotrichum coccodes* 62, 55  
*Botrytis cinerea* infecting stems 51, 171;  
control 65, 75  
brown root rot, *Pyrenochaeta lycoper-  
sici*  
cultural treatments affect 62, 55  
epidemiology 57, 95; 64, 449  
relationship to potato root eelworm  
61, 503  
*Fusarium oxysporum* f. *lycopersici*  
effect of phenylthiosemicarbazide on  
65, 497  
toxin production 52, 257; 54, 99  
varietal reaction to 52, 257; 62, 413  
late blight, *Phytophthora infestans*, re-  
sistance to 65, 255  
leaf mould, *Cladosporium fulvum*  
assessment and effect on yield 63, 19  
check by humidity control 65, 75
- Verticillium*  
*albo-atrum*  
growth substances affect 60, 117  
nature of resistance to 62, 319  
polygalacturonase production 52,  
89  
responses of resistant and suscep-  
tible plants to 59, 143; 63, 389  
wilt induced by filtrates from 52,  
79  
*dahliae* fails to infect leaves 51, 231  
*tricornis* leaf infection by 51, 231  
spp. virulence of 58, 259
- diseases, virus  
aucuba mosaic, effect of pancreatic  
ribonuclease and kinetin on 52, 393

Tomato (*cont.*)diseases, virus (*cont.*)

blackring

control of transmission by *Longidorus**elongatus* 55, 227transmission by *L. elongatus* 64, 43, 233

bushy stunt

relationship to pelargonium leaf curl

56, 87

leaf curl in Sudan 56, 207

mosaic

adaptation to resistant tomato plants

60, 209

cleaning of virus from hands and tools

52, 225

infection through roots 55, 57

new strain on resistant tomatoes 65, 293

nutrient sprays affect 54, 23

persistence on clothing and glass-

house structures 52, 233

persistence in soil 55, 471

resistance effects on multiplication

556, 485

root growth affected by 54, 31

seed transmission 56, 177

sources in glasshouses 57, 113

transmission by birds 55, 67

yield and quality affected by 54, 209

spotted wilt

effect of kinetin on 53, 67

fruit bronzing 55, 71

illumination effects 57, 345

pests, nematode

root-knot nematode, *Meloidogyne* spp.

inducing growth-substance forma-

tion 61, 495

seed

germination at controlled soil moisture

51, 473

soil steaming affects cropping 54, 23

sowing date affects yield 54, 31

## Trace elements on sugar beet

effect on *Myzus persicae* and yellows

transmission 68, 67

## Training in applied biology 51, 177; 53, 1;

55, 345

## Translaminar effect of Kelthane 51, 485

## Traps, spring 51, 329

*Tribolium castaneum* and *T. confusum*

genotype/environment reactions and de-

velopmental rate 56, 21

Tri-*n*-butyl tin oxide

antifouling activity 51, 361

*N*-(2,2,2-Trichloro-1-methoxyethyl)form-

amide, fungitoxicity 70, 233

 $\gamma$ -(2,4,5-Trichlorophenoxy) butyric acid

metabolism in wheat and pea tissues 55,

261

## Trichlorphon, dimethyl 2,2,2-trichloro-1-

hydroxyethyl phosphonate

used against pests of fowls, sheep and

calves 52, 295

*Trichoderma viride* infecting oranges 66, 75*Trichodorus**anemones* and *cylindricus*

control by D-D and ethylene dibromide

65, 361

*primitivus* on oats and barley 63,

503

*viruliferus* transmits pea early-browning

virus 54, 1

spp.

effect of D-D, chloropicrin and previous

crops 65, 351

on sugar beet 65, 334

vectors of tobacco rattle virus to potato

69, 22

*Trichothecium cystosporium* nematode-trap-

ping fungus 51, 295

*Trifolium**hybridum* interrelation of root pests and

diseases 52, 371

*pratense* viruses of 59, 23*repens*, see also Clover

clover yellow vein virus in 56, 99; 58,

231

## \*Tris(1-aziridinyl)phosphine oxide, see Tepa

## Tropics

crop production in 51, 353

fishery problems in 52, 502

## Trout

leaping behaviour 53, 503

rainbow, *Salmo gairdnerii*

physical activity affects toxicity of zinc

sulphate and ammonium chloride

52, 321

toxicity of

mixtures of copper-ammonia and

zinc-phenol 53, 415

mixtures of salts of ammonium and

zinc 53, 33

nonyl phenol ethoxylate 55, 425

## Tulip

- Augusta disease 66, 17
- fire (*Botrytis tulipae*), seasonal carry-over 65, 49
- halo necrosis virus 69, 147
- mineral nutrition effects 52, 394; 53, 477; 57, 287, 379

## Turnip

- diseases, virus
  - mild yellows 58, 371
  - radish mosaic virus 69, 229
- pests
  - leaf damage by larvae of *Phaedon cochleariae* and *Plutella maculipennis* 62, 249
  - leaf miner, *Scaptomyza apicalis* 58, 371

Tuzet (40% thiram, 20% ziram, 20% arsenical carbamate)

- effect on sporulation of *Colletotrichum coffeanum* 64, 101

*Tylenchorhynchus dubius* control by D-D and ethylene dibromide 65, 361

## Universities

- applied biology in 53, 1; 55, 345
- plant pathology in 51, 177; 53, 1

## Urea treatment of apple leaves

- effect on microbial population 61, 203
- suppression of *Venturia inaequalis* perithecia 62, 289, 297

Ursolic acid in apple cuticle wax 53, 43

*Ustilago**nuda*

- ecological factors affecting 55, 303
- effect of temperature on 64, 75
- hot-water treatment for control 55, 295
- inoculation with 54, 225
- seedling competition affects infection 54, 91

Vitavax seed treatment controls 64, 259

*tritici*

Vitavax seed treatment controls 64, 259

*n*-Valone, 2-*n*-valeryl-1,3-indandione

toxicity to *Alphitobius laevigatus* 52, 7, 305

Vamidothion, dimethyl *S*-(2-(1-methyl carbamoylethylthio)-ethyl)phosphorothiolate

controls *Aphis fabae* on beans 64, 1

Vapour phase toxicity of fungicides 60, 251, 265

## Vegetable crops

rational control of pests of 56, 342

*Venturia inaequalis*, see also Apple diseases, fungus, scab

## ascospore production

effect of fungicides and herbicides on 56, 279

suppression of by urea etc. 56, 285; 61, 203; 62, 289, 297

conidia, laboratory germination tests 54, 349

tests of alkyl dinitro phenols against 64, 119

*Verbesina encelioides* host of dahlia mosaic virus 67, 357

Vertebrate pests 51, 325, 326

*Verticillium*, see also under specific hosts

*albo-atrum*

effect on leaf area of potato 61, 217

nature of resistance of tomato plant to 62, 319

on hops, effects of temperature and rainfall 66, 51

on potato, effect on water deficit 66, 225

pathogenicity to lucerne and other plants 52, 439

polygalacturonase production 52, 89

responses of resistant and susceptible tomatoes to 59, 143; 63, 389

wilt-inducing effect of filtrates from cultures of 52, 79

wilt toxins from 58, 81

*dahliae*

association with *Heterodera rostochiensis* 67, 185

cause of wilt of sage 58, 71

effect of leaf area on potato 61, 217

effect on strawberries related to soil 64, 483

fails to infect tomato leaves 51, 231

from strawberry, variation in virulence 66, 63

fungicide control on strawberry 70, 163

influence of soil amendments 70, 139

pathogenicity to various crops 52, 439

relation to roots of cacao 70, 157

spread from weeds to cotton 67, 169

*nubilum*

relation to potato coiled-sprout 66,

407

*Verticillium* (cont.)

spp.

colonizing cellulose membranes 57, 59

on potato

cause of 'early-dying' disease 61, 231

effect on of main stem number and

lateral stem development 63, 379;

effect on transpiration 68, 159

host/parasite relations 64, 469

isolation from soil and potato haulm

64, 177

*tricornus*

on tomato leaves 51, 231

wilt

on cacao 69, 223

on hop, *see* Hop diseases, fungus

on potato (= early-dying disease) 61,

231

on tomato, *see* Tomato diseases, fungus

Veterinary entomology 53, 175

*Vicia faba*, *see* BeanVine, *Vitis*court-noué virus, *see* fanleaf virus

grapevine fanleaf and grapevine yellow

mosaic viruses

host range 51, 85

relation to arabis mosaic virus 51, 97

Virus(es), *see also* under specific hostsinhibitors in leaves of *Chenopodiales* spp.

69, 157

intracellular inclusion bodies in mosaic-

infected dahlia 52, 145

interaction between viruses 53, 151

light wavelength affects infectibility by

65, 403

nematode-borne, seed transmission of 59,

49, 63

site of retention 66, 375

passage through vector eggs 51, 73

research on, thirty years of 58, 1

seed transmission of grapevine viruses 51,

85

of cucumber mosaic virus 66, 381

serotypes 51, 97

spread 52, 133

sugar and fructosan accumulation 56, 65

survival after lyophilization 65, 411

tolerance to, breeding for 53, 363

vectors

*Aphis craccivora* 54, 199*Aphis fabae* 53, 259*Aphrodes bicinctus* 51, 69*Cuscuta campestris* 51, 69*Euscelis plebejus* 51, 69*Javasella pellucida* 59, 39*Longidorus elongatus* 59, 275*Longidorus macrosoma* 54, 183*Macrosteles sexnotatus* 51, 69*Myzus persicae* 53, 259

passage through vector eggs 51, 73

*Phytoptus ribis* 54, 177*Xiphinema diversicaudatum* 51, 97; 54,

167; 66, 375

*X. index* 66, 375Vitavax = carboxin, 5,6-dihydro-2-methyl-  
1,4-oxathiin-3-carboxanilide

controls loose smut of wheat and barley

64, 259

Walnut, Persian, phloem canker caused by

*Erwinia rubrifaciens* 69, 125Warble fly, *see* *Hypoderma bovis*Warfarin, 3-(2-acetyl-1-phenylethyl)4-hydr-  
oxycoumarin

rats resistant to 61, 303

use against grey squirrels 61, 312

use against mice 61, 322; 62, 355

Water supply effect on wheat yield 51, 515

Wax emulsions affect efficiency of potato-  
blight fungicides 60, 223

Waxes

in plant cuticles 53, 43

relation to water-repellency 56, 297; 63,  
145

Weeds

competitive effects on kale, sugar beet and  
wheat 51, 107

effect of arable rotation and leys 52, 177

Wettability of leaves

effect of superficial wax on 63, 145

Wetting agents for mildew control 52, 45

Wheat

awns and drought, effect on photosynthate  
70, 67

CCC, effects of 64, 375

diseases, fungus

bunt, *Tilletia caries*

control by azobenzene 52, 33

eyespot, *Cercospora herpotrichoides*effect of D-D, dazomet and formalin  
67, 235

effect of temperature 68, 169



Wheat (*cont.*)diseases (*cont.*)eyespot (*cont.*)

effect on yield at Rothamsted 1930-60

51, 189

effect of 4-course rotation and  $3\frac{1}{2}$  yr

leys 55, 115

influence of direct drilling on 61, 57

survival 51, 189

loose smut, *Ustilago nuda*

ecological factors affecting 55, 303

effect of temperature on 64, 75

Vitavax seed treatment controls 64,

259

powdery mildew, *Erysiphe graminis*

seasonal variation 67, 1

rust, *Puccinia graminis tritici*

dew effect on uredospore germ-tube

growth 64, 495

environment affecting infection 66,

439

leaf penetration 60, 337

post-penetration phase 67, 309

resistance of seedlings to 58, 279

survival of mixed strains 66, 273;

67, 157

sharp eyespot, *Rhizoctonia solani*

effect on wheat crops 58, 279

virulence of isolates 54, 77

take-all, *Ophiobolus graminis*

dazomet and D-D, effect of 63, 81;

66, 329; 67, 235

direct drilling, influence of 61, 57

effects of ammonium and nitrate nu-

trition 70, 225

effects of crop sequences 67, 13

effects on growth 70, 215

nabam, formalin, irrigation and nitro-

gen, effect of 64; 325; 67, 235

yellow rust, *Puccinia striiformis*

breeding for resistance to 66, 137

## diseases, virus

barley yellow dwarf tolerance to 66,

361

striate mosaic virus, transmission by

*Javaseila pellucida* 59, 39

ethylenediaminetetraacetic acid, effect on

coleoptile tissue 57, 301

grain yield, photosynthesis and transloca-

tion 61, 109; 64, 363; effects of

chlormequat 68, 203

growth, effect of formalin, nabam, irriga-  
tion and nitrogen on 64, 325

pests, eelworm

*Heterodera avenae*, effect of formalin,  
nabam, irrigation and nitrogen on

64, 325

effect of soil sterilants on 66, 329

population changes in ploughed and  
unploughed soil 65, 327

pests, insect

aphids, distribution of 66, 485

bulb fly, *Leptohylemyia coarctata*

aspects of the problem 59, 155

control by seed dressings 60, 173

effect on wheat growth and yield 61,

1

frit fly, control by aldrin 51, 501

*Meromyza* sp. 51, 301

stem-boring Diptera 51, 301

photosynthesis effects on ear 57, 281;

70, 59

quality of 59, 321

seed treatment with BHC, systemic action

52, 361

short varieties, growth and yield 63,

241; 68, 93

soil fumigation effects 63, 81

stored-wheat pests

*Sitophilus granarius* controlled by re-  
duced oxygen 51, 313

straw competitive colonization of 60,

137

translocation of photosynthates 57, 355

water supply, response to 51, 515; 57, 365;

64, 325

weeds, competitive effects 51, 107

yield affected by diseases, pests and

management 51, 189

yield affected by soil sterilants 66, 329

yield estimated from photosynthesis and  
translocation 64, 363

Wheel damage to bean crops 64, 1

White clover, *see* Clover

Willow weevil, *Cryptorrhynchus lapathi*

life history 54, 141

Windbreaks

shelter effect 41, 169

effect on insect distribution 55, 503, 513;

58, 355, 365, 371; 60, 23; 64, 1;

66, 477

wind structure near 66, 469

- Wireworms, *Agriotes* spp.  
 control  
   by insecticides affects soil fauna 60, 479  
   by organophosphorus and organochlorine compounds 64, 21  
   by thionazin and fenthion 54, 241  
 Witches'-broom of potato associated with mycoplasma-like bodies 63, 347  
 Withertip in cereals caused by copper deficiency 51, 169  
 Withertip, *Gloeosporium limetticola*, of limes (*Citrus aurantifolia*)  
   control by fungicides 51, 237, 403  
 Wood  
   decay measured by CO<sub>2</sub> evolution 59, 463  
   pests, boring insects 53, 184  
   preservatives  
     testing methods 53, 188  
     testing by CO<sub>2</sub> evolution 59, 473  
   sapstain preventives, testing of 59, 475  
 Woodworm, *see* *Anobium punctatum*  
 Wood-pigeons  
   effect of  $\alpha$ -chloralose 52, 271  
   effect of dressed cereal seed 52, 503  
   population control 55, 177  
*Xanthomonas phaseoli*, survival and dissemination 64, 65  
*Xiphinema bakeri* on roots of Douglas-fir seedlings 69, 267  
*Xiphinema diversicaudatum*  
   control by D-D and methyl bromide 52, 243  
   host range and virus transmission 65, 169  
   method of extraction from soil 60, 249  
   transmits arabis mosaic virus 51, 97; 62, 147  
   transmits strawberry latent ringspot virus 54, 167; 60, 405; 62, 147  
*Xiphinema index*, site of virus retention 66, 375  
 Yam, *see* *Dioscorea*  
 Yellows, *see* Sugar-beet diseases, virus  
 Yields, crop  
   annual variations for carrot and beet 31, 523  
   estimates for cereals 51, 513  
   relation to environment 51, 511  
   relation to leaf area in potato 52, 149  
   relation to plant growth 57, 173  
 Zanzibar, withertip of limes in 51, 237, 403, 411  
 Zebra disease of agave 63, 45  
 Zebrafish, *Brachydanio rerio*, resistance to zinc sulphate 56, 47  
 Zinc  
   ameliorating effect on phyllody virus of white clover 51, 259  
   propylene bisdithiocarbamate, *see* Propineb  
   sulphite  
     toxicity to rainbow trout 52, 321; 53, 33  
     toxicity to zebrafish 56, 47  
 Zinc phosphide poison bait for gerbils 69, 169  
 Zineb, fate of in plants 65, 489  
   tests against lettuce downy mildew 59, 355  
   tests against *Peronospora parasitica* 62, 23









